03-16-00

A
Box Seq

Certificate of Mailing	
Date of Deposit ___March 15, 2000___	Label Number: ___EL488650049US___

I hereby certify under 37 CFR 1.10 that this correspondence is being deposited with the United States Postal Service as **"Express Mail Post Office to Addressee"** with sufficient postage on the date indicated above and is addressed to: BOX PATENT APPLICATION, Assistant Commissioner for Patents, Washington, D.C. 20231.

Luis A. Cruz _____

Printed name of person mailing correspondence

Signature of person mailing correspondence

UTILITY PATENT APPLICATION TRANSMITTAL UNDER 37 CFR §1.53(b)

Attorney Docket Number	50110/002005
Applicant	Michael R. Hayden et al.
Title	METHODS AND REAGENTS FOR MODULATING CHOLESTEROL LEVELS

PRIORITY INFORMATION:

This application claims priority from U.S. Provisional Application No. 60/124,702, filed March 15, 1999, U.S. Provisional Application No. 60/138,048, filed June 8, 1999, U.S. Provisional Application No. 60/139,600, filed June 17, 1999, and U.S. Provisional Application No. 60/151,977, filed September 1, 1999.

APPLICATION ELEMENTS:

Cover sheet	1 pages
Specification	84 pages
Claims	15 pages
Abstract	1 pages
Drawing	68 pages
Combined Declaration and POA, which is: ☒ Unsigned; ☐ Newly signed for this application; ☐ A copy from prior application [**SERIAL NUMBER**] and the entire disclosure of the prior application is considered as being part of the disclosure of this new application and is hereby incorporated by reference therein.	3 pages
Statement Deleting Inventors	[**] pages
Sequence Statement	2 pages
Sequence Listing on Paper	84 pages
Sequence Listing on Diskette	1 diskette

Small Entity Statement, which is: ☒ Unsigned; ☐ Newly signed for this application; ☐ A copy from prior application [**SERIAL NUMBER**] and such small entity status is still proper and desired.	2 pages
Preliminary Amendment	[**] pages
IDS	[**] pages
Form PTO 1449	[**] pages
Cited References	[**] pages
Recordation Form Cover Sheet and Assignment	[**] pages
Assignee's Statement	[**] pages
English Translation	[**] pages
Certified Copy of Priority Document	[**] pages
Return Receipt Postcard	1

FILING FEES:

Basic Filing Fee: $345	$345.00
Excess Claims Fee: 127-20= 107 x $9 =	$963.00
Excess Independent Claims Fee: 43 - 3=40 x $39=	$1,560.00
Multiple Dependent Claims Fee: $130	$130.00
Total Fees:	$2998.00

☒ Enclosed is a check for $2,998.00 to cover the total fees.
☐ Charge [**AMOUNT**] to Deposit Account No. 03-2095 to cover the total fees.
☐ The filing fee is not being paid at this time.
☒ Please apply any other charges, or any credits, to Deposit Account No. 03-2095.

CORRESPONDENCE ADDRESS:

Paul T. Clark
Reg. No. 30,162
Clark & Elbing LLP
176 Federal Street
Boston, MA 02110

Telephone: 617-428-0200
Facsimile: 617-428-7045

Mary Rose Fujikawa Reg No. 36,268

Signature

March 15, 2000

Date

\\Ntserver\documents\50110\50110.002005 Utility Application Transmittal Sheet.wpd

Applicant or Patentee : Michael R. Hayden et al.
Serial or Patent No. :
Filed or Issued : March 15, 2000
Title : METHODS AND REAGENTS FOR MODULATING CHOLESTEROL LEVELS

VERIFIED STATEMENT (DECLARATION) CLAIMING SMALL ENTITY STATUS
(37 CFR 1.9(f) and 1.27(d)) - NONPROFIT ORGANIZATION

I hereby declare that I am an official empowered to act on behalf of the nonprofit organization identified below:

Name of Organization: The University of British Columbia
Address of Organization: 2329 West Mall, Vancouver, British Columbia, V6T 1Z4 Canada
Type of Organization:

[X] University or Other Institution of Higher Education
[ ] Tax Exempt under Internal Revenue Service Code (26 USC 501(a) and 501(c)(3))
[ ] Nonprofit Scientific or Educational under Statute of State of the United States of America
Name of State:
Citation of Statute:
[ ] Would Qualify as Tax Exempt under Internal Revenue Service Code (26 Usc 501(a) and 501(c)(3)) If Located in the United States of America
[ ] Would Qualify as Nonprofit Scientific or Educational under Statute of State of the United States of America If Located in the United States of America
Name of State:
Citation of Statute:

I hereby declare that the nonprofit organization identified above qualifies as a nonprofit organization as defined in 37 CFR 1.9(e) for purposes of paying reduced fees under section 41(a) and (b) of Title 35, United States Code with regard to the invention entitled METHODS AND REAGENTS FOR MODULATING CHOLESTEROL LEVELS by inventors Michael R. Hayden, Angela R. Wilson, and Simon N. Pimstone described in

[X] the specification filed herewith.
[ ] application serial No. , filed .
[ ] patent no. [**PATENT NUMBER**], issued [**ISSUE DATE**].

I hereby declare that rights under contract or law have been conveyed to and remain with the nonprofit organization with regard to the above identified invention.

If the rights held by the nonprofit organization are not exclusive, each individual, concern or organization having rights to the invention is listed below* and no rights to the invention are held by any person, other than the inventor, who could not qualify as a small business concern under 37 CFR 1.9(c) or by any concern which would not qualify as a small business concern under 37 CFR 1.9(d) or a nonprofit organization under 37 CFR 1.9(e).

*NOTE: Separate verified statements are required from each named person, concern or organization having rights to the invention averring to their status as small entities. (37 CFR 1.27)

Full Name: Xenon Bioresearch, Inc.
Address: 3250 East Mall, Vancouver, British Columbia, V6T 1W5 Canada
[ ] INDIVIDUAL [X] SMALL BUSINESS CONCERN [ ] NONPROFIT ORGANIZATION

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate. (37 CFR 1.28(b))

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application, any patent issuing thereon, or any patent to which this verified statement is directed.

Name: Angus Livingstone

Title: Managing Director

Address: The University of British Columbia, 2329 West Mall, Vancouver, B.C. CANADA V6T 1Z4

Signature: _____ **Date:** _____

Applicant or Patentee : Michael R. Hayden et al.
Serial or Patent No. :
Filed or Issued : March 15, 2000
Title : METHODS AND REAGENTS FOR MODULATING CHOLESTEROL LEVELS

VERIFIED STATEMENT (DECLARATION) CLAIMING SMALL ENTITY STATUS
(37 CFR 1.9(f) and 1.27(c)) - SMALL BUSINESS CONCERN

I hereby declare that I am

    [ ]   the owner of the small business concern identified below:
    [X]   an official of the small business concern empowered to act on behalf of the concern identified below:

Name of Small Business Concern: Xenon Bioresearch Inc.,

Address of Small Business Concern: 3250 East Mall, Vancouver, B.C. V6T 1W5 Canada

I hereby declare that the above identified small business concern qualifies as a small business concern as defined in 13 CFR 121.12, and reproduced in 37 CFR 1.9(d), for purposes of paying reduced fees to the United States Patent and Trademark Office, in that the number of employees of the concern, including those of its affiliates, does not exceed 500 persons. For purposes of this statement, (1) the number of employees of the business concern is the average over the previous fiscal year of the concern of the persons employed on a full-time, part-time or temporary basis during each of the pay periods of the fiscal year, and (2) concerns are affiliates of each other when either, directly or indirectly, one concern controls or has the power to control the other, or a third party or parties controls or has the power to control both.

I hereby declare that rights under contract or law have been conveyed to and remain with the small business concern identified above with regard to the invention, entitled METHODS AND REAGENTS FOR MODULATING CHOLESTEROL LEVELS by inventors Michael R. Hayden, Angela R. Wilson, and Simon N. Pimstone described in

    [X] the specification filed herewith.
    [ ] application serial no.   , filed   .
    [ ] patent no. [**PATENT NUMBER**], issued [**ISSUE DATE**].

If the rights held by the above identified small business concern are not exclusive, each individual, concern or organization having rights to the invention is listed below* and no rights to the invention are held by any person, other than the inventor, who would not qualify as an independent inventor under 37 CFR 1.9(c) if that person made the invention, or by any concern which would not qualify as a small business concern under 37 CFR 1.9(d), or a nonprofit organization under 37 CFR 1.9(e). *NOTE: Separate verified statements are required from each named person, concern or organization having rights to the invention averring to their status as small entities. (37 CFR 1.27)

Assignee Name:

Assignee Address:

    [ ] INDIVIDUAL   [ ] SMALL BUSINESS CONCERN   [ ] NONPROFIT ORGANIZATION

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate. (37 CFR 1.28(b))

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application, any patent issuing thereon, or any patent on which this verified statement is directed.

Name: Michael R. Hayden, M.D. Ph.D.

Title: Chief Scientific Officer

Address: Xenon Bioresearch, Inc., NRC Innovation Centre, 3250 East Mall, Vancouver, BC V6T 1W5

Signature: _____ **Date:** _____

APPLICATION

FOR

UNITED STATES LETTERS PATENT

APPLICANT   :   MICHAEL R. HAYDEN, ANGELA R. WILSON, SIMON N. PIMSTONE

TITLE   :   METHODS AND REAGENTS FOR MODULATING CHOLESTEROL LEVELS

METHODS AND REAGENTS FOR MODULATING

CHOLESTEROL LEVELS

Cross-Reference to Related Applications

This application claims priority from U.S. Provisional Application No.
60/124,702, filed March 15, 1999, U.S. Provisional Application No. 60/138,048,
filed June 8, 1999, U.S. Provisional Application No. 60/139,600, filed June 17,
1999, and U.S. Provisional Application No. 60/151,977, filed September 1, 1999.

Background of the Invention

Low HDL cholesterol (HDL-C), or hypoalphalipoproteinemia, is a blood
lipid abnormality which correlates with a high risk of cardiovascular disease
(CVD), in particular coronary artery disease (CAD), but also cerebrovascular
disease, coronary restenosis, and peripheral vascular disease. HDL, or 'good
cholesterol' levels are influenced by both environmental and genetic factors.

Epidemiological studies have consistently demonstrated that plasma HDL-
C concentration is inversely related to the incidence of CAD. HDL-C levels are a
strong graded and independent cardiovascular risk factor. Protective effects of an
elevated HDL-C persist until 80 years of age. A low HDL-C is associated with an
increased CAD risk even with normal (<5.2 mmol/l) total plasma cholesterol
levels. Coronary disease risk is increased by 2% in men and 3% in women for
every 1 mg/dL (0.026 mmol/l) reduction in HDL-C and in the majority of studies
this relationship is statistically significant even after adjustment for other lipid and
non-lipid risk factors. Decreased HDL-C levels are the most common lipoprotein
abnormality seen in patients with premature CAD. Four percent of patients with

premature CAD with have an isolated form of decreased HDL-C levels with no other lipoprotein abnormalities while 25% have low HDL levels with accompanying hypertriglyceridemia.

Even in the face of other dyslipidemias or secondary factors, HDL-C levels are important predictors of CAD. In a cohort of diabetics, those with isolated low HDL cholesterol had a 65% increased death rate compared to diabetics with normal HDL cholesterol levels (>0.9 mmol/l). Furthermore, it has been shown that even within high risk populations, such as those with familial hypercholesterolemia, HDL cholesterol level is an important predictor of CAD. Low HDL cholesterol levels thus constitute a major, independent, risk for CAD.

These findings have led to increased attention to HDL cholesterol levels as a focus for treatment, following the recommendations of the National Cholesterol Education Program. These guidelines suggest that HDL cholesterol values below 0.9 mmol/l confer a significant risk for men and women. As such, nearly half of patients with CAD would have low HDL cholesterol. It is therefore crucial that we obtain a better understanding of factors which contribute to this phenotype. In view of the fact that pharmacological intervention of low HDL cholesterol levels has so far proven unsatisfactory, it is also important to understand the factors that regulate these levels in the circulation as this understanding may reveal new therapeutic targets.

Absolute levels of HDL cholesterol may not always predict risk of CAD. In the case of CETP deficiency, individuals display an increased risk of developing CAD, despite increased HDL cholesterol levels. What seems to be important in this case is the functional activity of the reverse cholesterol transport pathway, the process by which intracellular cholesterol is trafficked out of the cell to acceptor proteins such as ApoAI or HDL. Other important genetic determinants of HDL

cholesterol levels, and its inverse relation with CAD, may reside in the processes leading to HDL formation and intracellular cholesterol trafficking and efflux. To date, this process is poorly understood, however, and clearly not all of the components of this pathway have been identified. Thus, defects preventing proper HDL-mediated cholesterol efflux may be important predictors of CAD. Therefore it is critical to identify and understand novel genes involved in the intracellular cholesterol trafficking and efflux pathways.

HDL particles are central to the process of reverse cholesterol transport and thus to the maintenance of tissue cholesterol homeostasis. This process has multiple steps which include the binding of HDL to cell surface components, the acquisition of cholesterol by passive absorption, the esterification of this cholesterol by LCAT and the subsequent transfer of esterified cholesterol by CETP, to VLDL and chylomicron remnants for liver uptake. Each of these steps is known to impact the plasma concentration of HDL.

Changes in genes for ApoAI-CIII, lipoprotein lipase, CETP, hepatic lipase, and LCAT all contribute to determination of HDL-C levels in humans. One rare form of genetic HDL deficiency is Tangier disease (TD), diagnosed in approximately 40 patients world-wide, and associated with almost complete absence of HDL cholesterol (HDL-C) levels (listed in OMIM as an autosomal recessive trait (OMIM 205400)). These patients have very low HDL cholesterol and ApoAI levels, which have been ascribed to hypercatabolism of nascent HDL and ApoAI, due to a delayed acquisition of lipid and resulting failure of conversion to mature HDL. TD patients accumulate cholesterol esters in several tissues, resulting in characteristic features, such as enlarged yellow tonsils, hepatosplenomegaly, peripheral neuropathy, and cholesterol ester deposition in the rectal mucosa. Defective removal of cellular cholesterol and phospholipids by

-3-

ApoAI as well as a marked deficiency in HDL mediated efflux of intracellular cholesterol has been demonstrated in TD fibroblasts. Even though this is a rare disorder, defining its molecular basis could identify pathways relevant for cholesterol regulation in the general population. The decreased availability of free cholesterol for efflux in the surface membranes of cells in Tangier Disease patients appears to be due to a defect in cellular lipid metabolism or trafficking. Approximately 45% of Tangier patients have signs of premature CAD, suggesting a strong link between decreased cholesterol efflux, low HDL cholesterol and CAD. As increased cholesterol is observed in the rectal mucosa of persons with TD, the molecular mechanism responsible for TD may also regulate cholesterol adsorption from the gastrointestinal (GI) tract.

A more common form of genetic HDL deficiency occurs in patients who have low plasma HDL cholesterol usually below the 5th percentile for age and sex (OMIM 10768), but an absence of clinical manifestations specific to Tangier disease (Marcil et al., Arterioscler. Thromb. Vasc. Biol. 19:159-169, 1999; Marcil et al., Arterioscler. Thromb. Vasc. Biol. 15:1015-1024, 1995). These patients have no obvious environmental factors associated with this lipid phenotype, and do not have severe hypertriglyceridemia nor have known causes of severe HDL deficiency (mutations in ApoAI, LCAT, or LPL deficiency) and are not diabetic. The pattern of inheritance of this condition is most consistent with a Mendelian dominant trait (OMIM 10768).

The development of drugs that regulate cholesterol metabolism has so far progressed slowly. Thus, there is a need for a better understanding of the genetic components of the cholesterol efflux pathway. Newly-discovered components can then serve as targets for drug design.

Low HDL levels are likely to be due to multiple genetic factors. The use of

pharmacogenomics in the aid of designing treatment tailored to the patient makes

it desirable to identify polymorphisms in components of the cholesterol efflux

pathway. An understanding of the effect of these polymorphisms on protein

function would allow for the design of a therapy that is optimal for the patient.

5

Summary of the Invention

In a first aspect, the invention features a substantially pure ABC1

polypeptide having ABC1 biological activity. Preferably, the ABC1 polypeptide is

human ABC1 (e.g., one that includes amino acids 1 to 60 or amino acids 61 to

10   2261 of SEQ ID NO: 1). In one preferred embodiment, the ABC1 polypeptide

includes amino acids 1 to 2261 of SEQ ID NO: 1.

Specifically excluded from the polypeptides of the invention are the

polypeptide having the exact amino acid sequence as GenBank accession number

CAA10005.1 and the nucleic acid having the exact sequence as AJ012376.1. Also

15   excluded is protein having the exact amino acid sequence as GenBank accession

number X75926.

In a related aspect, the invention features a substantially pure ABC1

polypeptide that includes amino acids 1 to 2261 of SEQ ID NO: 1.

In another aspect, the invention features a substantially pure nucleic acid

20   molecule encoding an ABC1 polypeptide having ABC1 biological activity (e.g., a

nucleic acid molecule that includes nucleotides 75 to 254 or nucleotides 255 to

6858 of SEQ ID NO: 2). In one preferred embodiment, the nucleic acid molecule

includes nucleotides 75 to 6858 of SEQ ID NO: 2.

In a related aspect, the invention features an expression vector, a cell, or a

25   non-human mammal that includes the nucleic acid molecule of the invention.

In yet another aspect, the invention features a substantially pure nucleic acid

molecule that includes nucleotides 75 to 254 of SEQ ID NO: 2, nucleotides 255 to 6858 of SEQ ID NO: 2, or nucleotides 75 to 6858 of SEQ ID NO: 2.

In still another aspect, the invention features a substantially pure nucleic acid molecule that includes at least fifteen nucleotides corresponding to the 5' or 3' untranslated region from a human ABC1 gene. Preferably, the 3' untranslated region includes nucleotides 7015-7860 of SEQ ID NO: 2.

In a related aspect, the invention features a substantially pure nucleic acid molecule that hybridizes at high stringency to a probe comprising nucleotides 7015-7860 of SEQ ID NO: 2.

In another aspect, the invention features a method of treating a human having low HDL cholesterol or a cardiovascular disease, including administering to the human an ABC1 polypeptide, or cholesterol-regulating fragment thereof, or a nucleic acid molecule encoding an ABC1 polypeptide, or cholesterol-regulating fragment thereof. In a preferred embodiment, the human has a low HDL cholesterol level relative to normal. Preferably, the ABC1 polypeptide is wild-type ABC1, or has a mutation increases its stability or its biological activity. A preferred biological activity is regulation of cholesterol.

In a related aspect, the invention features a method of preventing or treating cardiovascular disease, including introducing into a human an expression vector comprising an *ABC1* nucleic acid molecule operably linked to a promoter and encoding an ABC1 polypeptide having ABC1 biological activity.

In another related aspect, the invention features a method of preventing or ameliorating the effects of a disease-causing mutation in an *ABC1* gene, including introducing into a human an expression vector comprising an *ABC1* nucleic acid molecule operably linked to a promoter and encoding an ABC1 polypeptide having ABC1 biological activity.

In still another aspect, the invention features a method of treating or preventing cardiovascular disease, including administering to an animal (e.g., a human) a compound that mimes the activity of wild-type ABC1 or modulates the biological activity of ABC1.

One preferred cardiovascular disease that can be treated using the methods of the invention is coronary artery disease. Others include cerebrovascular disease and peripheral vascular disease.

The discovery that the ABC1 gene and protein are involved in cholesterol transport that affects serum HDL levels allows the ABC1 protein and gene to be used in a variety of diagnostic tests and assays for identification of HDL-increasing or CVD-inhibiting drugs. In one family of such assays, the ability of domains of the ABC1 protein to bind ATP is utilized; compounds that enhance this binding are potential HDL-increasing drugs. Similarly, the anion transport capabilities and membrane pore-forming functions in cell membranes can be used for drug screening.

ABC1 expression can also serve as a diagnostic tool for low HDL or CVD; determination of the genetic subtyping of the *ABC1* gene sequence can be used to subtype low HDL individuals or families to determine whether the low HDL phenotype is related to ABC1 function. This diagnostic process can lead to the tailoring of drug treatments according to patient genotype (referred to as pharmacogenomics), including prediction of the patient's response (e.g., increased or decreased efficacy or undesired side effects upon administration of a compound or drug.

Antibodies to an ABC1 polypeptide can be used both as therapeutics and diagnostics. Antibodies are produced by immunologically challenging a B-cell-containing biological system, e.g., an animal such as a mouse, with an ABC1

polypeptide to stimulate production of anti-ABC1 protein by the B-cells, followed by isolation of the antibody from the biological system. Such antibodies can be used to measure ABC1 polypeptide in a biological sample such as serum, by contacting the sample with the antibody and then measuring immune complexes as a measure of the ABC1 polypeptide in the sample. Antibodies to ABC1 can also be used as therapeutics for the modulation of ABC1 biological activity.

Thus, in another aspect, the invention features a purified antibody that specifically binds to ABC1.

In yet another aspect, the invention features a method for determining whether a candidate compound modulates ABC1 biological activity, comprising: (a) providing an ABC1 polypeptide; (b) contacting the ABC1 polypeptide with the candidate compound; and (c) measuring ABC1 biological activity, wherein altered ABC1 biological activity, relative to an ABC1 polypeptide not contacted with the compound, indicates that the candidate compound modulates ABC1 biological activity. Preferably, the ABC1 polypeptide is in a cell or is in a cell-free assay system.

In still another aspect, the invention features a method for determining whether a candidate compound modulates ABC1 expression. The method includes (a) providing a nucleic acid molecule comprising an ABC1 promoter operably linked to a reporter gene; (b) contacting the nucleic acid molecule with the candidate compound; and (c) measuring reporter gene expression, wherein altered reporter gene expression, relative to a nucleic acid molecule not contacted with the compound, indicates that the candidate compound modulates ABC1 expression.

In another aspect, the invention features a method for determining whether candidate compound is useful for modulating cholesterol levels, the method including the steps of: (a) providing an ABC1 polypeptide; (b) contacting the

polypeptide with the candidate compound; and (c) measuring binding of the ABC1 polypeptide, wherein binding of the ABC1 polypeptide indicates that the candidate compound is useful for modulating cholesterol levels.

In a related aspect, the invention features method for determining whether a candidate compound mimics ABC1 biological activity. The method includes (a) providing a cell that is not expressing an ABC1 polypeptide; (b) contacting the cell with the candidate compound; and (c) measuring ABC1 biological activity of the cell, wherein altered ABC1 biological activity, relative to a cell not contacted with the compound, indicates that the candidate compound modulates ABC1 biological activity. Preferably, the cell has an *ABC1* null mutation. In one preferred embodiment, the cell is in a mouse or a chicken (e.g., a WHAM chicken) in which its *ABC1* gene has been mutated.

In still another aspect, the invention features a method for determining whether a candidate compound is useful for the treatment of low HDL cholesterol. The method includes (a) providing an ABC transporter (e.g., ABC1); (b) contacting the transporter with the candidate compound; and (c) measuring ABC transporter biological activity, wherein increased ABC transporter biological activity, relative to a transporter not contacted with the compound, indicates that the candidate compound is useful for the treatment of low HDL cholesterol. Preferably the ABC transporter is in a cell or a cell free assay system.

In yet another aspect, the invention features a method for determining whether candidate compound is useful for modulating cholesterol levels. The method includes (a) providing a nucleic acid molecule comprising an ABC transporter promoter operably linked to a reporter gene; (b) contacting the nucleic acid molecule with the candidate compound; and (c) measuring expression of the reporter gene, wherein increased expression of the reporter gene, relative to a

nucleic acid molecule not contacted with the compound, indicates that the candidate compound is useful for modulating cholesterol levels.

In still another aspect, the invention features a method for determining whether a candidate compound increases the stability or decreases the regulated catabolism of an ABC transporter polypeptide. The method includes (a) providing an ABC transporter polypeptide; (b) contacting the transporter with the candidate compound; and (c) measuring the half-life of the ABC transporter polypeptide, wherein an increase in the half-life, relative to a transporter not contacted with the compound, indicates that the candidate compound increases the stability or decreases the regulated catabolism of an ABC transporter polypeptide. Preferably the ABC transporter is in a cell or a cell free assay system.

In a preferred embodiment of the screening methods of the present invention, the cell is in an animal. The preferred ABC transporters are ABC1, ABC2, ABCR, and ABC8, and the preferred biological activity is transport of cholesterol (e.g., HDL cholesterol or LDL cholesterol) or interleukin-1, or is binding or hydrolysis of ATP by the ABC1 polypeptide.

Preferably, the ABC1 polypeptide used in the screening methods includes amino acids 1-60 of SEQ ID NO: 1. Alternatively, the ABC1 polypeptide can include a region encoded by a nucleotide sequence that hybridizes under high stringency conditions to nucleotides 75 to 254 of SEQ ID NO: 2.

In another aspect, the invention features a method for determining whether a patient has an increased risk for cardiovascular disease. The method includes determining whether an *ABC1* gene of the patient has a mutation, wherein a mutation indicates that the patient has an increased risk for cardiovascular disease.

In related aspect, the invention features a method for determining whether a patient has an increased risk for cardiovascular disease. The method includes

-10-

determining whether an *ABC1* gene of the patient has a polymorphism, wherein a polymorphism indicates that the patient has an increased risk for cardiovascular disease.

In another aspect, the invention features a method for determining whether a patient has an increased risk for cardiovascular disease. The method includes measuring ABC1 biological activity in the patient, wherein increased or decreased levels in the ABC1 biological activity, relative to normal levels, indicates that the patient has an increased risk for cardiovascular disease.

In still another aspect, the invention features a method for determining whether a patient has an increased risk for cardiovascular disease. The method includes measuring ABC1 expression in the patient, wherein decreased levels in the ABC1 expression relative to normal levels, indicates that the patient has an increased risk for cardiovascular disease. Preferably, the ABC1 expression is determined by measuring levels of ABC1 polypeptide or *ABC1* RNA.

In another aspect, the invention features a non-human mammal having a transgene comprising a nucleic acid molecule encoding a mutated ABC1 polypeptide. In one embodiment, the mutation is a dominant-negative mutation.

In a related aspect, the invention features a non-human mammal, having a transgene that includes a nucleic acid molecule encoding an ABC1 polypeptide having ABC1 biological activity.

In another related aspect, the invention features a cell from a non-human mammal having a transgene that includes a nucleic acid molecule encoding an ABC1 polypeptide having ABC1 biological activity.

In still another aspect, the invention features a method for determining whether a candidate compound decreases the inhibition of a dominant-negative ABC1 polypeptide. The method includes (a) providing a cell expressing a

-11-

dominant-negative ABC1 polypeptide; (b) contacting the cell with the candidate compound; and (c) measuring ABC1 biological activity of the cell, wherein an increase in the ABC1 biological activity, relative to a cell not contacted with the compound, indicates that the candidate compound decreases the inhibition of a dominant-negative ABC1 polypeptide.

By "polypeptide" is meant any chain of more than two amino acids, regardless of post-translational modification such as glycosylation or phosphorylation.

By "substantially identical" is meant a polypeptide or nucleic acid exhibiting at least 50%, preferably 85%, more preferably 90%, and most preferably 95% identity to a reference amino acid or nucleic acid sequence. For polypeptides, the length of comparison sequences will generally be at least 16 amino acids, preferably at least 20 amino acids, more preferably at least 25 amino acids, and most preferably 35 amino acids. For nucleic acids, the length of comparison sequences will generally be at least 50 nucleotides, preferably at least 60 nucleotides, more preferably at least 75 nucleotides, and most preferably 110 nucleotides.

Sequence identity is typically measured using sequence analysis software with the default parameters specified therein (e.g., Sequence Analysis Software Package of the Genetics Computer Group, University of Wisconsin Biotechnology Center, 1710 University Avenue, Madison, WI 53705). This software program matches similar sequences by assigning degrees of homology to various substitutions, deletions, and other modifications. Conservative substitutions typically include substitutions within the following groups: glycine, alanine, valine, isoleucine, leucine; aspartic acid, glutamic acid, asparagine, glutamine; serine, threonine; lysine, arginine; and phenylalanine, tyrosine.

By "high stringency conditions" is meant hybridization in 2X SSC at 40°C with a DNA probe length of at least 40 nucleotides. For other definitions of high stringency conditions, see F. Ausubel et al., *Current Protocols in Molecular Biology*, pp. 6.3.1-6.3.6, John Wiley & Sons, New York, NY, 1994, hereby incorporated by reference.

By "substantially pure polypeptide" is meant a polypeptide that has been separated from the components that naturally accompany it. Typically, the polypeptide is substantially pure when it is at least 60%, by weight, free from the proteins and naturally-occurring organic molecules with which it is naturally associated. Preferably, the polypeptide is an ABC1 polypeptide that is at least 75%, more preferably at least 90%, and most preferably at least 99%, by weight, pure. A substantially pure ABC1 polypeptide may be obtained, for example, by extraction from a natural source (e.g., a pancreatic cell), by expression of a recombinant nucleic acid encoding a ABC1 polypeptide, or by chemically synthesizing the protein. Purity can be measured by any appropriate method, e.g., by column chromatography, polyacrylamide gel electrophoresis, or HPLC analysis.

A polypeptide is substantially free of naturally associated components when it is separated from those contaminants that accompany it in its natural state. Thus, a polypeptide which is chemically synthesized or produced in a cellular system different from the cell from which it naturally originates will be substantially free from its naturally associated components. Accordingly, substantially pure polypeptides include those which naturally occur in eukaryotic organisms but are synthesized in *E. coli* or other prokaryotes.

By "substantially pure nucleic acid" is meant nucleic acid that is free of the genes which, in the naturally-occurring genome of the organism from which the

nucleic acid of the invention is derived, flank the nucleic acid. The term therefore

includes, for example, a recombinant nucleic acid that is incorporated into a

vector; into an autonomously replicating plasmid or virus; into the genomic

nucleic acid of a prokaryote or a eukaryote cell; or that exists as a separate

5   molecule (e.g., a cDNA or a genomic or cDNA fragment produced by PCR or

restriction endonuclease digestion) independent of other sequences. It also

includes a recombinant nucleic acid that is part of a hybrid gene encoding

additional polypeptide sequence.

By "modulates" is meant increase or decrease. Preferably, a compound that

10   modulates cholesterol levels (e.g., HDL-cholesterol levels, LDL-cholesterol levels,

or total cholesterol levels), or ABC1 biological activity, expression, stability, or

degradation does so by at least 10%, more preferably by at least 25%, and most

preferably by at least 50%.

By "purified antibody" is meant antibody which is at least 60%, by weight,

15   free from proteins and naturally occurring organic molecules with which it is

naturally associated. Preferably, the preparation is at least 75%, more preferably

90%, and most preferably at least 99%, by weight, antibody. A purified antibody

may be obtained, for example, by affinity chromatography using recombinantly-

produced protein or conserved motif peptides and standard techniques.

20   By "specifically binds" is meant an antibody that recognizes and binds to,

for example, a human ABC1 polypeptide but does not substantially recognize and

bind to other non-ABC1 molecules in a sample, e.g., a biological sample, that

naturally includes protein. A preferred antibody binds to the ABC1 polypeptide

sequence of Fig. 9A (SEQ ID NO: 1).

25   By "polymorphism" is meant that a nucleotide or nucleotide region is

characterized as occurring in several different forms. A "mutation" is a form of a

-14-

polymorphism in which the expression level, stability, function, or biological activity of the encoded protein is substantially altered.

By "ABC transporter" or "ABC polypeptide" is meant any transporter that hydrolyzes ATP and transports a substance across a membrane. Preferably, an ABC transporter polypeptide includes an ATP Binding Cassette and a transmembrane region. Examples of ABC transporters include, but are not limited to, ABC1, ABC2, ABCR, and ABC8.

By "ABC1 polypeptide" is meant a polypeptide having substantial identity to an ABC1 polypeptide having the amino acid sequence of SEQ ID NO: 1.

By "ABC biological activity" or "ABC1 biological activity" is meant hydrolysis or binding of ATP, transport of a compound (e.g., cholesterol, interleukin-1) or ion across a membrane, or regulation of cholesterol or phospholipid levels (e.g., either by increasing or decreasing HDL-cholesterol or LDL-cholesterol levels).

The invention provides screening procedures for identifying therapeutic compounds (cholesterol-modulating or anti-CVD pharmaceuticals) which can be used in human patients. Compounds that modulate ABC biological activity (e.g., ABC1 biological activity) are considered useful in the invention, as are compounds that modulate ABC concentration, protein stability, regulated catabolism, or its ability to bind other proteins or factors. In general, the screening methods of the invention involve screening any number of compounds for therapeutically active agents by employing any number of *in vitro* or *in vivo* experimental systems. Exemplary methods useful for the identification of such compounds are detailed below.

The methods of the invention simplify the evaluation, identification and development of active agents for the treatment and prevention of low HDL and

CVD. In general, the screening methods provide a facile means for selecting natural product extracts or compounds of interest from a large population which are further evaluated and condensed to a few active and selective materials. Constitutes of this pool are then purified and evaluated in the methods of the invention to determine their HDL-raising or anti-CVD activities or both.

Other features and advantages of the invention will be apparent from the following description of the preferred embodiments thereof, and from the claims.

Brief Description of the Drawings

Figs. 1A and 1B are schematic illustrations showing two pedigrees with Tangier Disease, (TD-1 and TD-2). Square and circle symbols represent males and females, respectively. Diagonal lines are placed through the symbols of all deceased individuals. A shaded symbol on both alleles indicates the probands with Tangier Disease. Individuals with half shaded symbols have HDL-C levels at or below the 10th percentile for age and sex, while those with quarter shaded symbols have HDL-C between the 11th and 20th percentiles.

Each individual's ID number, age at the time of lipid measurement, triglyceride level and HDL cholesterol level followed by their percentile ranking for age and sex are listed below the pedigree symbol. Markers spanning the 9q31.1 region are displayed to the left of the pedigree. The affected allele is represented by the darkened bars which illustrate the mapping of the limits of the shared haplotype region as seen in Fig. 3. Parentheses connote inferred marker data, questions marks indicate unknown genotypes, and large arrows show the probands.

Fig. 1C shows ApoAI (10 μg/mL) -mediated cellular cholesterol efflux in control fibroblasts (n=5, normalized to 100%) and two subjects with Tangier

disease (TD). Cells were ^{3}H-cholesterol (0.2 μCi/mL) labeled during growth and cholesterol (20 μg/mL) loaded in growth arrest. Cholesterol efflux is determined as ^{3}H medium/(^{3}H cell + ^{3}H medium)

Fig. 2A - 2D are schematic illustrations showing four French Canadian pedigrees with FHA (FHA-1 to -4). The notations are as in Fig. 1. Exclamation points on either side of a genotype (as noted in Families FHA-3 and FHA-4) are used when the marker data appears to be inconsistent due to potential microsatellite repeat expansions. A bar that becomes a single thin line suggests that the haplotype is indeterminate at that marker.

Figs. 3A - 3E are a schematic illustration showing a genetic and physical map of 9q31 spanning 35 cM. Fig. 3A: YACs from the region of 9q22-34 were identified and a YAC contig spanning this region was constructed. Fig. 3B: A total of 22 polymorphic CA microsatellite markers were mapped to the contig and used in haplotype analysis in TD-1 and TD-2. Fig 3C: The mutant haplotypes for probands in TD-1 and –2 indicate a significant region of homozygosity in TD-2, while the proband in TD-1 has 2 different mutant haplotypes. The candidate region can be narrowed to the region of homozygosity for CA markers in proband 2. A critical crossover at D9S1690 in TD-1 (A)* also provides a centromeric boundary for the region containing the gene. Three candidate genes in this region (*ABC1*, *LPA-R* and *RGS-3*) are shown. Fig. 3D: Meiotic recombinations in the FHA families (A-H) refine the minimal critical region to 1.2 cM between D9S277 and D9S1866. The heterozygosity of the TD-2 proband at D9S127, which ends a continuous region of homozygosity in TD-2, further refines the region to less than 1 cM. This is the region to which ABC1 has been mapped. Fig. 3E: Isolated YAC DNA and selected markers from the region were used to probe high-density BAC grid filters, selecting BACs which via STS-content mapping produced an 800 Kb

contig. Four BACs containing *ABC1* were sequenced using high-throughput methods.

Fig. 4A shows sequence of one mutation in family TD-1. Patient III-01 is heterozygous for a T to C transition at nucleotide 4503 of the cDNA; the control is homozygous for T at this position. This mutation corresponds to a cysteine to arginine substitution in the ABC1 protein (C1477R).

Fig 4B shows the amino acid sequence conservation of residue 1477 in mouse and human, but not a related *C. elegans* gene. A change from cysteine to arginine likely has an important effect on the protein secondary and tertiary structure, as noted by its negative scores in most substitution matrices (Schuler et al., A Practical Guide to the Analysis of Genes and Proteins, eds. Baxevanis, A.D. & Ouellette, B.F.F. 145:171, 1998). The DNA sequences of the normal and mutant genes are shown above and below the amino acid sequences, respectively.

Fig. 4C shows the segregation of the T4503C mutation in TD-1. The presence of the T4503C mutation (+) was assayed by restriction enzyme digestion with *Hga*I, which cuts only the mutant (C) allele (↓). Thus, in the absence of the mutation, only the 194 bp PCR product (amplified between → and ←) is observed, while in its presence the PCR product is cleaved into fragments of 134 bp and 60 bp. The proband (individual III.01) was observed to be heterozygous for this mutation (as indicated by both the 194 bp and 134 bp bands), as were his daughter, father, and three paternal cousins. A fourth cousin and three of the father's siblings were not carriers of this mutation.

Fig. 4D shows Northern blot analysis with probes spanning the complete ABC1 gene reveal the expected ~8 Kb transcript and, in addition, a ~3.5 kb truncated transcript only seen in the proband TD-1 and not in TD-2 or control. This was detected by probes spanning exons 1-49 (a), 1-41 (b), 1-22 (c), and 23-29

(d), but not with probes spanning exons 30-41 (e) or 42-49 (f).

Fig. 5A shows the sequence of the mutation in family TD-2. Patient IV-10 is homozygous for an A to G transition at nucleotide 1864 of the cDNA (SEQ ID NO: 2); the control is homozygous for A at this position. This mutation corresponds to a glutamine to arginine substitution in the ABC1 protein (Q597R).

Fig. 5B shows that the glutamine amino acid, which is mutated in the TD-2 proband, is conserved in human and mouse ABC1 as well as in an ABC orthologue from *C. elegans*, revealing the specific importance of this residue in the structure/function of this ABC protein in both worms and mammals. The DNA sequences of the normal and mutant proteins are shown above and below the amino acid sequences, respectively.

Fig. 5C shows the segregation of the A1864G mutation in TD-2. The presence of the A1864G mutation (indicated by +) was assayed by restriction enzyme digestion with *Aci*I. The 360 bp PCR product has one invariant *Aci*I recognition site (↓), and a second one is created by the A1864G mutation. The wild-type allele is thus cleaved to fragments of 215 bp and 145 bp, while the mutant allele (G-allele) is cleaved to fragments of 185 bp, 145 bp and 30 bp. The proband (individual IV-10), the product of a consanguineous mating, was homozygous for the A1864G mutation (+/+), as evidenced by the presence of only the 185 bp and 145 bp bands, while four other family members for whom DNA was tested are heterozygous carriers of this mutation (both the 215 bp and 185 bp fragments were present). Two unaffected individuals (-/-), with only the 215 bp and 145 bp bands are shown for comparison.

Fig. 6A shows a sequence of the mutation in family FHA-1. Patient III-01 is heterozygous for a deletion of nucleotides 2151-2153 of the cDNA (SEQ ID NO: 2). This deletion was detected as a superimposed sequence starting at the first

-19-

nucleotide after the deletion. This corresponds to deletion of leucine 693 in the ABC1 protein (SEQ ID NO: 1).

Fig. 6B is an alignment of the human and mouse wild-type amino acid sequences, showing that the human and mouse sequences are identical in the vicinity of ΔL693. L693 is also conserved in *C. elegans*. This highly conserved residue lies within a predicted transmembrane domain. The DNA sequences of the normal and mutant proteins are shown above and below the amino acid sequences, respectively.

Fig. 6C shows segregation of the ΔL693 mutation in FHA-1, as assayed by *Ear*I restriction digestion. Two invariant *Ear*I restriction sites (indicated by ↓) are present within the 297 bp PCR product located between the horizontal arrows (→←) while a third site is present in the wild-type allele only. The presence of the mutant allele is thus distinguished by the presence of a 210 bp fragment (+), while the normal allele produces a 151 bp fragment (-). The proband of this family (III.01) is heterozygous for this mutation, as indicated by the presence of both the 210 and 151 bp bands.

Fig. 6D shows a sequence of the mutation in family FHA-3. Patient III-01 is heterozygous for a deletion of nucleotides 5752-5757 of the cDNA (SEQ ID NO: 2). This deletion was detected as a superimposed sequence starting at the first nucleotide after the deletion. This corresponds to deletion of glutamic acid 1893 and aspartic acid 1894 in the ABC1 protein (SEQ ID NO: 1).

Fig. 6E is an alignment of the human and mouse wild-type amino acid sequences, showing that the human and mouse sequences are identical in the vicinity of Δ5752-5757. This region is highly conserved in *C. elegans*. The DNA sequences of the normal and mutant proteins are shown above and below the amino acid sequences, respectively.

Fig. 6F shows a sequence of the mutation in family FHA-2. Patient III-01 is heterozygous for a for a C to T transition at nucleotide 6504 of the cDNA (SEQ ID NO: 2). This alteration converts an arginine at position 2144 of SEQ ID NO: 1 to a STOP codon, causing truncation of the last 118 amino acids of the ABC1 protein.

Figs. 7A and 7B show cholesterol efflux from human skin fibroblasts treated with ABC1 antisense oligonucleotides. Fibroblasts from a control subject were labeled with ^{3}H cholesterol (0.2 μCi/mL) during growth for 48 hours and transfected with 500 nM *ABC1* antisense AN-1 (5'-GCA GAG GGC ATG GCT TTA TTT G-3'; SEQ ID NO: 3) with 7.5 μg lipofectin for 4 hours. Following transfection, cells were cholesterol loaded (20 μg/mL) for 12 hours and allowed to equilibrate for 6 hours. Cells were either then harvested for total RNA and 10 μg was used for Northern blot analysis. Cholesterol efflux experiments were carried out as described herein. Fig. 7A: AN-1 was the oligonucleotide that resulted in a predictable decrease in *ABC1* RNA transcript levels. Fig. 7B: A double antisense transfection method was used. In this method, cells were labeled and transfected with AN-1 as above, allowed to recover for 20 hours, cholesterol loaded for 24 hours, and then re-transfected with AN-1. Twenty hours after the second transfection, the cholesterol efflux as measured. A ~50% decrease in *ABC1* transcript levels was associated with a significant decrease in cholesterol efflux intermediate between that seen in wild-type and TD fibroblasts.

Fig. 7C shows show cholesterol efflux from human skin fibroblasts treated with antisense oligonucleotides directed to the region encoding the amino-terminal 60 amino acids. Note that the antisense oligonucleotide AN-6, which is directed to the previously unrecognized translation start site, produces a substantial decrease in cellular cholesterol efflux.

Fig. 8 is a schematic illustration showing predicted topology, mutations, and polymorphisms of ABC1 in Tangier disease and FHA. The two transmembrane and ATP binding domains are indicated. The locations of mutations are indicated by the arrows with the amino acid changes, which are predicted from the human *ABC1* cDNA sequence. These mutations occur in different regions of the ABC1 protein.

Fig. 9A shows the amino acid sequence of the human ABC1 protein (SEQ ID NO: 1).

Figs. 9B - 9E show the nucleotide sequence of the human *ABC1* cDNA (SEQ ID NO: 2).

Fig. 10 shows the 5' and 3' nucleotide sequences suitable for use as 5' and 3' PCR primers, respectively, for the amplification of the indicated ABC1 exon.

Fig. 11 shows a summary of alterations found in ABC1, including sequencing errors, mutations, and polymorphisms.

Fig. 12 shows a series of genomic contigs (SEQ ID NOS. 14-29) containing the ABC1 promoter (SEQ ID NO: 14), as well as exons 1-49 (and flanking intronic sequence) of ABC1. The exons (capitalized letters) are found in the contigs as follows: SEQ ID NO: 14--exon 1; SEQ ID NO: 15--exon 2; SEQ ID NO: 16--exon 3; SEQ ID NO: 17--exon 4; SEQ ID NO: 18--exon 5; SEQ ID NO: 19--exon 6; SEQ ID NO: 20--exons 7 and 8; SEQ ID NO: 21--exons 9 through 22; SEQ ID NO: 22--exons 23 through 28; SEQ ID NO: 23--exon 29; SEQ ID NO: 24--exons 30 and 31; SEQ ID NO: 25--exon 32; SEQ ID NO: 26--exons 33 through 36; SEQ ID NO: 27--exons 37 through 41; SEQ ID NO: 28--exons 42-45; SEQ ID NO: 29--exons 46-49.

Fig. 13 is a series of illustrations showing that the amino-terminal 60 amino acid region of ABC1 is protein-coding. Lysates of normal human fibroblasts were

immunoblotted in parallel with a rabbit polyclonal antibody to amino acids 1-20 of human ABC1 (1); a rabbit polyclonal antibody to amino acids 1430-1449 of human ABC1 (2); and a mouse monoclonal antibody to amino acids 2236-2259 of human ABC1. The additional bands detected in lane 2 may be due to a lack of specificity of that antibody or the presence of degradation products of ABC1.

Fig. 14 is a schematic illustration showing that the WHAM chicken contains a non-conservative substitution (G265A) resulting in an amino acid change (E89K).

Fig. 15 is a schematic illustration showing that the mutation in the WHAM chicken is at an amino acid that is conserved among human, mouse, and chicken.

Fig. 16 show a summary of locations of consensus transcription factor binding sites in the human ABC1 promoter (nucleotides 1-8238 of SEQ ID NO: 14). The abbreviations are as follows: PPRE=peroxisome proliferator-activated receptor. SRE=steroid response element-binding protein site. ROR=RAR-related orphan receptor.

Detailed Description

Genes play a significant role influencing HDL levels. Tangier disease (TD) was the first reported genetic HDL deficiency. The molecular basis for TD is unknown, but has been mapped to 9q31 in three families. We have identified two additional probands and their families, and confirmed linkage and refined the locus to a limited genomic region. Mutations in the *ABC1* gene accounting for all four alleles in these two families were detected. A more frequent cause of low HDL levels is a distinct disorder, familial HDL deficiency (FHA). On the basis of independent linkage, meiotic recombinants and disease associated haplotypes, FHA was localized to a small genomic region encompassing the *ABC1* gene. A

-23-

mutation in a conserved residue in ABC1 segregated with FHA. Antisense reduction of the *ABC1* transcript in fibroblasts was associated with a significant decrease in cholesterol efflux.

Cholesterol is normally assembled with intracellular lipids and secreted, but in TD the process is diverted and cholesterol is degraded in lysosomes. This disturbance in intracellular trafficking of cholesterol results in an increase in intracellular cholesterol ester accumulation associated with morphological changes of lysosomes and the Golgi apparatus and cholesteryl ester storage in histiocytes, Schwann cells, smooth muscle cells, mast cells and fibroblasts.

The clinical and biochemical heterogeneity in patients with TD has led to the possibility that genetic heterogeneity may also underlie this disorder. Considering this, we initially performed linkage analysis on these two families of different ancestries (TD-1 is Dutch, TD-2 is British; Frohlich et al., Clin. Invest. Med. 10:377-382, 1987) and confirmed that the genetic mutations underlying TD in these families were localized to the same 9q31 region, to which a large family with TD had been assigned (Rust et al., Nature Genetics 20:96-98, 1998). Detailed haplotype analysis, together with the construction of a physical map, refined the localization of this gene. Mutations in the ABC1 gene were found in TD.

FHA is much more common than TD, although its precise frequency is not known. While TD has been described to date in only 40 families, we have identified more than 40 FHA families in the Netherlands and Quebec alone. After initial suggestions of linkage to 9q31, thirteen polymorphic markers spanning approximately 10 cM in this region were typed and demonstrated the highest LOD score at D9S277. Analysis of the homozygosity of markers in the TD-2 proband, who was expected to be homozygous for markers close to TD due to his parents' consanguinity, placed the TD gene distal to D95127. Combined genetic data from

TD and FHA families pointed to the same genomic segment spanning approximately 1,000 kb between D9S127 and D9S1866. The *ABC1* transporter gene was contained within the minimal genomic region. RT-PCR analysis in one family demonstrated a deletion of leucine at residue 693 (Δ693) in the first transmembrane domain of ABC1, which segregated with the phenotype of HDL deficiency in this family.

ABC1 is part of the ATP-binding cassette (ABC transporter) superfamily, which is involved in energy-dependent transport of a wide variety of substrates across membranes (Dean et al., Curr. Opin. Gen. Dev. 5:779-785, 1995). These proteins have characteristic motifs conserved throughout evolution which distinguish this class of proteins from other ATP binding proteins. In humans these genes essentially encode two ATP binding segments and two transmembrane domains (Dean et al., Curr. Opin. Gen. Dev. 5:779-785, 1995). We have now shown that the ABC1 transporter is crucial for intracellular cholesterol transport.

We have demonstrated that reduction of the *ABC1* transcript using oligonucleotide antisense approaches results in decreased efflux, clearly demonstrating the link between alterations in this gene and its functional effects. TD and FHA now join the growing list of genetic diseases due to defects in the ABC group of proteins including cystic fibrosis (Zielenski, et al., Annu. Rev. Genet. 29:777-807, 1995), adrenoleukodystrophy (Mosser et al., Nature 361: 726-730, 1993), Zellweger syndrome (Gärtner et al., Nat. Genet. 1:23, 1992), progressive familial intrahepatic cholestatis (Bull et al., Nat. Genet. 18:219-224, 1998), and different eye disorders including Stargardt disease (Allikmets et al., Nat. Genet.15:236-246, 1997), autosomal recessive retinitis pigmentosa (Allikmets et al., Science 277:1805-1807, 1997), and cone-rod dystrophy (Cremers et al., Hum. Mol. Genet. 7:355-362, 1998).

Patients with TD have been distinguished from patients with FHA on the basis that Tangier disease was an autosomal recessive disorder (OMIM 20540) while FHA is inherited as an autosomal dominant trait (OMIM 10768). Furthermore, patients with TD have obvious evidence for intracellular cholesterol accumulation which is not seen in FHA patients. It is now evident that heterozygotes for TD do have reduced HDL levels and that the same mechanisms underlie the HDL deficiency and cholesterol efflux defects seen in heterozygotes for TD as well as FHA. Furthermore, the more severe phenotype in TD represents loss of function from both alleles of the *ABC1* gene.

ABC1 is activated by protein kinases, presumably via phosphorylation, which also provides one explanation for the essential role of activation of protein kinase C in promoting cholesterol efflux (Drobnick et al., Arterioscler. Thromb. Vasc. Biol. 15: 1369-1377, 1995). Brefeldin, which inhibits trafficking between the endoplasmic reticulum and the Golgi, significantly inhibits cholesterol efflux, essentially reproducing the effect of mutations in ABC1, presumably through the inhibition of ABC1 biological activity. This finding has significance for the understanding of mechanisms leading to premature atherosclerosis. TD homozygotes develop premature coronary artery disease, as seen in the proband of TD-1 (III-01) who had evidence for coronary artery disease at 38 years. This is particular noteworthy as TD patients, in addition to exhibiting significantly reduced HDL, also have low LDL cholesterol, and yet they develop atherosclerosis despite this. This highlights the importance of HDL intracellular transport as an important mechanism in atherogenesis. There is significant evidence that heterozygotes for TD are also at increased risk for premature vascular disease (Schaefer et al., Ann. Int. Med. 93:261-266, 1980; Serfaty-Lacrosniere et al., Atherosclerosis 107:85-98, 1994). There is also preliminary evidence for

premature atherosclerosis in some probands with FHA (Fig. 2B), *e.g.*, the proband

in FHA-2 (III-01) had a coronary artery bypass graft at 46 years while the proband

in FHA-3 (Fig. 2C) had evidence for CAD around 50 years of age. The TD-1

proband had more severe efflux deficiency than the TD-2 proband (Fig. 1C).

Interestingly, the TD-2 proband had no evidence for CAD by 62 when he died of

unrelated causes, providing preliminary evidence for a relationship between the

degree of cholesterol efflux (mediated in part by the nature of the mutation) and

the likelihood of atherosclerosis.

The *ABC1* gene plays a crucial role in cholesterol transport and, in

particular, intracellular cholesterol trafficking in monocytes and fibroblasts. It also

appears to play a significant role in other tissues such as the nervous system, GI

tract, and the cornea. Completely defective intracellular cholesterol transport

results in peripheral neuropathy, corneal opacities, and deposition of cholesterol

esters in the rectal mucosa.

HDL deficiency is heterogeneous in nature. The delineation of the genetic

basis of TD and FHA underlies the importance of this particular pathway in

intracellular cholesterol transport, and its role in the pathogenesis of

atherosclerosis. Unraveling of the molecular basis for TD and FHA defines a key

step in a poorly defined pathway of cholesterol efflux from cells and could lead to

new approaches to treatment of patients with HDL deficiency in the general

population.

HDL has been implicated in numerous other biological processes, including

but not limited to: prevention of lipoprotein oxidation; absorption of endotoxins;

protection against *Trypanosoma brucei* infection; modulation of endothelial cells;

and prevention of platelet aggregation (see Genest et al., J. Invest. Med. 47: 31-42,

1999, hereby incorporated by reference). Any compound that modulates HDL

levels may be useful in modulating one or more of the foregoing processes. The present discovery that ABC1 functions to regulate HDL levels links, for the first time, ABC1 with the foregoing processes.

The following examples are to illustrate the invention. They are not meant
5   to limit the invention in any way.

Analysis of TD Families

Studies of cholesterol efflux

Both probands had evidence of marked deficiency of cholesterol efflux
10   similar to that previously demonstrated in TD patients (Fig. 1C). TD-1 is of Dutch descent while TD-2 is of British descent.

Linkage analysis and establishment of a physical map

Multiple DNA markers were genotyped in the region of 9q31 to which
15   linkage to TD had been described (Rust et al., Nat. Genet. 20, 96-98, 1998). Two point linkage analysis gave a maximal peak LOD score of 6.49 at D9S1832 (Table 1) with significant evidence of linkage to all markers in a ~10 cM interval. Recombination with the most proximal marker, D9S1690 was seen in II-09 in Family TD-1 (A* in Fig. 3D) providing a centromeric boundary for the disease
20   gene. Multipoint linkage analysis of these data did not increase the precision of the positioning of the disease trait locus.

A physical map spanning approximately 10 cM in this region was established with the development of a YAC contig (Fig. 3A). In addition, 22 other polymorphic multi-allelic markers which spanned this particular region were
25   mapped to the contig (Fig. 3B) and a subset of these were used in construction of a

TABLE 1

Two Point Linkage Analysis of TD-1 and TD-2

Marker Locus	LOD Score at recombination fraction						
	0	0.01	0.05	0.10	0.20	0.30	0.40
D9S1690	-infini	4.25	4.52	4.26	3.39	2.30	1.07
D9S277	6.22	6.11	5.67	5.10	3.90	2.60	1.17
D9S1866	4.97	4.87	4.49	4.00	2.96	1.85	0.70
D9S1784	5.50	5.40	5.00	4.47	3.36	2.17	0.92
D9S1832	6.49	6.37	5.91	5.31	4.05	2.69	1.21
D9S1677	4.60	4.51	4.18	3.76	2.88	1.93	0.93

Results of pairwise linkage analysis using MLINK. Values correspond to the LOD score for linkage between the disease locus and a marker locus for specified values of the recombination fraction.

TABLE 2. Microsatellite markers used in this study

Genetic Markers	Type	Hetero-zygocity	Number of alleles	Allele frequency[*] size.bp (proportion)
D9S283	CA	0.80	10	179(0.04); 181(0.34); 183(0.19); 185(0.20); 189(0.05); 193(0.04); 197(0.07); 199(0.02); 201(0.04); 203(0.04)
D9S176	CA	0.82	9	129(0.03); 131(0.16); 133(0.26); 135(0.12); 137(0.25); 139(0.03); 141(0.01); 145(0.05); 147(0.05)
D9S1690	CA	0.79	8	225(0.38); 227(0.14); 229(0.04); 231(0.12); 233(0.05); 235(0.16); 237(0.05); 239(0.05)
D9S277	CA	0.89	15	167(0.07); 171(0.02); 173(0.15); 175(0.11); 177(0.07); 179(0.04); 181(0.17); 183(0.06); 185(0.02); 187(0.02); 189(0.13); 191(0.13); 193(0.02); 197(0.00); 199(0.00)
D9S127	CA	0.72	6	149(0.11); 151(0.07); 153(0.23); 155(0.03); 157(0.45); 159(0.06)
D9S306	CA	0.87	13	102(0.06); 104(0.01); 110(0.03); 112(0.08); 114(0.16); 116(0.15); 118(0.11); 120(0.23); 122(0.06); 124(0.06); 126(0.03); 134(0.02); 136(0.01)
D9S1866	CA	0.62	11	248(0.06); 252(0.04); 254(0.01); 256(58); 258(0.03); 260(0.06); 262(0.02); 264(0.12); 266(0.06); 268(0.03); 270(0.01)
D9S1784	CA	0.86	15	174(0.10); 176(0.02); 178(0.00); 180(0.08); 182(0.11); 184(0.22); 186(0.15); 188(0.06); 190(0.04); 192(0.07); 194(0.03); 196(0.07); 198(0.01); 200(0.01); 202(0.01)
AFMa107xf9	CA	n.a.	n.a.	n.a.
D9S2170	CA	n.a.	n.a.	n.a.
D9S2171	CA	n.a.	n.a.	n.a.
D9S2107	CA	0.63	5	n.a.
D9S172	CA	0.54	5	291(0.00); 297(0.05); 299(0.33); 303(0.63); 305(0.02)
D9S2109	CA	0.51	3	1(0.42); 2(0.56); 3(0.02)
D9S1832	CA	0.88	12	161(0.04); 163(0.02); 167(0.02); 169(0.04); 171(0.10); 173(0.09); 175(0.15); 177(0.28); 179(0.19); 181(0.04); 183(0.01); 185(0.01)
D9S1835	CA	0.48	4	110(0.02); 112(0.23); 116(0.68); 118(0.07)
D9S1801	CA	0.77	10	166(0.10); 172(0.04); 174(0.02); 182(0.02); 184(0.19); 186(0.40); 188(0.15); 190(0.04); 192(0.02); 194(0.02)
D9S261	CA	0.63	7	90(0.02); 92(0.52); 94(0.02); 98(0.02); 100(0.29); 102(0.04); 104(0.08)
D9S160	CA	0.62	6	136(0.25); 138(0.53); 140(0.01); 142(0.12); 144(0.00); 146(0.07)
D9S1677	CA	0.81	10	251(0.27); 257(0.27); 259(0.07); 261(0.09); 263(0.27); 265(0.14); 267(0.02); 269(0.02); 271(0.04); 273(0.02)
D9S279	CA	0.78	6	244(0.09); 246(0.18); 248(0.29); 250(0.29); 252(0.07); 254(0.09)
D9S275	CA	0.62	4	190(0.31); 196(0.07); 198(0.52); 200(0.09)

[*] In a Caucasian population of French Canadian or French descent (J. Weissenbach, Personnal Communication 1993).
n.a = not assessed.

These polymorphic microsatellite markers were used for DNA typing in the region of 9q31 seen in Fig.3. The majority come from the last version of the Généthon human linkage map [53]. The frequency of heterozygosity, the number of alleles as well as the allele frequency of each marker are presented.

haplotype for further analysis (Figs. 1A and 1B; Table 2). The condensed haplotype in these families is shown in Figs. 1A and 1B.

While the family of Dutch decent did not demonstrate any consanguinity, the proband in TD-2 was the offspring of a first-cousin consanguineous marriage (Fig. 1B). We postulated, therefore, that it was most likely that this proband would be homozygous for the mutation while the proband in the Dutch family was likely to be a compound heterozygote. The Dutch proband shows completely different mutation bearing haplotypes, supporting this hypothesis (Fig. 3C).

The TD-2 proband was homozygous for all markers tested (Fig. 1B) distal to D9S127 but was heterozygous at D9S127 and DNA markers centromeric to it (Fig. 3C). This suggested that the gene for TD was likely located to the genomic region telomeric of D9S127 and encompassed by the markers demonstrating homozygosity (Fig. 3B).

Mutation detection

Based on the defect in intracellular cholesterol transport in patients with TD, we reviewed the EST database for genes in this region which might be relevant to playing a role in this process. One gene that we reviewed as a candidate was the lysophosphatidic acid (LPA) receptor (*EDG2*) which mapped near D9S1801 (Fig. 3C). This receptor binds LPA and stimulates phospholipase-C (PLC), and is expressed in fibroblasts. It has previously been shown that the coordinate regulation of PLC that is necessary for normal HDL3 mediated cholesterol efflux is impaired in TD (Walter et al., J. Clin. Invest. 98:2315-2323, 1996). Therefore this gene represented an excellent candidate for the TD gene. Detailed assessment of this gene, using Northern blot and RT-PCR and sequencing analysis, revealed no changes segregating with the mutant phenotype in this

family, in all likelihood excluding this gene as the cause for TD. Polymorphisms were detected, however, in the RT-PCR product, indicating expression of transcripts from both alleles.

The second candidate gene (*RGS3*) encodes a member of a family regulating G protein signaling which could also be involved in influencing cholesterol efflux (Mendez et al., Trans. Assoc. Amer. Phys. 104:48-53, 1991). This gene mapped 0.7 cM telomeric to the LPA-receptor (Fig. 3C), and is expressed in fibroblasts. It was assessed by exon-specific amplification, as its genomic organization was published (Chatterjee et al., Genomics 45:429-433, 1997). No significant sequence changes were detected.

The *ABC1* transporter gene had previously been mapped to 9q31, but its precise physical location had not been determined (Luciani et al., Genomics 21:150-159, 1994). The *ABC1* gene is a member of the ATP binding cassette transporters which represents a super family of highly conserved proteins involved in membrane transport of diverse substrates including amino acids, peptides, vitamins and steroid hormones (Luciani et al., Genomics 21:150-159, 1994; Dean et al., Curr. Opin. Gen. Dev. 5:779-785, 1995). Primers to the 3' UTR of this gene mapped to YACs spanning D9S306 (887-B2 and 930-D3) compatible with it being a strong candidate for TD. We initiated large scale genomic sequencing of BACs spanning approximately 800 kb around marker D9S306 (BACs 269, 274, 279 and 291) (Fig 3E). The *ABC1* gene was revealed encompassing 49 exons and a minimum of 75 Kb of genomic sequence. In view of the potential function of a gene in this family as a cholesterol transporter, its expression in fibroblasts and localization to the minimal genomic segment underlying TD, we formally assessed ABC1 as a candidate.

Patient and control total fibroblast RNA was used in Northern blot analysis

and RT-PCR and sequence analyses. RT-PCR and sequence analysis of TD-1 revealed a heterozygous T to C substitution (Fig. 4A) in the TD-1 proband, which would result in a substitution of arginine for cysteine at a conserved residue between mouse and man (Fig. 4B). This mutation, confirmed by sequencing exon 30 of the ABC1 gene, exhibited complete segregation with the phenotype on one side of this family (Fig. 4C). This substitution creates a *Hga*I site, allowing for RFLP analysis of amplified genomic DNA and confirmation of the mutation (Fig. 4C). The point mutation in exon 30 was not seen on over 200 normal chromosomes from unaffected persons of Dutch decent, and 250 chromosomes of Western European decent, indicating it is unlikely to be a polymorphism. Northern blot analysis of fibroblast RNA from this patient, using a cDNA encompassing exons 1 to 49 of the gene, revealed a normal sized ~8 Kb transcript and a truncated mutant transcript which was not visible in control RNA or in RNA from other patients with HDL deficiency (Fig. 4D). Additionally, Northern blot analysis using clones encompassing discrete regions of the cDNA revealed that the mutant transcript was detected with a cDNA compassing exons 1 to 49 (a), 1 to 41 (b), 1 to 22 (c), much more faintly with a probe spanning exon 23 to 29 (d) and not seen with probes encompassing exons 30 to 42 (e), but not seen with cDNA fragment spanning exons 30 to 49 (f). This was repeated on multiple filters with control RNA, RNA from other patients with HDL deficiency and the other TD proband, and only in TD-1 was the truncated transcript observed. Sequence analysis of the coding region did not reveal an alteration in sequence that could account for this finding. Furthermore, DNA analysis by Southern blot did not reveal any major rearrangements. Completion of exon sequencing in genomic DNA showed that this mutation was a G to C transversion at position (+1) of intron 24, (Fig. 11) affecting a splice donor site and causing aberrant splicing.

RT-PCR analysis of fibroblast RNA encoding the *ABC1* gene from the proband in TD-2 (Fig. 1B) revealed a homozygous nucleotide change of A to G at nucleotide 1864 of SEQ ID NO: 2 in exon 13 (Fig. 5A), resulting in a substitution of arginine for glutamine at residue 597 of SEQ ID NO: 1 (Fig. 5B), occurring just proximal to the first predicted transmembrane domain of ABC1 (Fig. 8) at a residue conserved in mouse and as well as a *C. elegans* homolog. This mutation creates a second *Aci*I site within exon 13. Segregation analysis of the mutation in this family revealed complete concordance between the mutation and the low HDL phenotype as predicted (Fig 5C). The proband in TD-2 is homozygous for this mutation, consistent with our expectation of a disease causing mutation in this consanguineous family.

Analysis of FHA families

Linkage analysis and refinement of the minimal genomic region containing the gene for FHA

Data from microsatellite typing of individual family members from the four pedigrees of French Canadian origin were analyzed (Fig. 2). A maximum LOD score of 9.67 at a recombination fraction of 0.0 was detected at D9S277 on chromosome 9q31 (Fig. 3; Table 3). Thereafter, 22 markers were typed in a region spanning 10 cM around this locus in these families (Figs. 2 and 3). The frequency for these markers were estimated from a sample of unrelated and unaffected subjects of French ancestry (Table 2).

TD and FHA have thus far been deemed distinct with separate clinical and biochemical characteristics. Even though the genes for these disorders mapped to the same region, it was uncertain whether FHA and TD were due to mutations in the same gene or, alternatively, due to mutations in genes in a similar region.

TABLE 3
Two Point Linkage Analysis in FHA

Marker Locus	LOD Score at recombination fraction						
	0	0.01	0.05	0.10	0.20	0.30	0.40
D9S253	-infini	-2.57	0.51	1.48	1.84	1.48	0.76
D9S176	-infini	1.42	3.07	3.39	3.05	2.22	1.12
D9S1690	-infini	3.11	4.04	4.04	3.33	2.24	0.96
D9S277	9.67	9.51	8.89	8.06	6.29	4.30	2.10
D9S306	5.60	5.51	5.13	4.62	3.55	2.36	1.11
D9S1866	-infini	7.24	7.35	6.87	5.50	3.82	1.91
D9S1784	-infini	9.85	9.76	9.03	7.09	4.78	2.25
D9S172	-infini	2.63	3.00	2.87	2.26	1.50	0.67
D9S1832	-infini	5.20	5.97	5.75	4.59	3.02	1.30
D9S1801	0.14	0.13	0.11	0.09	0.06	0.03	0.01
D9S1677	-infini	7.83	7.90	7.38	5.90	4.08	2.01
D9S279	-infini	3.43	•3.80	3.66	3.01	2.12	1.05
D9S275	-infini	2.57	2.98	2.91	2.41	1.69	0.81

Results of pairwise linkage analysis using MLINK. Values correspond to the LOD score for linkage between the disease locus and a marker locus for specified values of the recombination fraction.

Refinement of the region containing the gene for FHA was possible by examining

haplotype sharing and identification of critical recombination events (Fig. 2).

Seven separate meiotic recombination events were seen in these families ("A"

through "G" in Figs. 2 and 3), clearly indicating that the minimal genomic region

5   containing the potential disease gene was a region of approximately 4.4 cM

genomic DNA spanned by marker D9S1690 and D9S1866 (Figs. 2 and 3). This

region is consistent with the results of two point linkage analysis which revealed

maximal LOD scores with markers D9S277 and D9S306 and essentially excluded

the region centromeric to D9S1690 or telomeric to D9S1866. An 8^{th} meiotic

10   recombination event ("H" in Fig. 3) further refined the FHA region to distal to

D9S277.

As described herein, the *ABC1* gene mapped within this interval. The

overlapping genetic data strongly suggested that FHA may in fact be allelic to TD.

Utilization of sets of genetic data from FHA and TD provided a telomeric

15   boundary at D9S1866 (meiotic recombinant) (Fig. 3D) and a centromeric marker

at D9S127 based on the homozygosity data of TD-2. This refined the locus to

approximately 1 Mb between D9S127 and D9S1866. The *ABC1* gene mapped

within this minimal region (Fig. 3E).

20   *Mutation detection in FHA*

Mutation assessment of the *ABC1* gene was undertaken in FHA-1 (Fig. 2A).

Using primers that spanned overlapping segments of the mRNA we performed

RT-PCR analysis and subjected these fragments to mutational analysis. A deletion

of three nucleotides is evident in the RT-PCR sequence of FHA-1 III.01 (Fig. 6A),

25   resulting in a loss of nucleotides 2151-2153 of SEQ ID NO: 2 and deletion of a

leucine (ΔL693) at amino acid position 693 of SEQ ID NO: 1 (Fig. 6A). This

-36-

leucine is conserved in mouse and *C. elegans* (Fig. 6B). The alteration was detected in the RT-PCR products as well as in genomic sequence from exon 14 specific amplification. This mutation results in a loss of an *Ear*I restriction site. Analysis of genomic DNA from the family indicated that the mutation segregated completely with the phenotype of HDL deficiency. The loss of the *Ear*I site results in a larger fragment being remaining in persons heterozygous for this mutation (Fig. 6C). This mutation maps to the first putative transmembrane domain of ABC1 (Fig. 8) and was not seen in 130 chromosomes from persons of French Canadian descent nor seen in over 400 chromosomes from persons of other Western European ancestry.

A mutation has also been found in patient genomic DNA in pedigree FHA-3 from Quebec. The alteration, a 6 bp deletion of nucleotides 5752-5757 of SEQ ID NO: 2 within exon 41, results in a deletion of amino acids 1893 (Glu) and 1894 (Asp) of SEQ ID NO: 1. The deletion was detected as a double, superimposed, sequence starting from the point of the deletion (Fig. 6D), and was detected in sequence reads in both directions. The deletion can be detected on 3% agarose or 10% polyacrylamide gels, and segregates with disease in FHA-3. It was not seen in 128 normal chromosomes of French-Canadian origin or in 434 other control chromosomes. Amino acids 1893 and 1894 are in a region of the ABC1 protein that is conserved between human, mouse, and *C. elegans* (Fig. 6E), implying that it is of functional importance.

An additional mutation has been found in patient genomic DNA in pedigree FHA-2 from Quebec (Fig. 6F). The alteration, a C to T transition at position 6504 of SEQ ID NO: 2, converts an arginine at position 2144 of SEQ ID NO: 1 to a STOP codon, causing truncation of the last 118 amino acids of the ABC1 protein. This alteration segregates with disease in family FHA-2.

A summary of all mutations and polymorphisms found in ABC1 is shown in Fig. 11. Each variant indicated as a mutation segregates with low HDL in its family, and was not seen in several hundred control chromosomes.

Functional relationship between changes in ABC1 transcript levels and cholesterol efflux

Antisense approaches were undertaken to decrease the ABC1 transcript and assess the effect of alteration of the transcript on intracellular cholesterol transport. The use of antisense primers to the 5' end of ABC1 clearly resulted in a decrease to approximately 50% of normal RNA levels (Fig. 7A). This would be expected to mimic in part the loss of function due to mutations on one allele, similar to that seen in heterozygotes for TD and patients with FHA. Importantly, reduction in the mRNA for the ABC1 gene resulted in a significant reduction in cellular cholesterol efflux (Fig. 7B), further establishing the role of this protein in reverse cholesterol transport and providing evidence that the mutations detected are likely to constitute loss of function mutations. Furthermore, these data support the functional importance of the first 60 amino acids of the protein. Antisense oligonucleotide AN-6 is directed to the novel start codon 5' to the one indicated in AJ012376.1; this antisense oligonucleotide effectively suppresses efflux.

The above-described results were obtained using the following materials and methods.

Patient selection

The probands in TD families had previously been diagnosed as suffering from TD based on clinical and biochemical data. Study subjects with FHA were selected from the Cardiology Clinic of the Clinical Research Institute of Montréal.

-38-

The main criterion was an HDL-C level <5th percentile for age and gender, with a plasma concentration of triglycerides <95th percentile in the proband and a first-degree relative with the same lipid abnormality. In addition, the patients did not have diabetes.

Biochemical studies

Blood was withdrawn in EDTA-containing tubes for plasma lipid, lipoprotein cholesterol, ApoAI, and triglyceride analyses, as well as storage at -80°C. Leukocytes were isolated from the buffy coat for DNA extraction.

Lipoprotein measurement was performed on fresh plasma as described elsewhere (Rogler et al., Arterioscler. Thromb. Vasc. Biol. 15:683-690, 1995). The laboratory participates and meets the criteria of the Lipid Research Program Standardization Program. Lipids, cholesterol and triglyceride levels were determined in total plasma and plasma at density d<1.006 g/mL (obtained after preparative ultracentrifugation) before and after precipitation with dextran manganese. Apolipoprotein measurement was performed by nephelometry for ApoB and ApoAI.

Linkage analysis

Linkage between the trait locus and microsatellite loci was analyzed using the FASTLINK version (4.0 P). FASTLINK/MLINK was used for two-point linkage analysis assuming an autosomal dominant trait with complete penetrance. In FHA and TD heterozygotes, the phenotype was HDL deficiency <5th percentile for age and sex. The disease allele frequency was estimated to be 0.005. Marker allele frequencies were estimated from the genotypes of the founders in the pedigrees using NEWPREP. Multipoint linkage analysis was carried out using

-39-

FASTLINK/LINKMAP.

Genomic clone assembly and physical map construction of the 9q31 region

Using the Whitehead Institute/MIT Center for Genome Research map as a

reference, the genetic markers of interest at 9q31 were identified within YAC

contigs. Additional markers that mapped to the approximate 9q31 interval from

public databases and the literature were then assayed against the YAC clones by

PCR and hybridization analysis. The order of markers was based on their presence

or absence in the anchored YAC contigs and later in the BAC contig. Based on

the haplotype analysis, the region between D9S277 and D9S306 was targeted for

higher resolution physical mapping studies using bacterial artificial chromosomes

(BACs). BACs within the region of interest were isolated by hybridization of

DNA marker probes and whole YACs to high-density filters containing clones

from the RPCI-11 human BAC library (Fig. 3).

Sequence retrieval and alignment

The human *ABC1* mRNA sequence was retrieved from GenBank using the

Entrez nucleotide query (Baxevanis et al., A Practical Guide to the Analysis of

Genes and Proteins, eds. Baxevanis, A.D. & Ouellette, B.F.F. 98:120, 1998) as

GenBank accession number AJ012376.1. The version of the protein sequence we

used as wild-type (normal) was CAA10005.1.

We identified an additional 60 amino acids in-frame with the previously-

believed start methionine (Fig. 9A). Bioinformatic analysis of the additional

amino acids indicates the presence of a short stretch of basic amino acid residues,

followed by a hydrophobic stretch, then several polar residues. This may represent

a leader sequence, or another transmembrane or membrane-associated region of

the ABC1 protein. In order to differentiate among the foregoing possibilities, antibodies directed to the region of amino acids 1-60 are raised against and used to determine the physical relationship of amino acids 1-60 in relation to the cell membrane. Other standard methods can also be employed, including, for example, expression of fusion proteins and cell fractionation.

We also identified six errors in the previously-reported nucleotide sequence (at positions 839, 4738, 5017, 5995, 6557, and 6899 of SEQ ID NO: 2; Fig. 11). Hence, the sequence of the ABC1 polypeptide of Fig. 9A differs from CAA10005.1 as follows: Thr⇒Ile at position 1554; Pro⇒Leu at position 1642; Arg⇒Lys at position 1973; and Pro⇒Leu at position 2167. We also identified 5' and 3' UTR sequence (Figs. 9B - 9E).

The mouse *ABC1* sequence used has accession number X75926. It is very likely that this mouse sequence is incomplete, as it lacks the additional 60 amino acids described herein for human ABC1.

Version 1.7 of ClustalW was used for multiple sequence alignments with BOXSHADE for graphical enhancement (http://www.isrec.isb-sib.ch:8080/ software/BOX_form.html) with the default parameter. A *Caenorhabditis elegans* ABC1 orthologue was identified with BLAST (version 2.08) using CAA1005.1 (see above) as a query, with the default parameter except for doing an organism filter for *C. elegans*. The selected protein sequence has accession version number AAC69223.1 with a score of 375, and an E value of 103.

Genomic DNA sequencing

BAC DNA was extracted from bacterial cultures using NucleoBond Plasmid Maxi Kits (Clontech, Palo Alto, CA). For DNA sequencing, a sublibrary was first constructed from each of the BAC DNAs (Rowen et al., Automated DNA

Sequencing and Analysis, eds. Adams, M.D., Fields, C. & Venter, J.C., 1994). In brief, the BAC DNA was isolated and randomly sheared by nebulization. The sheared DNA was then size fractionated by agarose gel electrophoresis and fragments above 2 kb were collected, treated with Mung Bean nuclease followed by T4 DNA polymerase and klenow enzyme to ensure blunt-ends, and cloned into *Sma*I-cut M13mp19. Random clones were sequenced with an ABI373 or 377 sequencer and fluorescently labeled primers (Applied BioSystems, Foster City, CA). DNAStar software was used for gel trace analysis and contig assembly. All DNA sequences were examined against available public databases primarily using BLASTn with RepeatMasker (University of Washington).

Reverse transcription (RT)-PCR amplification and sequence analysis

Total RNA was isolated from the cultured fibroblasts of TD and FHA patients, and reverse transcribed with a CDS primer containing oligo d(T)18 using 250 units of SuperScript II reverse transcriptase (Life Technologies, Inc., Rockville, MD) as described (Zhang et al., J. Biol. Chem. 27:1776-1783, 1996). cDNA was amplified with Taq DNA polymerase using primers derived from the published human *ABC1* cDNA sequence (Luciani et al., Genomics 21:150-159, 1994). Six sets of primer pairs were designed to amplify each cDNA sample, generating six DNA fragments which are sequentially overlapped covering 135 to 7014 bp of the full-length human *ABC1* cDNA. The nucleotides are numbered according to the order of the published human cDNA sequence (AJ012376.1). Primer pairs (1): 135-158 (f) and 1183-1199 (r); (2): 1080-1107 (f) and 2247-2273 (r); (3): 2171-2197 (f) and 3376-3404 (r); (4): 3323-3353 (f) and 4587-4617 (r); (5) 4515-4539 (f) and 5782-5811 (r); (6): 5742-5769 (f) and 6985-7014 (r). RT-PCR products were purified by Qiagen spin columns. Sequencing was carried out

-42-

in a Model 373A Automated DNA sequencer (Applied Biosystems) using Taq dideoxy terminator cycle sequencing and Big Dye Kits according to the manufacturer's protocol.

Northern blot analysis

Northern transfer and hybridizations were performed essentially as described (Zhang et al., J. Biol. Chem. 27:1776-1783, 1996). Briefly, 20 µg of total fibroblast RNA samples were resolved by electrophoresis in a denaturing agarose (1.2%; w/v) gel in the presence of 7% formaldehyde, and transferred to nylon membranes. The filters were probed with ^{32}P-labeled human ABC1 cDNA as indicated. Pre-hybridization and hybridizations were carried out in an ExpressHyb solution (ClonTech) at 68°C according to the manufacturer's protocol.

Detection of the mutations in TD

Genotyping for the T4503C and A1864G variants was performed by PCR amplification of exon 30 followed by restriction digestion with *Hga*I and amplification of exon 13 followed by digestion with *Aci*I, respectively. PCR was carried out in a total volume of 50 µL with 1.5 mM MgCl$_2$, 187.5 nM of each dNTP, 2.5U Taq polymerase and 15 pmol of each primer (forward primer in exon 30: 5'-CTG CCA GGC AGG GGA GGA AGA GTG-3' (SEQ ID NO: 4); reverse primer spanning the junction of exon 30 and intron 30: 5'-GAA AGT GAC TCA CTT GTG GAG GA-3' (SEQ ID NO: 5); forward primer in intron 12: 5'-AAA GGG GCT TGG TAA GGG TA-3' (SEQ ID NO: 6); reverse in intron 13: 5'-CAT GCA CAT GCA CAC ACA TA -3' (SEQ ID NO: 7)). Following an initial denaturation of 3 minutes at 95°C, 35 cycles consisting of 95°C 10 seconds, 58°C

30 seconds, 72°C 30 seconds were performed, with a final extension of 10 minutes at 72°C. For detection of the T4503C mutation, 15 μL of exon 30 PCR product was incubated with 4 U *Hga*I in a total volume of 25 μL, for 2 hours at 37°C, and the resulting fragments were separated on a 1.5% agarose gel. The presence of the T4503C mutation creates a restriction site for *Hga*I, and thus the 194 bp PCR product will be cut into fragments of 134 and 60 bp in the presence of the T4503C variant, but not in its absence. For detection of the A1864G mutation, 15 μL of exon 13 PCR products were digested with 8 U *Aci*I for three hours at 37°C. Products were separated on 2% agarose gels. The presence of the A1864G mutation creates a second *Aci*I site within the PCR product. Thus, the 360 bp PCR product is cleaved into fragments of 215 bp and 145 bp on the wild-type allele, but 185 bp, 145 bp and 30 bp on the mutant allele.

Detection of mutation in FHA

Genotyping for the Δ693 variant was performed by PCR amplification of exon 14 followed by restriction enzyme digestion with *Ear*I. PCR was carried out in a total volume of 80 μL with 1.5 mM MgCl₂, 187.5 nM of each dNTP, 2.5 U Taq polymerase and 20 pmol of each primer (forward primer in exon 14: 5'- CTT TCT GCG GGT GAT GAG CCG GTC AAT-3' (SEQ ID NO: 8); reverse primer in intron 14: 5'-CCT TAG CCC GTG TTG AGC TA-3' (SEQ ID NO: 9)). Following an initial denaturation of 3 minutes at 95°C, 35 cycles consisting of 95°C 10 seconds, 55°C 30 seconds, 72°C 30 seconds were performed, with a final extension of 10 minutes at 72°C. Twenty microliters of PCR product was incubated with 4 U *Ear*I in a total volume of 25 μL, for two hours at 37°C, and the fragments were separated on a 2 % agarose gel. The presence of the Δ693 mutation destroys a restriction site for *Ear*I, and thus the 297 bp PCR product will

be cut into fragments of 151 bp, 59 bp, 48 bp and 39 bp in the presence of a wild-type allele, but only fragments of 210 bp, 48 bp and 39 bp in the presence of the deletion.

A 6 bp deletion encompassing nucleotides 5752-5757 (inclusive), was detected in exon 41 in the proband of family FHA-3 by genomic sequencing using primers located within the introns flanking this exon. Genotyping of this mutation in family FHA-3 and controls was carried out by PCR with forward (5'-CCT GTA AAT GCA AAG CTA TCT CCT CT- 3' (SEQ ID NO: 10)) and reverse primers (5'-CGT CAA CTC CTT GAT TTC TAA GAT GT (SEQ ID NO: 11)) located near the 5' and 3' ends of exon 41, respectively. Each PCR was carried out as for the genotyping of the 693 variant, but with annealing temperature of 58°C. Twenty microliters of PCR product was resolved on 3% agarose or 10% acrylamide gels. The wild type allele was detected as a 117 bp band and the mutant allele as a 111 bp band upon staining with ethidium bromide.

A C to T transition was detected at nucleotide 6504 in genomic DNA of the proband of family FHA-2. It was detectable as a double C and T peak in the genomic sequence of exon 48 of this individual, who is heterozygous for the alteration. This mutation, which creates a STOP codon that results in truncation of the last 118 amino acids of the ABC1 protein, also destroys an *RsaI* restriction site that is present in the wild type sequence. Genotyping of this mutation in family FHA-2 and controls was carried out by PCR with forward (5'-GGG TTC CCA GGG TTC AGT AT-3') (SEQ ID NO: 12)) and reverse (5'-GAT CAG GAA TTC AAG CAC CAA-3') (SEQ ID NO: 13)) primers directed to the intronic sequences flanking exon 48. PCR was done as for the 693 variant. Fifteen microliters of PCR product was digested with 5 Units of *RsaI* at 37°C for two hours and the digestion products resolved on 1.5% agarose gels. The mutant allele is detected as

an uncut 436 bp band. The normal sequence is cut by *RsaI* to produce 332 and 104 bp bands.

Cell culture

Skin fibroblast cultures were established from 3.0 mm punch biopsies of the forearm of FHD patients and healthy control subjects as described (Marcil et al., Arterioscler. Thromb. Vasc. Biol. 19:159-169, 1999).

Cellular cholesterol labeling and loading

The protocol for cellular cholesterol efflux experiments was described in detail elsewhere (Marcil et al., Arterioscler. Thromb. Vasc. Biol. 19:159-169, 1999). The cells were ^{3}H-cholesterol labeled during growth and free cholesterol loaded in growth arrest.

Cholesterol efflux studies

Efflux studies were carried out from 0 to 24 hours in the presence of purified ApoAI (10 µg protein/mL medium). Efflux was determined as a percent of free cholesterol in the medium after the cells were incubated for specified periods of time. All experiments were performed in triplicate, in the presence of cells from one control subject and the cells from the study subjects to be examined. All results showing an efflux defect were confirmed at least three times.

Oligonucleotide synthesis

Eight phosphorothioate deoxyoligonucleotides complementary to various regions of the human *ABC1* cDNA sequence were obtained from GIBCO BRL. The oligonucleotides were purified by HPLC. The sequences of the antisense

oligonucleotides and their location are listed. One skilled in the art will recognize that other *ABC1* antisense sequences can also be produced and tested for their ability to decrease ABC1-mediated cholesterol regulation.

Name	Sequence (5'- 3')	mRNA target	%
control			
AN-1	GCAGAGGGCATGGCTTTATTTG (SEQ ID NO: 3)	AUG codon	46
AN-2	GTGTTCCTGCAGAGGGCATG (SEQ ID NO: 30)	AUG codon	50
AN-3	CACTTCCAGTAACAGCTGAC (SEQ ID NO: 31)	5'-Untranslated	79
AN-4	CTTTGCGCATGTCCTTCATGC (SEQ ID NO: 32)	Coding	80
AN-5	GACATCAGCCCTCAGCATCTT (SEQ ID NO: 33)	Coding	120
AN-6:	CAACAAGCCATGTTCCCTC (SEQ ID NO: 34)	Coding	
AN-7:	CATGTTCCCTCAGCCAGC (SEQ ID NO: 35)	Coding	
AN-8:	CAGAGCTCACAGCAGGGA C (SEQ ID NO: 36)	Coding	

Cell transfection with antisense oligonucleotides

Cells were grown in 35 mm culture dishes until 80 % confluent, then washed once with DMEM medium (serum and antibiotics free). One milliliter of DMEM (serum and antibiotics free) containing 500 nM antisense oligonucleotides and 5 μg/ml or 7.5 μg/ml of lipofectin (GIBCO BRL) were added to each well according to the manufacturer's protocol. The cells were incubated at 37°C for 4 hours, and then the medium was replaced by DMEM containing 10% FCS. Twenty-four hours after the transfection, the total cell RNA was isolated. Ten micrograms of total RNA was resolved on a 1% of agarose-formaldehyde gel and transferred to nylon membrane. The blot was hybridized with α-^{32}P dCTP labeled human *ABC1* cDNA overnight at 68°C. The membrane was subsequently exposed to x-ray film. The hybridizing bands were scanned by optical densitometry and standard to 28S ribosome RNA.

Cholesterol efflux with anti-ABC1 oligonucleotides

Human skin fibroblasts were plated in 6-well plates. The cells were labeled with ^{3}H-cholesterol (0.2 µCi /ml) in DMEM with 10% FBS for two days when the cell reached 50% confluence. The cells were then transfected with the antisense *ABC1* oligonucleotides at 500nM in DMEM (serum and antibiotic free) with 7.5 µg/ml Lipofectin (GIBCO BRL) according to the manufacturer's protocol. Following the transfection, and the cells were loaded with nonlipoprotein (20 µg/ml) for 12 hours in DMEM containing 2 mg/ml BSA without serum. The cellular cholesterol pools were then allowed to equilibrate for 6 hours in DMEM-BSA. The cholesterol efflux mediated by ApoAI (10µg /ml, in DMEM-BSA) were then carried out which is 48 hours after transfection.

Radiolabeled cholesterol released into the medium is expressed as a percentage of total ^{3}H-cholesterol per well (medium + cell). Results are the mean +/- SD of triplicate dishes.

Determination of genomic structure of the ABC1 gene

Most splice junction sequences were determined from genomic sequence generated from BAC clones spanning the ABC1 gene. More than 160 kb of genomic sequence were generated. Genomic sequences were aligned with cDNA sequences to identify intron/exon boundaries. In some cases, long distance PCR between adjacent exons was used to amplify intron/exon boundary sequences using amplification primers designed according to the cDNA sequence.

Functionality of the newly-discovered 60 amino acids at the N-terminus

Antisense experiments

Phosphorothioate antisentisense oligonucleotides were designed to be complementary to the regions of the cDNA near newly discovered translation start site. AN-6 and AN-7 both overlap the initiator methionine codon; this site is in the middle of oligonucleotide AN-6. AN-8 is complementary to the very 5' end of the ABC1 cDNA. Antisense oligonucleotide AN-1 is complementary to the region of the ABC1 cDNA corresponding to the site identified as the ABC1 initiator methionine in AJ012376. Fig. 7C shows that antisense oligonucleotide AN-6 interferes with cellular cholesterol efflux in normal fibroblasts to the same extent as does antisense oligonucleotide AN-1. Transfection with either of these antisense oligonucleotides results in a decrease in cellular cholesterol efflux almost as severe as that seen in FHA cells. In general, antisense oligonucleotides complementary to coding sequences, especially near the 5' end of a gene's coding sequence, are expected to be more effective in decreasing the effective amount of transcript than are oligonucleotides directed to more 3' sequences or to non-coding sequences. The observation that AN-6 depresses cellular cholesterol efflux as effectively as AN-1 implies that both of these oligonucleotides are complementary to ABC1 coding sequences, and that the amino terminal 60 amino acids are likely to be contained in ABC1 protein. In contrast, the ineffectiveness of AN-8 shows that it is likely to be outside the protein coding region of the transcript, as predicted by presence of an in-frame stop codon between the initiator methionine and the region targeted by AN-8.

Polyclonal and monoclonal antibodies have been generated using peptides corresponding to discrete portions of the ABC1 amino acid sequence. One of these, 20-amino acid peptide #2 (Pep2: CSVRLSYPPYEQHECHFPNKA (SEQ ID NO: 37), in which the N-terminal cysteine was added to facilitate conjugation of the peptide) corresponds to a protein sequence within the 60 amino-terminal amino acids of the newly-discovered ABC1 protein sequence. The peptide was coupled to the KLH carrier protein and 300 μg injected at three intervals into two Balb/c mice over a four week period. The spleen was harvested from the mouse with the highest ELISA-determined immune response to free peptide, and the cells fused to NS-1 myeloma cells by standard monoclonal antibody generation methods. Positive hybridomas were selected first by ELISA and then further characterized by western blotting using cultured primary human fibroblasts. Monoclonal cell lines producing a high antibody titre and specifically recognizing the 245 kD human ABC1 protein were saved. The same size ABC1 protein product was detected by antibodies directed to four other discrete regions of the same protein. The 245 kD band could be eliminated in competition experiments with appropriate free peptide, indicating that it represents ABC1 protein (Fig. 13).

The foregoing experiments indicate that ABC1 protein is detected not only by antibodies corresponding to amino acid sequences within the previously-described ABC1 amino acid sequence, but also by the Pep2 monoclonal antibody that recognizes an epitope within the newly-discovered N-terminal 60 amino acids. The N-terminal 60 amino acid region is therefore coding, and is part of the ABC1 protein.

The epitope recognized by the Pep2 monoclonal antibody is also conserved among human, mouse, and chicken. Liver tissues from these three species

employed in a Western blot produced an ABC1 band of 245 kD when probed with the Pep2 monoclonal antibody. This indicates that the 60 amino acid N-terminal sequence is part of the ABC1 coding sequence in humans, mice, and chickens. Presence of this region is therefore evolutionarily conserved and likely to be of

5   important functional significance for the ABC1 protein.

Bioinformatic analyses of ABC1 protein sequences

Transmembrane prediction programs indicate 13 transmembrane (TM) regions, the first one being between amino acids 26 and 42

10   (http://psort.nibb.ac.jp:8800/psort/helpwww2.html#ealom). The tentative number of TM regions for the threshold 0.5 is 13. (INTEGRAL Likelihood = -7.75 Transmembrane 26-42). The other 12 TM range in value between -0.64 and -12 (full results below). It is therefore very likely that the newly-discovered 60 amino acids contain a TM domain, and that the amino end of ABC1 may be on the

15   opposite side of the membrane than originally thought.


```
ALOM: TM region allocation
     Init position for calculation: 1
     Tentative number of TMs for the threshold  0.5:  13
20        INTEGRAL    Likelihood = -7.75    Transmembrane   26 -  42
          INTEGRAL    Likelihood = -3.98    Transmembrane  640 - 656
          INTEGRAL    Likelihood = -8.70    Transmembrane  690 - 706
          INTEGRAL    Likelihood = -9.61    Transmembrane  717 - 733
          INTEGRAL    Likelihood = -1.44    Transmembrane  749 - 765
25        INTEGRAL    Likelihood = -0.64    Transmembrane  771 - 787
          INTEGRAL    Likelihood = -1.28    Transmembrane 1041 -1057
          INTEGRAL    Likelihood =-12.79    Transmembrane 1351 -1367
          INTEGRAL    Likelihood = -8.60    Transmembrane 1661 -1677
          INTEGRAL    Likelihood = -6.79    Transmembrane 1708 -1724
30        INTEGRAL    Likelihood = -3.40    Transmembrane 1737 -1753
          INTEGRAL    Likelihood = -1.49    Transmembrane 1775 -1791
          INTEGRAL    Likelihood = -8.39    Transmembrane 1854 -1870
     PERIPHERAL  Likelihood =  0.69 (at 1643)
     ALOM score: -12.79  (number of TMSs: 13)
35
```

There does not appear to be an obvious cleaved peptide, so this first 60 amino acid residues are not likely to be cleaved, and are therefore not specifically a signal/targeting sequence. No other signals (e.g., for targeting to specific organelles) are apparent.

Agonists and Antagonists

Useful therapeutic compounds include those which modulate the expression, activity, or stability of ABC1. To isolate such compounds, ABC1 expression, biological activity, or regulated catabolism is measured following the addition of candidate compounds to a culture medium of ABC1-expressing cells. Alternatively, the candidate compounds may be directly administered to animals (for example mice, pigs, or chickens) and used to screen for their effects on ABC1 expression.

In addition its role in the regulation of cholesterol, ABC1 also participates in other biological processes for which the development of ABC1 modulators would be useful. In one example, ABC1 transports interleukin-1β (IL-1β) across the cell membrane and out of cells. IL-1β is a precursor of the inflammatory response and, as such, inhibitors or antagonists of ABC1 expression or biological activity may be useful in the treatment of any inflammatory disorders, including but not limited to rheumatoid arthritis, systemic lupus erythematosis (SLE), hypo- or hyper- thyroidism, inflammatory bowel disease, and diabetes mellitus. In another example, ABC1 expressed in macrophages has been shown to be engaged in the engulfment and clearance of dead cells. The ability of macrophages to ingest these apoptotic bodies is impaired after antibody-mediated blockade of ABC1. Accordingly, compounds that modulate ABC1 expression, stability, or biological activity would be useful for the treatment of these disorders.

ABC1 expression is measured, for example, by standard Northern blot analysis using an *ABC1* nucleic acid sequence (or fragment thereof) as a hybridization probe, or by Western blot using an anti-ABC1 antibody and standard techniques. The level of ABC1 expression in the presence of the candidate

5   molecule is compared to the level measured for the same cells, in the same culture medium, or in a parallel set of test animals, but in the absence of the candidate molecule. ABC1 activity can also be measured using the cholesterol efflux assay.

Transcriptional Regulation of ABC1 Expression

10   ABC1 mRNA is increased approximately 8-fold upon cholesterol loading. This increase is likely controlled at the transcriptional level. Using the promoter sequence described herein, one can identify transcription factors that bind to the promoter by performing, for example, gel shift assays, DNAse protection assays, or *in vitro* or *in vivo* reporter gene-based assays. The identified transcription

15   factors are themselves drug targets. In the case of ABC1, drug compounds that act through modulation of transcription of ABC1 could be used for HDL modulation, atherosclerosis prevention, and the treatment of cardiovascular disease. For example, using a compound to inhibit a transcription factor that represses ABC1 would be expected to result in up-regulation of ABC1 and, therefore, HDL levels.

20   In another example, a compound that increases transcription factor expression or activity would also increase ABC1 expression and HDL levels.

Transcription factors known to regulate other genes in the regulation of apolipoprotein genes or other cholesterol- or lipid-regulating genes are of particular relevance. Such factors include, but are not limited to, the steroid

25   response element binding proteins (SREBP-1 and SREBP-2), the PPAR (peroxisomal proliferation-activated receptor) transcription factors. Several

-53-

consensus sites for certain elements are present in the sequenced region 5' to the
ABC1 gene (Fig. 16) and are likely to modulate ABC1 expression. For example,
PPARs may alter transcription of ABC1 by mechanisms including
heterodimerization with retinoid X receptors (RXRs) and then binding to specific

5   proliferator response elements (PPREs). Examples of such PPARs include
PPARα, β, γ and δ. These distinct PPARs have been shown to have
transcriptional regulatory effects on different genes. PPARα is expressed mainly
in liver, whereas PPARγ is expressed in predominantly in adipocytes. Both
PPARα and PPARγ are found in coronary and carotid artery atherosclerotic

10   plaques and in endothelial cells, smooth muscle cells, monocytes and
monocyte-derived macrophages. Activation of PPARα results in altered
lipoprotein metabolism through PPARα's effect on genes such as lipoprotein
lipase (LPL), apolipoprotein CIII (apo CIII) and apolipoprotein AI (apo AI) and
AII (apo AII). PPARα activation results in overexpression of LPL and apoA-I and

15   apoA-II, but inhibits the expression of apo CIII. PPARα activation also inhibits
inflammation, stimulates lipid oxidation and increases the hepatic uptake and
esterification of free fatty acids (FFA's). PPARα and PPARγ activation may
inhibit nitric oxide (NO) synthase in macrophages and prevent interleukin-1 (IL-1)
induced expression of IL-6 and cyclo-oxygenase-2 (COX-2) and thrombin induced

20   endothelin-1 expression secondary to negative transcriptional regulation of NF-KB
and activation of protein-1 signaling pathway. It has also been shown that PPARα
induces apoptosis in monocyte-derived macrophages through the inhibition of
NF-KB activity.

Activation of PPARα can be achieved by compounds such as fibrates,

25   β-estradiol, arachidonic acid derivatives, WY-14,643 and LTB4 or 8(s)HETE.
PPARγ activation can be achieved through compounds such as thiozolidinedione

-54-

antidiabetic drugs, 9-HODE and 13-HODE. Additional compounds such as nicotinic acid or HMG CoA reductase inhibitors may also alter the activity of PPARs.

Compounds which alter activity of any of the PPARs (e.g., PPARα or PPARγ) may have an effect on ABC1 expression and thereby could affect HDL levels, atherosclerosis and risk of CAD. PPARs are also regulated by fatty acids (including modified fatty acids such as 3 thia fatty acids), leukotrienes such as leukotriene B4 and prostaglandin J2, which is a natural activator/ligand for PPARγ. Drugs that modulate PPARs may therefore have an important effect on modulating lipid levels (including HDL and triglyceride levels) and altering CAD risk. This effect could be achieved through the modulation of ABC1 gene expression. Drugs may also effect ABC1 gene expression and thereby HDL levels, by an indirect effect on PPARs via other transcriptional factors such as adipocyte differentiation and determination factor-1 (ADD-1) and sterol regulatory element binding protein-1 and 2 (SREBP-1 and 2). Drugs with combined PPARα and PPARγ agonist activity or PPARα and PPARγ agonists given in combination for example, may increase HDL levels even more.

A PPAR binding site (PPRE element) is found 5' to the ABC1 gene (nucleotides 2150 to 2169 of SEQ ID NO: 14). Like the PPRE elements found in the C-ACS, HD, CYP4A6 and ApoA-I genes, this PPRE site is a trimer related to the PPRE consensus sequence. Partly because of its similarity in the number and arrangement of repeats in this PPAR binding site, this element in particular is very likely to be of physiological relevance to the regulation of the ABC1 gene.

Additional transcription factors which may also have an effect in modulating ABC1 gene expression and thereby HDL levels, atherosclerosis and CAD risk include; REV-ERBα, SREBP-1 & 2, ADD-1, EBPα, CREB binding

protein, P300, HNF 4, RAR, LXR, and RORα. Additional degenerate binding sites for these factors can be found through examination of the sequence in SEQ ID NO: 14.

Additional utility of ABC1 polypeptides, nucleic acids, and modulators

ABC1 may act as a transporter of toxic proteins or protein fragments (*e.g.*, APP) out of cells. Thus, ABC1 agonists/upregulators may be useful in the treatment of other disease areas, including Alzheimer's disease, Niemann-Pick disease, and Huntington's disease.

ABC transporters have been shown to increase the uptake of long chain fatty acids from the cytosol to peroxisomes and, moreover, to play a role in β-oxidation of very long chain fatty acids. Importantly, in x-linked adrenoleukodystrophy (ALD), fatty acid metabolism is abnormal, due to defects in the peroxisomal ABC transporter. Any agent that upregulates ABC transporter expression or biological activity may therefor be useful for the treatment of ALD or any other lipid disorder.

ABC1 is expressed in macrophages and is required for engulfment of cells undergoing programmed cell death. The apoptotic process itself, and its regulation, have important implications for disorders such as cancer, one mechanism of which is failure of cells to undergo cell death appropriately. ABC1 may facilitate apoptosis, and as such may represent an intervention point for cancer treatment. Increasing ABC1 expression or activity or otherwise up-regulating ABC1 by any method may constitute a treatment for cancer by increasing apoptosis and thus potentially decreasing the aberrant cellular proliferation characterized by this disease. Conversely, down-regulation of ABC1 by any method may provide opportunity for decreasing apoptosis and allowing

increased proliferation of cells in conditions where cell growth is limited. Such disorders include but are not limited to neurodeficiencies and neurodegeneration, and growth disorders. ABC1 could, therefore, potentially be used as a method for identification of compounds for use in the treatment of cancer, or in the treatment

5   of degenerative disorders.

Agents that have been shown to inhibit ABC1 include, for example, the anti-diabetic agents glibenclamide and glyburide, flufenamic acid, diphenylamine-2-carbonic acid, sulfobromophthalein, and DIDS.

Agents that upregulate ABC1 expression or biological activity include but

10   are not limited to protein kinase A, protein kinase C, vanadate, okadaic acid, and IBMX1.

Those in the art will recognize that other compounds can also modulate ABC1 biological activity, and these compounds are also in the spirit of the invention.

15

Drug screens based on the ABC1 gene or protein

The ABC1 protein and gene can be used in screening assays for identification of compounds which modulate its activity and may be potential drugs to regulate cholesterol levels. Useful ABC1 proteins include wild-type and

20   mutant ABC1 proteins or protein fragments, in a recombinant form or endogenously expressed. Drug screens to identify compounds acting on the ABC1 expression product may employ any functional feature of the protein. In one example, the phosphorylation state or other post-translational modification is monitored as a measure of ABC1 biological activity. ABC1 has ATP binding

25   sites, and thus assays may wholly or in part test the ability of ABC1 to bind ATP or to exhibit ATPase activity. ABC1, by analogy to similar proteins, is thought to

be able to form a channel-like structure; drug screening assays could be based upon assaying for the ability of the protein to form a channel, or upon the ability to transport cholesterol or another molecule, or based upon the ability of other proteins bound by or regulated by ABC1 to form a channel. Alternatively, phospholipid or lipid transport can also be used as measures of ABC1 biological activity.

There is evidence that, in addition to its role as a regulator of cholesterol levels, ABC1 also transports anions. Functional assays could be based upon this property, and could employ drug screening technology such as (but not limited to) the ability of various dyes to change color in response to changes in specific ion concentrations in such assays can be performed in vesicles such as liposomes, or adapted to use whole cells.

Drug screening assays can also be based upon the ability of ABC1 or other ABC transporters to interact with other proteins. Such interacting proteins can be identified by a variety of methods known in the art, including, for example, radioimmunoprecipitation, co-immunoprecipitation, co-purification, and yeast two-hybrid screening. Such interactions can be further assayed by means including but not limited to fluorescence polarization or scintillation proximity methods. Drug screens can also be based upon functions of the ABC1 protein deduced upon X-ray crystallography of the protein and comparison of its 3-D structure to that of proteins with known functions. Such a crystal structure has been determined for the prokaryotic ABC family member HisP, histidine permease. Drug screens can be based upon a function or feature apparent upon creation of a transgenic or knockout mouse, or upon overexpression of the protein or protein fragment in mammalian cells *in vitro*. Moreover, expression of mammalian (e.g., human) ABC1 in yeast or *C. elegans* allows for screening of

candidate compounds in wild-type and mutant backgrounds, as well as screens for mutations that enhance or suppress an ABC1-dependent phenotype. Modifier screens can also be performed in ABC1 transgenic or knock-out mice.

Additionally, drug screening assays can also be based upon ABC1 functions deduced upon antisense interference with the gene function. Intracellular localization of ABC1, or effects which occur upon a change in intracellular localization of the protein, can also be used as an assay for drug screening. Immunocytochemical methods will be used to determine the exact location of the ABC1 protein.

Human and rodent ABC1 protein can be used as an antigen to raise antibodies, including monoclonal antibodies. Such antibodies will be useful for a wide variety of purposes, including but not limited to functional studies and the development of drug screening assays and diagnostics. Monitoring the influence of agents (e.g., drugs, compounds) on the expression or biological activity of ABC1 can be applied not only in basic drug screening, but also in clinical trials. For example, the effectiveness of an agent determined by a screening assay as described herein to increase ABC1 gene expression, protein levels, or biological activity can be monitored in clinical trails of subjects exhibiting altered ABC1 gene expression, protein levels, or biological activity. Alternatively, the effectiveness of an agent determined by a screening assay to modulate ABC1 gene expression, protein levels, or biological activity can be monitored in clinical trails of subjects exhibiting decreased altered gene expression, protein levels, or biological activity. In such clinical trials, the expression or activity of ABC1 and, preferably, other genes that have been implicated in, for example, cardiovascular disease can be used to ascertain the effectiveness of a particular drug.

For example, and not by way of limitation, genes, including ABC1, that are

modulated in cells by treatment with an agent (e.g., compound, drug or small molecule) that modulates ABC1 biological activity (e.g., identified in a screening assay as described herein) can be identified. Thus, to study the effect of agents on cholesterol levels or cardiovascular disease, for example, in a clinical trial, cells can be isolated and RNA prepared and analyzed for the levels of expression of ABC1 and other genes implicated in the disorder. The levels of gene expression can be quantified by Northern blot analysis or RT-PCR, or, alternatively, by measuring the amount of protein produced, by one of a number of methods known in the art, or by measuring the levels of biological activity of ABC1 or other genes. In this way, the gene expression can serve as a marker, indicative of the physiological response of the cells to the agent. Accordingly, this response state may be determined before, and at various points during, treatment of the individual with the agent.

In a preferred embodiment, the present invention provides a method for monitoring the effectiveness of treatment of a subject with an agent (e.g., an agonist, antagonist, peptidomimetic, protein, peptide, nucleic acid, small molecule, or other drug candidate identified by the screening assays described herein) including the steps of (i) obtaining a pre-administration sample from a subject prior to administration of the agent; (ii) detecting the level of expression of an ABC1 protein, mRNA, or genomic DNA in the preadministration sample; (iii) obtaining one or more post-administration samples from the subject; (iv) detecting the level of expression or activity of the ABC1 protein, mRNA, or genomic DNA in the post-administration samples; (v) comparing the level of expression or activity of the ABC1 protein, mRNA, or genomic DNA in the pre-administration sample with the ABC1 protein, mRNA, or genomic DNA in the post administration sample or samples; and (vi) altering the administration of the agent

-60-

to the subject accordingly. For example, increased administration of the agent may be desirable to increase the expression or activity of ABC1 to higher levels than detected, i.e., to increase the effectiveness of the agent. Alternatively, decreased administration of the agent may be desirable to decrease expression or activity of ABC1 to lower levels than detected.

The *ABC1* gene or a fragment thereof can be used as a tool to express the protein in an appropriate cell *in vitro* or *in vivo* (gene therapy), or can be cloned into expression vectors which can be used to produce large enough amounts of ABC1 protein to use in *in vitro* assays for drug screening. Expression systems which may be employed include baculovirus, herpes virus, adenovirus, adeno-associated virus, bacterial systems, and eucaryotic systems such as CHO cells. Naked DNA and DNA-liposome complexes can also be used.

Assays of ABC1 activity includes binding to intracellular interacting proteins; interaction with a protein that up-regulates ABC1 activity; interaction with HDL particles or constituents; interaction with other proteins which facilitate interaction with HDL or its constituents; and measurement of cholesterol efflux. Furthermore, assays may be based upon the molecular dynamics of macromolecules, metabolites and ions by means of fluorescent-protein biosensors.

Alternatively, the effect of candidate modulators on expression or activity may be measured at the level of ABC1 protein production using the same general approach in combination with standard immunological detection techniques, such as Western blotting or immunoprecipitation with an ABC1-specific antibody. Again, useful cholesterol-regulating or anti-CVD therapeutic modulators are identified as those which produce an change in ABC1 polypeptide production. Agonists may also affect ABC1 activity without any effect on expression level.

Candidate modulators may be purified (or substantially purified) molecules

or may be one component of a mixture of compounds (*e.g.*, an extract or supernatant obtained from cells). In a mixed compound assay, ABC1 expression is tested against progressively smaller subsets of the candidate compound pool (*e.g.*, produced by standard purification techniques, *e.g.*, HPLC or FPLC; Ausubel et al.)

5 until a single compound or minimal compound mixture is demonstrated to modulate ABC1 expression.

Agonists, antagonists, or mimetics found to be effective at modulating the level of cellular ABC1 expression or activity may be confirmed as useful in animal models (for example, mice, pigs, rabbits, or chickens). For example, the

10 compound may ameliorate the low HDL levels of mouse or chicken hypoalphalipoproteinemias.

A compound that promotes an increase in ABC1 expression or activity is considered particularly useful in the invention; such a molecule may be used, for example, as a therapeutic to increase the level or activity of native, cellular ABC1

15 and thereby treat a low HDL condition in an animal (for example, a human).

One method for increasing ABC biological activity is to increase the stabilization of the ABC protein or to prevent its degradation. Thus, it would be useful to identify mutations in an ABC polypeptide (e.g., ABC1) that lead to increased protein stability. These mutations can be incorporated into any protein

20 therapy or gene therapy undertaken for the treatment of low HDL-C or any other condition resulting from loss of ABC1 biological activity. Similarly, compounds that increase the stability of a wild-type ABC polypeptide or decrease its catabolism may also be useful for the treatment of low HDL-C or any other condition resulting from loss of ABC1 biological activity. Such mutations and

25 compounds can be identified using the methods described herein.

In one example, cells expressing an ABC polypeptide having a mutation are

transiently metabolically labeled during translation and the half-life of the ABC polypeptide is determined using standard techniques. Mutations that increase the half-life of an ABC polypeptide are ones that increase ABC protein stability. These mutations can then be assessed for ABC biological activity. They can also be used to identify proteins that affect the stability of ABC1 mRNA or protein. One can then assay for compounds that act on these factors or on the ability of these factors to bind ABC1.

In another example, cells expressing wild-type ABC polypeptide are transiently metabolically labeled during translation, contacted with a candidate compounds, and the half-life of the ABC polypeptide is determined using standard techniques. Compounds that increase the half-life of an ABC polypeptide are useful compounds in the present invention.

If desired, treatment with an agonist of the invention may be combined with any other HDL-raising or anti-CVD therapies.

It is understood that, while ABC1 is the preferred ABC transporter for the drug screens described herein, other ABC transporters can also be used. The replacement of ABC1 with another ABC transporter is possible because it is likely that ABC transporter family members, such as ABC2, ABCR, or ABC8 will have a similar mechanism of regulation.

Exemplary assays are described in greater detail below.

Protein-based assays

ABC1 polypeptide (purified or unpurified) can be used in an assay to determine its ability to bind another protein (including, but not limited to, proteins found to specifically interact with ABC1). The effect of a compound on that binding is then determined.

-63-

Protein Interaction Assays

ABC1 protein (or a polypeptide fragment thereof or an epitope-tagged form or fragment thereof) is harvested from a suitable source (e.g., from a prokaryotic expression system, eukaryotic cells, a cell-free system, or by immunoprecipitation from ABC1-expressing cells). The ABC1 polypeptide is then bound to a suitable support (e.g., nitrocellulose or an antibody or a metal agarose column in the case of, for example, a his-tagged form of ABC1). Binding to the support is preferably done under conditions that allow proteins associated with ABC1 polypeptide to remain associated with it. Such conditions may include use of buffers that minimize interference with protein-protein interactions. The binding step can be done in the presence and absence of compounds being tested for their ability to interfere with interactions between ABC1 and other molecules. If desired, other proteins (e.g., a cell lysate) are added, and allowed time to associate with the ABC polypeptide. The immobilized ABC1 polypeptide is then washed to remove proteins or other cell constituents that may be non-specifically associated with it the polypeptide or the support. The immobilized ABC1 polypeptide is then dissociated from its support, and so that proteins bound to it are released (for example, by heating), or, alternatively, associated proteins are released from ABC1 without releasing the ABC1 polypeptide from the support. The released proteins and other cell constituents can be analyzed, for example, by SDS-PAGE gel electrophoresis, Western blotting and detection with specific antibodies, phosphoamino acid analysis, protease digestion, protein sequencing, or isoelectric focusing. Normal and mutant forms of ABC1 can be employed in these assays to gain additional information about which part of ABC1 a given factor is binding to. In addition, when incompletely purified polypeptide is employed, comparison of the normal and muatant forms of the protein can be used to help distinguish true

-64-

binding proteins.

The foregoing assay can be performed using a purified or semipurified protein or other molecule that is known to interact with ABC1. This assay may include the following steps.

5   1. Harvest ABC1 protein and couple a suitable fluorescent label to it;

2. Label an interacting protein (or other molecule) with a second, different fluorescent label. Use dyes that will produce different quenching patterns when they are in close proximity to each other vs. when they are physically separate (i.e., dyes that quench each other when they are close together but fluoresce when they 10 are not in close proximity);

3. Expose the interacting molecule to the immobilized ABC1 in the presence or absence of a compound being tested for its ability to interfere with an interaction between the two; and

4. Collect fluorescent readout data.

15 Another assay is includes Fluorescent Resonance Energy Transfer (FRET) assay. This assay can be performed as follows.

1. Provide ABC1 protein or a suitable polypeptide fragment thereof and couple a suitable FRET donor (e.g.,. nitro-benzoxadiazole (NBD)) to it;

20   2. Label an interacting protein (or other molecule) with a FRET acceptor (e.g., rhodamine);

3. Expose the acceptor-labeled interacting molecule to the donor-labeled ABC1 in the presence or absence of a compound being tested for its ability to interfere with an interaction between the two; and

25   4. Measure fluorescence resonance energy transfer.

Quenching and FRET assays are related. Either one can be applied in a given case, depending on which pair of fluorophores is used in the assay.

Membrane permeability assay

The ABC1 protein can also be tested for its effects on membrane permeability. For example, beyond its putative ability to translocate lipids, ABC1 might affect the permeability of membranes to ions. Other related membrane proteins, most notably the cystic fibrosis transmembrane conductance regulator and the sulfonylurea receptor, are associated with and regulate ion channels.

ABC1 or a fragment of ABC1 is incorporated into a synthetic vesicle, or, alternatively, is expressed in a cell and vesicles or other cell sub-structures containing ABC1 are isolated. The ABC1-containing vesicles or cells are loaded with a reporter molecule (such as a fluorescent ion indicator whose fluorescent properties change when it binds a particular ion) that can detect ions (to observe outward movement), or alternatively, the external medium is loaded with such a molecule (to observe inward movement). A molecule which exhibits differential properties when it is inside the vesicle compared to when it is outside the vesicle is preferred. For example, a molecule that has quenching properties when it is at high concentration but not when it is at another low concentration would be suitable. The movement of the charged molecule (either its ability to move or the kinetics of its movement) in the presence or absence of a compound being tested for its ability to affect this process can be determined.

In another assay, membrane permeability is determined electro-physiologically by measuring ionic influx or efflux mediated by or modulated by ABC1 by standard electrophysiological techniques. A suitable control (e.g., TD cells or a cell line with very low endogenous ABC1 expression) can be used as a

control in the assay to determine if the effect observed is specific to cells expressing ABC1.

In still another assay, uptake of radioactive isotopes into or out of a vesicle can be measured. The vesicles are separated from the extravesicular medium and the radioactivity in the vesicles and in the medium is quantitated and compared.

Nucleic acid-based assays

ABC1 nucleic acid may be used in an assay based on the binding of factors necessary for ABC1 gene transcription. The association between the *ABC1* DNA and the binding factor may be assessed by means of any system that discriminates between protein-bound and non-protein-bound DNA (e.g., a gel retardation assay). The effect of a compound on the binding of a factor to *ABC1* DNA is assessed by means of such an assay. In addition to *in vitro* binding assays, *in vivo* assays in which the regulatory regions of the *ABC1* gene are linked to reporter genes can also be performed.

Assays measuring ABC1 stability

A cell-based or cell-free system can be used to screen for compounds based on their effect on the half-life of *ABC1* mRNA or ABC1 protein. The assay may employ labeled mRNA or protein. Alternatively, *ABC1* mRNA may be detected by means of specifically hybridizing probes or a quantitative PCR assay. Protein can be quantitated, for example, by fluorescent antibody-based methods.

In vitro mRNA stability assay

1. Isolate or produce, by *in vitro* transcription, a suitable quantity of ABC1 mRNA;

-67-

2. Label the ABC1 mRNA;

3. Expose aliquots of the mRNA to a cell lysate in the presence or absence of a compound being tested for its ability to modulate *ABC1* mRNA stability;

4. Assess intactness of the remaining mRNA at suitable time points.

In vitro protein stability assay

1. Express a suitable amount of ABC1 protein;

2. Label the protein;

3. Expose aliquots of the labeled protein to a cell lysate in the presence or absence of a compound being tested for its ability to modulate ABC1 protein stability;

4. Assess intactness of the remaining protein at suitable time points

In vivo mRNA or protein stability assay

1. Incubate cells expressing ABC1 mRNA or protein with a tracer (radiolabeled ribonucleotide or radiolabeled amino acid, respectively) for a very brief time period (e.g., five minutes) in the presence or absence of a compound being tested for its effect on mRNA or protein stability;

2. Incubate with unlabeled ribonucleotide or amino acid; and

3. Quantitate the ABC1 mRNA or protein radioactivity at time intervals beginning with the start of step 2 and extending to the time when the radioactivity in ABC1 mRNA or protein has declined by approximately 80%. It is preferable to separate the intact or mostly intact mRNA or protein from its radioactive breakdown products by a means such as gel electrophoresis in order to quantitate the mRNA or protein.

<u>Assays measuring inhibition of dominant negative activity</u>

Mutant ABC1 polypeptides are likely to have dominant negative activity (i.e., activity that interferes with wild-type ABC1 function). An assay for a compound that can interfere with such a mutant may be based on any method of quantitating normal ABC1 activity in the presence of the mutant. For example, normal ABC1 facilitates cholesterol efflux, and a dominant negative mutant would interfere with this effect. The ability of a compound to counteract the effect of a dominant negative mutant may be based on cellular cholesterol efflux, or on any other normal activity of the wild-type ABC1 that was inhibitable by the mutant.

<u>Assays measuring phosphorylation</u>

The effect of a compound on ABC1 phosphorylation can be assayed by methods that quantitate phosphates on proteins or that assess the phosphorylation state of a specific residue of a ABC1. Such methods include but are not limited to ^{32}P labelling and immunoprecipitation, detection with antiphosphoamino acid antibodies (e.g., antiphosphoserine antibodies), phosphoamino acid analysis on 2-dimensional TLC plates, and protease digestion fingerprinting of proteins followed by detection of ^{32}P-labeled fragments.

<u>Assays measuring other post-translational modifications</u>

The effect of a compound on the post-translational modification of ABC1 is based on any method capable of quantitating that particular modification. For example, effects of compounds on glycosylation may be assayed by treating ABC1 with glycosylase and quantitating the amount and nature of carbohydrate released.

<u>Assays measuring ATP binding</u>

The ability of ABC1 to bind ATP provides another assay to screen for compounds that affect ABC1. ATP binding can be quantitated as follows.

1. Provide ABC1 protein at an appropriate level of purity and reconsititute it in a lipid vesicle;

2. Expose the vesicle to a labeled but non-hydrolyzable ATP analog (such as gamma ^{35}S-ATP) in the presence or absence of compounds being tested for their effect on ATP binding. Note that azido-ATP analogs can be used to allow covalent attachment of the azido-ATP to protein (by means of U.V. light), and permit easier quantitation of the amount of ATP bound to the protein.

3. Quantitate the amount of ATP analog associated with ABC1

<u>Assays measuring ATPase activity</u>

Quantitation of the ATPase activity of ABC1 can also be assayed for the effect of compounds on ABC1. This is preferably performed in a cell-free assay so as to separate ABC1 from the many other ATPases in the cell. An ATPase assay may be performed in the presence or absence of membranes, and with or without integration of ABC1 protein into a membrane. If performed in a vesicle-based assay, the ATP hydrolysis products produced or the ATP hydrolyzed may be measured within or outside of the vesicles, or both. Such an assay may be based on disappearance of ATP or appearance of ATP hydrolysis products.

For high-throughput screening, a coupled ATPase assay is preferable. For example, a reaction mixture containing pyruvate kinase and lactate dehydrogenase can be used. The mixture includes phosphoenolpyruvate (PEP), nicotinamide adenine dinucleotide (NAD+), and ATP. The ATPase activity of ABC1 generates ADP from ATP. The ADP is then converted back to ATP as part of the pyruvate

kinase reaction. The product, pyruvate, is then converted to lactate. The latter

reaction generates a colored quinone (NADH) from a colorless substrate (NAD+),

and the entire reaction can be monitored by detection of the color change upon

formation of NADH. Since ADP is limiting for the pyruvate kinase reaction, this

coupled system precisely monitors the ATPase activity of ABC1.

Assays measuring cholesterol efflux

A transport-based assay can be performed *in vivo* or *in vitro*. For example,

the assay may be based on any part of the reverse cholesterol transport process that

is readily re-created in culture, such as cholesterol or phospholipid efflux.

Alternatively, the assay may be based on net cholesterol transport in a whole

organism, as assessed by means of a labeled substance (such as cholesterol).

For high throughput, fluorescent lipids can be used to measure

ABC1-catalyzed lipid efflux. For phospholipids, a fluorescent precursor,

C6-NBD-phosphatidic acid, can be used. This lipid is taken up by cells and

dephosphorylated by phosphatidic acid phosphohydrolase. The product,

NBD-diglyceride, is then a precursor for synthesis of glycerophospholipids like

phosphatidylcholine. The efflux of NBD-phosphatidylcholine can be monitored

by detecting fluorescence resonance energy transfer (FRET) of the NBD to a

suitable acceptor in the cell culture medium. This acceptor can be

rhodamine-labeled phosphatidylethanolamine, a phospholipid that is not readily

taken up by cells. The use of short-chain precursors obviates the requirement for

the phospholipid transfer protein in the media. For cholesterol, NBD-cholesterol

ester can be reconstituted into LDL. The LDL can efficiently deliver this lipid to

cells via the LDL receptor pathway. The NBD-cholesterol esters are hydrolyzed in

the lysosomes, resulting in NBD-cholesterol that can now be transported back to

the plasma membrane and efflux from the cell. The efflux can be monitored by the aforementioned FRET assay in which NBD transfers its fluorescence resonance energy to the rhodamine-phosphatidylethanoline acceptor.

Animal Model Systems

Compounds identified as having activity in any of the above-described assays are subsequently screened in any available animal model system, including, but not limited to, pigs, rabbits, and WHAM chickens. Test compounds are administered to these animals according to standard methods. Test compounds may also be tested in mice bearing mutations in the *ABC1* gene. Additionally, compounds may be screened for their ability to enhance an interaction between ABC1 and any HDL particle constituent such as ApoAI, ApoAII, or ApoE.

The cholesterol efflux assay as a drug screen

The cholesterol efflux assay measures the ability of cells to transfer cholesterol to an extracellular acceptor molecule and is dependent on ABC1 function. In this procedure, cells are loaded with radiolabeled cholesterol by any of several biochemical pathways (Marcil et al., Arterioscler. Thromb. Vasc. Biol. 19:159-169, 1999). Cholesterol efflux is then measured after incubation for various times (typically 0 to 24 hours) in the presence of HDL3 or purified ApoAI. Cholesterol efflux is determined as the percentage of total cholesterol in the culture medium after various times of incubation. ABC1 expression levels and/or biological activity are associated with increased efflux while decreased levels of ABC1 are associated with decreased cholesterol efflux.

This assay can be readily adapted to the format used for drug screening, which may consist of a multi-well (*e.g.*, 96-well) format. Modification of the

assay to optimize it for drug screening would include scaling down and streamlining the procedure, modifying the labeling method, using a different cholesterol acceptor, altering the incubation time, and changing the method of calculating cholesterol efflux. In all these cases, the cholesterol efflux assay remains conceptually the same, though experimental modifications may be made. A transgenic mouse overexpressing ABC1 would be expected to have higher than normal HDL levels.

Knock-out mouse model

An animal, such as a mouse, that has had one or both ABC1 alleles inactivated (e.g., by homologous recombination) is likely to have low HDL-C levels, and thus is a preferred animal model for screening for compounds that raise HDL-C levels. Such an animal can be produced using standard techniques. In addition to the initial screening of test compounds, the animals having mutant ABC1 genes are useful for further testing of efficacy and safety of drugs or agents first identified using one of the other screening methods described herein. Cells taken from the animal and placed in culture can also be exposed to test compounds. HDL-C levels can be measured using standard techniques, such as those described herein.

WHAM chickens: an animal model for low HDL cholesterol

Wisconsin Hypo-Alpha Mutant (WHAM) chickens arose by spontaneous mutation in a closed flock. Mutant chickens came to attention through their a Z-linked white shank and white beak phenotype referred to as 'recessive white skin' (McGibbon, 1981) and were subsequently found to have a profound deficiency of HDL (Poernama et al., 1990).

This chicken low HDL locus (Y) is Z-linked, or sex-linked. (In birds, females are ZW and males are ZZ). Genetic mapping placed the Y locus on the long arm of the Z chromosome (Bitgood, 1985), proximal to the ID locus (Bitgood, 1988). Examination of current public mapping data for the chicken genome mapping project, ChickMap (maintained by the Roslin Institute; http://www.ri.bbsrc.ac.uk/ chickmap/ChickMapHomePage.html) showed that a region of synteny with human chromosome 9 lies on the long arm of the chicken Z chromosome (Zq) proximal to the ID locus. Evidence for this region of synteny is the location of the chicken aldolase B locus (ALDOB) within this region. The human ALDOB locus maps to chromosome 9q22.3 (The Genome Database, http://gdbwww.gdb.org/), not far from the location of human ABC1. This comparison of maps showed that the chicken Zq region near chicken ALDOB and the human 9q region near human ALDOB represent a region of synteny between human and chicken.

Since a low HDL locus maps to the 9q location in humans and to the Zq region in chickens, these low HDL loci are most probably located within the syntenic region. Thus we predicted that ABC1 is mutated in WHAM chickens. In support of this, we have identified an E⇒K mutation at a position that corresponds to amino acid 89 of human ABC1 (Figs. 14 and 15). This non-conservative substitution is at a position that is conserved among human, mouse, and chicken, indicating that it is in a region of the protein likely to be of functional importance.

Discovery of the WHAM mutation in the amino-terminal portion of the ABC1 protein also establishes the importance of the amino-terminal region. This region may be critical because of association with other proteins required to carry out cholesterol efflux or related tasks. It may be an important regulatory region (there is a phosphorylation site for casein kinase near the mutated residue), or it

may help to dictate a precise topological relationship with cellular membranes (the N-terminal 60 amino acid region contains a putative membrane-spanning or membrane-associated segment).

The amino-terminal region of the protein (up to the first 6-TM region at approximately amino acid 639) is an ideal tool for screening factors that affect ABC1 activity. It can be expressed as a truncated protein in ABC1 wild type cells in order to test for interference of the normal ABC1 function by the truncated protein. If the fragment acts in a dominant negative way, it could be used in immunoprecipitations to identify proteins that it may be competing away from the normal endogenous protein.

The C-terminus also lends itself to such experiments, as do the intracellular portions of the molecule, expressed as fragments or tagged or fusion proteins, in the absence of transmembrane regions.

Since it is possible that there are several genes in the human genome which affect cholesterol efflux, it is important to establish that any animal model to be used for a human genetic disease represents the homologous locus in that animal, and not a different locus with a similar function. The evidence above establishes that the chicken Y locus and the human chromosome 9 low HDL locus are homologous. WHAM chickens are therefore an important animal model for the identification of drugs that modulate cholesterol efflux.

The WHAM chickens' HDL deficiency syndrome is not, however, associated with an increased susceptibility to atherosclerosis in chickens. This probably reflects the shorter lifespan of the chicken rather than an inherent difference in the function of the chicken ABC1 gene compared to the human gene. We propose the WHAM chicken as a model for human low HDL for the development and testing of drugs to raise HDL in humans. Such a model could be

employed in several forms, through the use of cells or other derivatives of these chickens, or by the use of the chickens themselves in tests of drug effectiveness, toxicity, and other drug development purposes.

Therapy

Compounds of the invention, including but not limited to, ABC1 polypeptides, *ABC1* nucleic acids, other ABC transporters, and any therapeutic agent that modulates biological activity or expression of ABC1 identified using any of the methods disclosed herein, may be administered with a pharmaceutically-acceptable diluent, carrier, or excipient, in unit dosage form. Conventional pharmaceutical practice may be employed to provide suitable formulations or compositions to administer such compositions to patients. Although intravenous administration is preferred, any appropriate route of administration may be employed, for example, perenteral, subcutaneous, intramuscular, intracranial, intraorbital, ophthalmic, intraventricular, intracapsular, intraspinal, intracisternal, intraperitoneal, intranasal, aerosol, or oral administration. Therapeutic formulations may be in the form of liquid solutions or suspension; for oral administration, formulations may be in the form of tablets or capsules; and for intranasal formulations, in the form of powders, nasal drops, or aerosols.

Methods well known in the art for making formulations are found in, for example, Remington: The Science and Practice of Pharmacy, (19th ed.) ed. A.R. Gennaro AR., 1995, Mack Publishing Company, Easton, PA. Formulations for parenteral administration may, for example, contain excipients, sterile water, or saline, polyalkylene glycols such as polyethylene glycol, oils of vegetable origin, or hydrogenated napthalenes. Biocompatible, biodegradable lactide polymer,

lactide/glycolide copolymer, or polyoxyethylene-polyoxypropylene copolymers may be used to control the release of the compounds. Other potentially useful parenteral delivery systems for agonists of the invention include ethylenevinyl acetate copolymer particles, osmotic pumps, implantable infusion systems, and liposomes. Formulations for inhalation may contain excipients, or example, lactose, or may be aqueous solutions containing, for example, polyoxyethylene-9-lauryl ether, glycocholate and deoxycholate, or may be oily solutions for administration in the form of nasal drops, or as a gel.

Compounds

In general, novel drugs for the treatment of aberrant cholesterol levels and/or CVD are identified from large libraries of both natural product or synthetic (or semi-synthetic) extracts or chemical libraries according to methods known in the art. Those skilled in the field or drug discovery and development will understand that the precise source of test extracts or compounds is not critical to the screening procedure(s) of the invention. Accordingly, virtually any number of chemical extracts or compounds can be screened using the exemplary methods described herein. Examples of such extracts or compounds include, but are not limited to, plant-, fungal-, prokaryotic- or animal-based extracts, fermentation broths, and synthetic compounds, as well as modification of existing compounds. Numerous methods are also available for generating random or directed synthesis (*e.g.*, semi-synthesis or total synthesis) of any number of chemical compounds, including, but not limited to, saccharide-, lipid-, peptide-, and nucleic acid-based compounds. Synthetic compound libraries are commercially available from Brandon Associates (Merrimack, NH) and Aldrich Chemical (Milwaukee, WI). Alternatively, libraries of natural compounds in the form of bacterial, fungal, plant,

and animal extracts are commercially available from a number of sources, including Biotics (Sussex, UK), Xenova (Slough, UK), Harbor Branch Oceangraphics Institute (Ft. Pierce, FL), and PharmaMar, U.S.A. (Cambridge, MA). In addition, natural and synthetically produced libraries are produced, if desired, according to methods known in the art, *e.g.*, by standard extraction and fractionation methods. Furthermore, if desired, any library or compound is readily modified using standard chemical, physical, or biochemical methods.

In addition, those skilled in the art of drug discovery and development readily understand that methods for dereplication (*e.g.*, taxonomic dereplication, biological dereplication, and chemical dereplication, or any combination thereof) or the elimination of replicates or repeats of materials already known for their HDL-raising and anti-CVD activities should be employed whenever possible.

When a crude extract is found to have cholesterol-modulating or anti-CVD activities or both, further fractionation of the positive lead extract is necessary to isolate chemical constituent responsible for the observed effect. Thus, the goal of the extraction, fractionation, and purification process is the careful characterization and identification of a chemical entity within the crude extract having cholesterol-modulating or anti-CVD activities. The same *in vivo* and *in vitro* assays described herein for the detection of activities in mixtures of compounds can be used to purify the active component and to test derivatives thereof. Methods of fractionation and purification of such heterogeneous extracts are known in the art. If desired, compounds shown to be useful agents for the treatment of pathogenicity are chemically modified according to methods known in the art. Compounds identified as being of therapeutic value are subsequently analyzed using any standard animal model of diabetes or obesity known in the art.

It is understood that compounds that modulate activity of proteins that

modulate or are modulated by ABC1 are useful compounds for modulating cholesterol levels. Exemplary compounds are provided herein; others are known in the art.

Compounds that are structurally related to cholesterol, or that mimic ApoAI or a related apolipoprotein, and increase ABC1 biological activity are particularly useful compounds in the invention. Other compounds, known to act on the MDR protein, can also be used or derivatized and assayed for their ability to increase ABC1 biological activity. Exemplary MDR modulators are PSC833, bromocriptine, and cyclosporin A.

Screening patients having low HDL-C

ABC1 expression, biological activity, and mutational analysis can each serve as a diagnostic tool for low HDL; thus determination of the genetic subtyping of the *ABC1* gene sequence can be used to subtype low HDL individuals or families to determine whether the low HDL phenotype is related to ABC1 function. This diagnostic process can lead to the tailoring of drug treatments according to patient genotype, including prediction of side effects upon administration of HDL increasing drugs (referred to herein as pharmacogenomics). Pharmacogenomics allows for the selection of agents (e.g., drugs) for therapeutic or prophylactic treatment of an individual based on the genotype of the individual (e.g., the genotype of the individual is examined to determine the ability of the individual to respond to a particular agent).

Agents, or modulators which have a stimulatory or inhibitory effect on ABC1 biological activity or gene expression can be administered to individuals to treat disorders (e.g., cardiovascular disease or low HDL cholesterol) associated with aberrant ABC1 activity. In conjunction with such treatment, the

pharmacogenomics (i.e., the study of the relationship between an individual's genotype and that individual's response to a foreign compound or drug) of the individual may be considered. Differences in efficacy of therapeutics can lead to severe toxicity or therapeutic failure by altering the relation between dose and blood concentration of the pharmacologically active drug. Thus, the pharmacogenomics of the individual permits the selection of effective agents (e.g., drugs) for prophylactic or therapeutic treatments based on a consideration of the individual's genotype. Such pharmacogenomics can further be used to determine appropriate dosages and therapeutic regimens. Accordingly, the activity of ABC1 protein, expression of ABC1 nucleic acid, or mutation content of ABC1 genes in an individual can be determined to thereby select appropriate agent(s) for therapeutic or prophylactic treatment of the individual.

Pharmacogenomics deals with clinically significant hereditary variations in the response to drugs due to altered drug disposition and abnormal action in affected persons (Eichelbaum, M., Clin. Exp. Pharmacol. Physiol., 23:983-985, 1996; Linder, M. W., Clin. Chem., 43:254-266, 1997). In general, two types of pharmacogenetic conditions can be differentiated. Genetic conditions transmitted as a single factor altering the way drugs act on the body (altered drug action) or genetic conditions transmitted as single factors altering the way the body acts on drugs (altered drug metabolism). Altered drug action may occur in a patient having a polymorphism (e.g., an single nucleotide polymorphism or SNP) in promoter, intronic, or exonic sequences of ABC1. Thus by determining the presence and prevalence of polymorphisms allow for prediction of a patient's response to a particular therapeutic agent. In particular, polymorphisms in the promoter region may be critical in determining the risk of HDL deficiency and CVD.

In addition to the mutations in the *ABC1* gene described herein, we have detected polymorphisms in the human *ABC1* gene (Fig. 11). These polymorphisms are located in promoter, intronic, and exonic sequence of ABC1. Using standard methods, such as direct sequencing, PCR, SSCP, or any other polymorphism-detection system, one could easily ascertain whether these polymorphisms are present in a patient prior to the establishment of a drug treatment regimen for a patient having low HDL, cardiovascular disease, or any other ABC1-mediated condition. It is possible that some these polymorphisms are, in fact, weak mutations. Individuals harboring such mutations may have an increased risk for cardiovascular disease; thus, these polymorphisms may also be useful in diagnostic assays.

Association Studies of ABC1 Gene Variants and HDL Levels or Cardiovascular Disease

The following polymorphisms have been examined for their effect on cholesterol regulation and the predisposition for the development of cardiovascular disease.

Substitution of G for A at nucleotide -1045 [G(-1045)A]. This variant is in complete linkage disequilibrium with the variant at -738 in the individuals we have sequenced, and thus any potential phenotypic effects currently attributed to the variant at -738 may at least in part be due to changes at this site.

Substitution of G for A at nucleotide -738 [G(-738)A]. This variant has been found at very high frequencies in populations selected for low HDL cholesterol or premature coronary artery disease.

Insertion of a G nucleotide at position -4 [G ins (-4)]. This variant has been associated with less coronary artery disease in its carriers than in non-carriers.

-81-

Substitution of a C for G at nucleotide -57 [G(-57)C]. This variant is in complete linkage disequilibrium with the variant at -4 in the individuals we have sequenced, and thus the phenotypic effects currently attributed to the variant at -4 may at least in part be due to changes at this site.

Substitution of A for G at nucleotide 730 (R219K). We have found carriers to have significantly less cardiovascular disease.

Substitution of C for T at nucleotide 1270 (V399A). Within the French Canadian population, this variant has only been found in individuals from the low HDL population. It has also been seen in individuals with low HDL or premature coronary artery disease in individuals of Dutch ancestry.

Substitution of A for G at nucleotide 2385 (V771M). This variant has been found at an increased frequency in a Dutch population selected for low HDL and at an increased frequency in a population selected for premature coronary artery disease compared to a control Dutch population, indicating carriers of this variant may have reduced HDL and an increased susceptibility to coronary artery disease.

Substitution of C for A at nucleotide 2394 (T774P). This variant has been seen at lower frequencies in populations with coronary artery disease or low HDL than in individuals without.

Substitution of C for G at nucleotide 2402 (K776N). This variant has been found at a significantly lower frequency (0.56% vs. 2.91%, p=0.02) in a coronary artery disease population vs. a control population of similar Dutch background.

Substitution of C for G at nucleotide 3590 (E1172D). This variant is seen at lower frequencies in individuals with low HDL and in some populations with premature coronary artery disease.

Substitution of A for G at nucleotide 4384 (R1587K). This variant has been found at decreased frequencies in the 1/3 of individuals with the highest HDL

-82-

levels in our large Dutch coronary artery disease population (p=0.036), at increased frequencies in those with HDL cholesterol <0.9 mmol/L (p<0.0001) and at decreased frequencies in the cohorts with HDL cholesterol >1.4 mmol/L in both this population (p=0.02) and the Dutch control population (p=0.003).

Substitution of G for C at nucleotide 5266 (S1731C). Two FHA individuals who have this variant on the other allele have much lower HDL cholesterol (0.155±0.025) than the FHA individuals in the family who do not have this variant on the other allele (0.64±0.14, p=0.0009). This variant has also been found in one general population French Canadian control with HDL at the 8th percentile (0.92) and one French Canadian individual from a population selected for low HDL and coronary disease (0.72).

Substitution of G for A at nucleotide -1113 [A(-1113)G]. This variant has been seen at varying frequencies in populations distinguished by their HDL levels.

Additional polymorphisms that may be associated with altered risk for cardiovascular disease or altered cholesterol levels are as follows:

Substitution of G for A at nucleotide 2723 (I883M). This variant has been seen at a much higher frequency in individuals of Dutch ancestry with premature coronary artery disease.

Insertion of 4 nucleotides (CCCT) at position -1181.

Substitution of C for A at nucleotide -479 (linkage disequilibrium with -518).

Substitution of G for A at nucleotide -380.

Other Embodiments

All publications mentioned in this specification are herein incorporated by reference to the same extent as if each independent publication was specifically

and individually indicated to be incorporated by reference.

While the invention has been described in connection with specific embodiments thereof, it will be understood that it is capable of further modifications. This application is intended to cover any variations, uses, or adaptations following, in general, the principles of the invention and including such departures from the present disclosure within known or customary practice within the art to which the invention pertains and may be applied to the essential features hereinbefore set forth.

What we claim is:

1. A substantially pure ABC1 polypeptide having ABC1 biological activity.

2. The substantially pure ABC1 polypeptide of claim 1, wherein said ABC1 polypeptide is human ABC1.

3. The substantially pure ABC1 polypeptide of claim 1, wherein said polypeptide comprises amino acids 1 to 60 of SEQ ID NO: 1.

4. The substantially pure ABC1 polypeptide of claim 1, wherein said polypeptide comprises amino acids 61 to 2261 of SEQ ID NO: 1.

5. The substantially pure ABC1 polypeptide of claim 1, wherein said polypeptide comprises amino acids 1 to 2261 of SEQ ID NO: 1.

6. A substantially pure ABC1 polypeptide comprising amino acids 1 to 60 of SEQ ID NO: 1.

7. A substantially pure ABC1 polypeptide comprising amino acids 61 to 2261 of SEQ ID NO: 1.

8. A substantially pure ABC1 polypeptide comprising amino acids 1 to 2261 of SEQ ID NO: 1.

9. A substantially pure nucleic acid molecule that hybridizes at high stringency conditions to nucleotides 75 to 254 of SEQ ID NO: 2 and encodes a

polypeptide having ABC1 biological activity.

10. A substantially pure nucleic acid molecule encoding an ABC1 polypeptide having ABC1 biological activity.

11. The substantially pure nucleic acid molecule of claim 9 or 10, wherein said nucleic acid molecule comprises nucleotides 75 to 254 of SEQ ID NO: 2.

12. The substantially pure nucleic acid molecule of claim 9 or 10, wherein said nucleic acid molecule comprises nucleotides 255 to 6857 of SEQ ID NO: 2.

13. The substantially pure nucleic acid molecule of claim 9 or 10, wherein said nucleic acid molecule comprises nucleotides 75 to 6857 of SEQ ID NO: 2.

14. An expression vector comprising the nucleic acid molecule of claim 9.

15. A cell expressing the nucleic acid molecule of claim 9.

16. A non-human mammal expressing the nucleic acid molecule of claim 9.

17. A substantially pure nucleic acid molecule comprising nucleotides 75 to 254 of SEQ ID NO: 2.

18. A substantially pure nucleic acid molecule comprising nucleotides 255 to 6857 of SEQ ID NO: 2.

19. A substantially pure nucleic acid molecule comprising nucleotides 75 to 6857 of SEQ ID NO: 2.

20. A substantially pure nucleic acid molecule comprising at least thirty consecutive nucleotides corresponding to nucleotides 7015-7860 of SEQ ID NO: 2.

21. The substantially pure nucleic acid molecule of claim 20, wherein said nucleic acid molecule comprises nucleotides 7015-7860 of SEQ ID NO: 2.

22. A substantially pure nucleic acid molecule that hybridizes at high stringency to a probe comprising nucleotides 7015-7860 of SEQ ID NO: 2.

23. A method of treating a human having low HDL cholesterol or cardiovascular disease, said method comprising administering to said human an ABC1 polypeptide, or cholesterol-regulating fragment thereof.

24. The method of claim 23, wherein said ABC1 polypeptide has the sequence of SEQ ID NO: 1.

25. The method of claim 23, wherein said ABC1 polypeptide comprises a mutation that increases its stability.

26. The method of claim 23, wherein said ABC1 polypeptide comprises a mutation that increases its biological activity.

27. A method of treating a human having low HDL cholesterol or cardiovascular disease, said method comprising administering to said human a nucleic acid molecule encoding an ABC1 polypeptide or a cholesterol-regulating fragment thereof.

28. The method of claim 27, wherein said ABC1 polypeptide has the amino acid sequence of SEQ ID NO: 1.

29. The method of claim 27, wherein said ABC1 polypeptide comprises a mutation that increases its stability.

30. The method of claim 27, wherein said ABC1 polypeptide comprises a mutation that increases its biological activity.

31. The method of claim 30, wherein said biological activity is regulation of cholesterol.

32. The method of claim 27, wherein said human has low HDL cholesterol levels relative to normal.

33. A method of increasing ABC1 biological activity in a human, said method comprising administering to said human a nucleic acid molecule that hybridizes at high stringency conditions to nucleotides 75 to 254 of SEQ ID NO: 2 and encodes a polypeptide having ABC1 biological activity.

34. The method of claim 33, wherein said human has a disease selected from the group consisting of Alzheimer's disease, Niemann-Pick disease, Huntington's disease, x-linked adrenoleukodystrophy, and cancer.

35. A method of increasing ABC1 biological activity in a human, said method comprising administering to said human a compound that increases ABC1 biological activity.

36. The method of claim 35, wherein said human has a disease selected from the group consisting of Alzheimer's disease, Niemann-Pick disease, Huntington's disease, x-linked adrenoleukodystrophy, and cancer.

37. A method of preventing cardiovascular disease in a human, said method comprising administering to said human an expression vector comprising an *ABC1* nucleic acid molecule operably linked to a promoter, said *ABC1* nucleic acid molecule encoding an ABC1 polypeptide having ABC1 biological activity.

38. A method of preventing or ameliorating the effects of a disease-causing mutation in an *ABC1* gene in a human, said method comprising introducing into said human an expression vector comprising a promoter operably linked to an *ABC1* nucleic acid molecule encoding an ABC1 polypeptide having ABC1 biological activity.

39. A method of treating or preventing cardiovascular disease in an animal, said method comprising administering to said animal a compound that

mimics the activity of wild-type ABC1.

40. The method of claim 39, wherein said animal is a human.

41. A method of treating or preventing cardiovascular disease in an animal, said method comprising administering to said animal a compound that modulates the biological activity of ABC1.

42. The method of claim 41, wherein said animal is a human.

43. The method of claim 41, wherein said compound is selected from a group consisting of protein kinase A, protein kinase C, vanadate, okadaic acid, IBMX1, fibrates, β-estradiol, arachidonic acid derivatives, WY-14,643, LTB4, 8(s)HETE, thiozolidinedione antidiabetic drugs, 9-HODE, 13-HODE, nicotinic acid, HMG CoA reductase inhibitors, and compounds that increase PPAR-mediated ABC1 expression.

44. The method of claim 23, 27, 39, or 41, wherein said cardiovascular disease is coronary artery disease, cerebrovascular disease, coronary restenosis, or peripheral vascular disease.

45. A method for determining whether a candidate compound is useful for modulating cholesterol levels, said method comprising the steps of:

(a) providing a chicken comprising a mutation in an *ABC1* gene;

(b) administering said candidate compound to said chicken; and

(c) measuring ABC1 biological activity in said chicken,

wherein altered ABC1 biological activity, relative to a WHAM chicken not

contacted with said compound, indicates that said candidate compound modulates

cholesterol levels.

5

46. The method of claim 45, wherein said ABC1 biological activity is

transport of cholesterol.

47. A method for determining whether a candidate compound modulates

10 ABC1 biological activity, said method comprising the steps of:

(a) providing a cell expressing an ABC1 polypeptide comprising amino

acids 1 to 60 of SEQ ID NO: 1;

(b) contacting said cell with said candidate compound; and

(c) measuring ABC1 biological activity of said cell,

15 wherein altered ABC1 biological activity, relative to a cell not contacted with said

compound, indicates that said candidate compound modulates ABC1 biological

activity.

48. A method for determining whether a candidate compound modulates

20 ABC1 expression, said method comprising the steps of:

(a) providing a cell expressing an *ABC1* gene comprising nucleotides 75 to

254 of SEQ ID NO: 2;

(b) contacting said cell with said candidate compound; and

(c) measuring ABC1 expression of said cell,

25 wherein altered ABC1 expression, relative to a cell not contacted with said

compound, indicates that said candidate compound modulates ABC1 expression.

49. A method for determining whether a candidate compound modulates ABC1 expression, said method comprising the steps of:

5   (a) providing a nucleic acid molecule comprising an ABC1 promoter operably linked to a reporter gene;

(b) contacting said nucleic acid molecule with said candidate compound; and

(c) measuring expression of said reporter gene,

10   wherein altered reporter gene expression, relative to a control not contacted with said compound, indicates that said candidate compound modulates ABC1 expression.

50. The method of claim 49, wherein said promoter comprises 50

15   consecutive nucleotides selected from nucleotides 1 to 8238 of SEQ ID NO: 14.

51. The method of claim 50, wherein said promoter comprises a binding site for a transcription factor selected from a group consisting of steroid response element binding proteins, peroxisomal proliferation-activated receptors, retinoid X

20   receptors, and RAR-related orphan receptors.

52. A method for determining whether a candidate compound modulates ABC1 biological activity, said method comprising the steps of:

(a) providing an ABC1 polypeptide comprising amino acids 1 to 60 of SEQ

25   ID NO: 1;

(b) contacting said polypeptide with said candidate compound; and

(c) measuring ABC1 biological activity,

wherein a change in ABC1 biological activity, relative to a control not contacted with said compound, indicates that said candidate compound modulates ABC1 biological activity.

5

53. A method for determining whether a candidate compound modulates ABC1 expression, said method comprising the steps of:

(a) providing an ABC1 polypeptide comprising amino acids 1 to 60 of SEQ ID NO: 1;

10

(b) contacting said polypeptide with said candidate compound; and

(c) measuring expression of said ABC1 polypeptide,

wherein a change in expression of said ABC1 polypeptide, relative to a control not contacted with said compound, indicates that said candidate compound modulates ABC1 expression.

15

54. A method for determining whether candidate compound modulates ABC1 biological activity, said method comprising the steps of:

(a) providing an ABC1 polypeptide comprising amino acids 1 to 60 of SEQ ID NO: 1;

20

(b) contacting said polypeptide with said candidate compound; and

(c) measuring binding of said ABC1 polypeptide to said candidate compound, wherein binding of said ABC1 polypeptide to said compound indicates that said candidate compound modulates ABC1 biological activity.

25

55. A method for determining whether candidate compound modulates ABC1 biological activity, said method comprising the steps of:

(a) providing (i) an ABC1 polypeptide comprising amino acids 1 to 60 of SEQ ID NO: 1, and (ii) a second polypeptide that interacts with said ABC1 polypeptide;

(b) contacting said polypeptides with said candidate compound; and

(c) measuring interaction of said ABC1 polypeptide with said second polypeptide, wherein an alteration in the interaction of said ABC1 polypeptide with said second polypeptide indicates that said candidate compound modulates ABC1 biological activity.

56. A method for determining whether a candidate compound increases the stability or decreases the regulated catabolism of an ABC1 polypeptide, said method comprising the steps of:

(a) providing a cell comprising an ABC1 polypeptide comprising amino acids 1 to 60 of SEQ ID NO: 1;

(b) contacting said cell with said candidate compound; and

(c) measuring the half-life of said ABC1 polypeptide, wherein an increase in said half-life, relative to a control not contacted with said compound, indicates that said candidate compound increases the stability or decreases the regulated catabolism of an ABC1 polypeptide.

57. A method for determining whether a candidate compound modulates ABC1 biological activity, said method comprising the steps of:

(a) providing an ABC1 polypeptide in a lipid membrane;

(b) contacting said polypeptide with said candidate compound; and

(c) measuring ABC1-mediated lipid transport across said lipid membrane, wherein a change in lipid transport, relative to a control not contacted with said compound, indicates that said candidate compound modulates ABC1 biological activity.

58. The method of claim 49, 52, 53, 54, 55, or 57, wherein said ABC1 polypeptide is in a cell-free system.

59. The method of claim 49, 52, 53, 54, 55, or 57, wherein said ABC1 polypeptide is in a cell.

60. The method of claim 59, wherein said cell is from a WHAM chicken.

61. The method of claim 59, wherein said cell is in a human or in a non-human mammal.

62. The method of claim 61, wherein said animal is a WHAM chicken.

63. The method of claim 52, wherein said biological activity is transport of lipid or interleukin-1.

64. The method of claim 62, wherein said lipid is cholesterol.

65. The method of claim 64, wherein said cholesterol is HDL-cholesterol.

66. The method of claim 52, wherein said biological activity is binding or hydrolysis of ATP by the ABC1 polypeptide.

67. A method for determining whether a patient has an increased risk for cardiovascular disease, said method comprising determining whether an *ABC1* gene of said patient has a mutation, wherein a mutation indicates that said patient has an increased risk for cardiovascular disease.

68. A method for determining whether a patient has an increased risk for cardiovascular disease, said method comprising measuring ABC1 biological activity in said patient or in a cell from said patient, wherein increased or decreased levels in said ABC1 biological activity, relative to normal levels, indicates that said patient has an increased risk for cardiovascular disease.

69. A method for determining whether a patient has an increased risk for cardiovascular disease, said method comprising measuring ABC1 expression in said patient or in a cell from said patient, wherein decreased levels in said ABC1 expression relative to normal levels, indicates that said patient has an increased risk for cardiovascular disease.

70. The method of claim 69, wherein said ABC1 expression is determined by measuring levels of ABC1 polypeptide.

71. The method of claim 69, wherein said ABC1 expression is determined by measuring levels of *ABC1* RNA.

72. A non-human mammal comprising a transgene comprising a nucleic acid molecule encoding a dominant-negative ABC1 polypeptide.

73. A cell isolated from a non-human mammal comprising a transgene comprising a nucleic acid molecule encoding an ABC1 polypeptide having biological activity.

74. A method for determining whether a candidate compound decreases the inhibition of a dominant-negative ABC1 polypeptide, said method comprising the steps of:

(a) providing a cell expressing a dominant-negative ABC1 polypeptide;

(b) contacting said cell with said candidate compound; and

(c) measuring ABC1 biological activity of said cell,

wherein an increase in said ABC1 biological activity, relative to a cell not contacted with said compound, indicates that said candidate compound decreases the inhibition of a dominant-negative ABC1 polypeptide.

75. A method for determining whether a person has an altered risk for developing cardiovascular disease, comprising examining the person's ABC1 gene for polymorphisms, wherein the presence of a polymorphism associated with cardiovascular disease indicates the person has an altered risk for developing cardiovascular disease.

76. A method for predicting a person's response to a drug, comprising determining whether the person has a polymorphism in an ABC1 gene that alters

the person's response to said drug.

77. A method for predicting a person's response to a drug, comprising determining whether the person has a polymorphism in an ABC1 promoter that alters the person's response to said drug.

78. A method for altering ABC1 expression in a cell, said method comprising contacting said cell with a compound selected from a group consisting of fibrates, β-estradiol, arachidonic acid derivatives, WY-14,643, LTB4, 8(s)HETE, thiozolidinedione antidiabetic drugs, 9-HODE, 13-HODE, nicotinic acid, HMG CoA reductase inhibitors, and compounds that increase PPAR-mediated ABC1 expression.

79. A pharmaceutical composition comprising (i) a nucleic acid molecule that hybridizes under high stringency conditions to nucleotides 75 to 254 of SEQ ID NO: 2 and encodes a polypeptide having ABC1 biological activity; and (ii) a pharmaceutically acceptable carrier.

80. A nucleic acid that hybridizes under high stringency conditions to nucleotides 1 to 8236 of SEQ ID NO: 14.

81. A nucleic acid comprising a region that is 80% identical to at least thirty contiguous nucleotides of nucleotides 1 to 8236 of SEQ ID NO: 14.

82. A method for determining whether candidate compound modulates ABC1 biological activity, said method comprising the steps of:

(a) providing an ABC1 polypeptide;

(b) contacting said polypeptide with cholesterol and said candidate compound; and

(c) measuring binding of said cholesterol to said ABC1 polypeptide, wherein binding of said cholesterol to said ABC1 polypeptide indicates that said candidate compound modulates ABC1 biological activity.

83. The method of claim 82, wherein said cholesterol is HDL cholesterol.

84. The method of claim 82, wherein said method is performed in a cell free assay.

85. The method of claim 82, wherein said ABC1 polypeptide comprises amino acids 1 to 60 of SEQ ID NO: 1.

86. the method of claim 82, wherein said cholesterol or said ABC1 polypeptide is detectably labeled.

METHODS AND REAGENTS FOR MODULATING CHOLESTEROL LEVELS

Abstract of the Disclosure

The invention features ABC1 nucleic acids and polypeptides for the diagnosis and treatment of abnormal cholesterol regulation. The invention also features methods for identifying compounds for modulating cholesterol levels in an animal (e.g., a human).

50110.002005 AmendedApplication.wpd

Family TD - 1

Fig. 1A

Family TD - 2

Fig. 1B

Cholesterol Efflux
(% of average control)

control (n=5)

TD1

TD2

Fig. 1C

Fig. 2A

Family FHA - 1

Fig. 2B

Family FHA - 2

Family FHA - 3

Fig. 2C

Fig. 2D

Family FHA - 4

Fig. 3

Exon 30 mutation:

Control

G C C T G T G T C C C C

Family TD – 1, patient III:01

G C C T G N G T C C C C

4496

4509

T4503C (Cys1477Arg)

Fig. 4A

Exon 30
TD-1

4485　　　　　　　4503　　　　　　　　　　　4529
|　　　　　　　　|　　　　　　　　　　　　|

wt sequence　aagaagatgctgcctgtgTgtcccccaggggcaggggggctgcct
HUMAN_ABC1　K　K　M　L　P　V　C　P　P　G　A　G　G　L　P
MOUSE_ABC1　K　K　M　L　P　V　C　P　P　G　A　G　G　L　P
Patient　　　K　K　M　L　P　V　R　P　P　G　A　G　G　L　P
CAEEL_ABC　-　-　M　L　-　-　-　-　-　-　-　G　G　S　-
Patient　　aagaagatgctgcctgtgCgtcccccaggggcaggggggctgcct

Fig. 4B

Fig. 4C

Fig. 4D

Exon 13 mutation:

Control

G C C T A C T T G C A G G A

Family TD - 2, patient IV:10

G C C T A C T T G C G G G A

1854

A1864G (Q597R)

1867

Fig. 5A

Fig. 5B

Aci I
digest
215 bp
185 bp
145 bp

A1864G

IV.10 V1.02 V.08 V.05 V.07

+/+ +/- +/- +/- +/-

+/- -/-
controls

Aci I   Aci I (cuts G
           allele only)

Exon 13

145 bp ---- 30 bp ---- 185 bp

145 bp ---- 215 bp

mutant

normal

Fig. 5C

Exon 14: FHA – 1, patient III:01



Fig. 6A

Fig. 6B

Fig. 6C

Exon 41: FHA - 3, patient III:01

Start of Δ5752-5757 (ΔE1893,D1894)

5766 / 5772

5742

Fig. 6D

Exon 41
FHA-3

5740   5752   5775

```
                        |              |                        |
wt sequence           aatgat      gaagatGAAGATgtgaggcgggaaagacag
HUMAN_ABC1            N D - - - E D E D V R R E R Q
MOUSE_ABC1           N D - - - E D E D V R R E R Q
Patient (ΔE1893, D1894)  N D - - - E D - - V R R E R Q
CAEEL_ABC            D R E R D V E D S D V I A E K S
                     aatgat      gaagat------gtgaggcgggaaagacag
Δ5752-5757     -.
                              6 bp deletion
```

Fig. 6E

Exon 48 mutation:

Control

Family FHA - 2, patient III:01

C6504T (Arg2144STOP)

Fig. 6F

Fig. 7A

Fig. 7B

% Cholesterol Efflux

Control
Lipofectin
Antisense
Sense
FHA
TD

% Difference from Control

Control
Lipofectin
Antisense
Sense
FHA
TD

Fig. 7C

C1477R

R1587K

(Frameshift at 1628)
S1731C

COOH

Δ(E,D)1893-1894

R2144Stop

IVS24+1 G→C

M1091T

T929I
R909Stop
I883M
K776N
T774P
V771M

ΔL693

R219K

Q597R

H2N

Mutation
Polymorphism

Fig. 8

SEQ ID NO: 1

```
MACWPQLRLLLWKNLTFRRRQTCQLLLEVAWPLFIFLILISVRLSYPPYEQHECHFPNKAMPSAGTLPWVQ
GIICNANNPCFRYPTPGEAPGVVGNFNKSIVARLFSDARRLLLYSQKDTSMKDMRKVLRTLQQIKKSSSNL
KLQDFLVDNETFSGFLYHNLSLPKSTVDKMLRADVILHKVFLQGYQLHLTSLCNGSKSEEMIQLGDQEVSE
LCGLPREKLAAAERVLRSNMDILKPILRTLNSTSPFPSKELAEATKTLLHSLGTLAQELFSMRSWSDMRQE
VMFLTNVNSSSSSTQIYQAVSRIVCGHPEGGGLKIKSLNWYEDNNYKALFGGNGTEEDAETFYDNSTTPYC
NDLMKNLESSPLSRIIWKALKPLLVGKILYTPDTPATRQVMAEVNKTFQELAVFHDLEGMWEELSPKIWTF
MENSQEMDLVRMLLDSRDNDHFWEQQLDGLDWTAQDIVAFLAKHPEDVQSSNGSVYTWREAFNETNQAIRT
ISRFMECVNLNKLEPIATEVWLINKSMELLDERKFWAGIVFTGITPGSIELPHHVKYKIRMDIDNVERTNK
IKDGYWDPGPRADPFEDMRYVWGGFAYLQDVVEQAIIRVLTGTEKKTGVYMQQMPYPCYVDDIFLRVMSRS
MPLFMTLAWIYSVAVIIKGIVYEKEARLKETMRIMGLDNSILWFSWFISSLIPLLVSAGLLVVILKLGNLL
PYSDPSVVFVFLSVFAVVTILQCFLISTLFSRANLAAACGGIIYFTLYLPYVLCVAWQDYVGFTLKIFASL
LSPVAFGFGCEYFALFEEQGIGVQWDNLFESPVEEDGFNLTTSVSMMLFDTFLYGVMTWYIEAVFPGQYGI
PRPWYFPCTKSYWFGEESDEKSHPGSNQKRISEICMEEEPTHLKLGVSIQNLVKVYRDGMKVAVDGLALNF
YEGQITSFLGHNGAGKTTTMSILTGLFPPTSGTAYILGKDIRSEMSTIRQNLGVCPQHNVLFDMLTVEEHI
WFYARLKGLSEKHVKAEMEQMALDVGLPSSKLKSKTSQLSGGMQRKLSVALAFVGGSKVVILDEPTAGVDP
YSRRGIWELLLKYRQGRTIILSTHHMDEADVLGDRIAIISHGKLCCVGSSLFLKNQLGTGYYLTLVKKDVE
SSLSSCRNSSSTVSYLKKEDSVSQSSSDAGLGSDHESDTLTIDVSAISNLIRKHVSEARLVEDIGHELTYV
LPYEAAKEGAFVELFHEIDDRLSDLGISSYGISETTLEEIFLKVAEESGVDAETSDGTLPARRNRRAFGDK
QSCLRPFTEDDAADPNDSDIDPESRETDLLSGMDGKGSYQVKGWKLTQQQFVALLWKRLLIARRSRKGFFA
QIVLPAVFVCIALVFSLIVPPFGKYPSLELQPWMYNEQYTFVSNDAPEDTGTLELLNALTKDPGFGTRCME
GNPIPDTPCQAGEEEWTTAPVPQTIMDLFQNGNWTMQNPSPACQCSSDKIKKMLPVCPPGAGGLPPPQRKQ
NTADILQDLTGRNISDYLVKTYVQIIAKSLKNKIWVNEFRYGGFSLGVSNTQALPPSQEVNDAIKQMKKHL
KLAKDSSADRFLNSLGRFMTGLDTRNNVKVWFNNKGWHAISSFLNVINNAILRANLQKGENPSHYGITAFN
HPLNLTKQQLSEVALMTTSVDVLVSICVIFAMSFVPASFVVFLIQERVSKAKHLQFISGVKPVIYWLSNFV
WDMCNYVVPATLVIIIFICFQQKSYVSSTNLPVLALLLLLYGWSITPLMYPASFVFKIPSTAYVVLTSVNL
FIGINGSVATFVLELFTDNKLNNINDILKSVFLIFPHFCLGRGLIDMVKNQAMADALERFGENRFVSPLSW
DLVGRNLFAMAVEGVVFFLITVLIQYRFFIRPRPVNAKLSPLNDEDEDVRRERQRILDGGGQNDILEIKEL
TKIYRRKRKPAVDRICVGIPPGECFGLLGVNGAGKSSTFKMLTGDTTVTRGDAFLNKNSILSNIHEVHQNM
GYCPQFDAITELLTGREHVEFFALLRGVPEKEVGKVGEWAIRKLGLVKYGEKYAGNYSGGNKRKLSTAMAL
IGGPPVVFLDEPTTGMDPKARRFLWNCALSVVKEGRSVVLTSHSMEECEALCTRMAIMVNGRFRCLGSVQH
LKNRFGDGYTIVVRIAGSNPDLKPVQDFFGLAFPGSVLKEKHRNMLQYQLPSSLSSLARIFSILSQSKKRL
HIEDYSVSQTTLDQVFVNFAKDQSDDDHLKDLSLHKNQTVVDVAVLTSFLQDEKVKESYV*
```

Fig. 9A

SEQ ID NO: 2

GTCCCTGCTGTGAGCTCTGGCCGCTGCCTTCCAGGGCTCCCGAGCCACACGCTGGGGGTG

CTGGCTGAGGGAACATGGCTTGTTGGCCTCAGCTGAGGTTGCTGCTGTGGAAGAACCTCA

CTTTCAGAAGAAGACAAACATGTCAGCTGTTACTGGAAGTGGCCTGGCCTCTATTTATCT

TCCTGATCCTGATCTCTGTTCGGCTGAGCTACCCACCCTATGAACAACATGAATGCCATT

TTCCAAATAAAGCCATGCCCTCTGCAGGAACACTTCCTTGGGTTCAGGGGATTATCTGTA

ATGCCAACAACCCCTGTTTCCGTTACCCGACTCCTGGGGAGGCTCCCGGAGTTGTTGGAA

ACTTTAACAAATCCATTGTGGCTCGCCTGTTCTCAGATGCTCGGAGGCTTCTTTTATACA

GCCAGAAAGACACCAGCATGAAGGACATGCGCAAAGTTCTGAGAACATTACAGCAGATCA

AGAAATCCAGCTCAAACTTGAAGCTTCAAGATTTCCTGGTGGACAATGAAACCTTCTCTG

GGTTCCTGTATCACAACCTCTCTCTCCCAAAGTCTACTGTGGACAAGATGCTGAGGGCTG

ATGTCATTCTCCACAAGGTATTTTTGCAAGGCTACCAGTTACATTTGACAAGTCTGTGCA

ATGGATCAAAATCAGAAGAGATGATTCAACTTGGTGACCAAGAAGTTTCTGAGCTTTGTG

GCCTACCAAGGGAGAAACTGGCTGCAGCAGAGCGAGTACTTCGTTCCAACATGGACATCC

TGAAGCCAATCCTGAGAACACTAAACTCTACATCTCCCTTCCCGAGCAAGGAGCTGGCTG

AAGCCACAAAAACATTGCTGCATAGTCTTGGGACTCTGGCCCAGGAGCTGTTCAGCATGA

GAAGCTGGAGTGACATGCGACAGGAGGTGATGTTTCTGACCAATGTGAACAGCTCCAGCT

CCTCCACCCAAATCTACCAGGCTGTGTCTCGTATTGTCTGCGGGCATCCCGAGGGAGGGG

GGCTGAAGATCAAGTCTCTCAACTGGTATGAGGACAACAACTACAAAGCCCTCTTTGGAG

GCAATGGCACTGAGGAAGATGCTGAAACCTTCTATGACAACTCTACAACTCCTTACTGCA

ATGATTTGATGAAGAATTTGGAGTCTAGTCCTCTTTCCCGCATTATCTGGAAAGCTCTGA

AGCCGCTGCTCGTTGGGAAGATCCTGTATACACCTGACACTCCAGCCACAAGGCAGGTCA

TGGCTGAGGTGAACAAGACCTTCCAGGAACTGGCTGTGTTCCATGATCTGGAAGGCATGT

GGGAGGAACTCAGCCCCAAGATCTGGACCTTCATGGAGAACAGCCAAGAAATGGACCTTG

TCCGGATGCTGTTGGACAGCAGGGACAATGACCACTTTTGGGAACAGCAGTTGGATGGCT

TAGATTGGACAGCCCAAGACATCGTGGCGTTTTTGGCCAAGCACCCAGAGGATGTCCAGT

CCAGTAATGGTTCTGTGTACACCTGGAGAGAAGCTTTCAACGAGACTAACCAGGCAATCC

GGACCATATCTCGCTTCATGGAGTGTGTCAACCTGAACAAGCTAGAACCCATAGCAACAG

AAGTCTGGCTCATCAACAAGTCCATGGAGCTGCTGGATGAGAGGAAGTTCTGGGCTGGTA

TTGTGTTCACTGGAATTACTCCAGGCAGCATTGAGCTGCCCCATCATGTCAAGTACAAGA

TCCGAATGGACATTGACAATGTGGAGAGGACAAATAAAATCAAGGATGGGTACTGGGACC

CTGGTCCTCGAGCTGACCCCTTTGAGGACATGCGGTACGTCTGGGGGGGCTTCGCCTACT

TGCAGGATGTGGTGGAGCAGGCAATCATCAGGGTGCTGACGGGCACCGAGAAGAAAACTG

Fig. 9B

```
GTGTCTATATGCAACAGATGCCCTATCCCTGTTACGTTGATGACATCTTTCTGCGGGTGA

TGAGCCGGTCAATGCCCCTCTTCATGACGCTGGCCTGGATTTACTCAGTGGCTGTGATCA

TCAAGGGCATCGTGTATGAGAAGGAGGCACGGCTGAAAGAGACCATGCGGATCATGGGCC

TGGACAACAGCATCCTCTGGTTTAGCTGGTTCATTAGTAGCCTCATTCCTCTTCTTGTGA

GCGCTGGCCTGCTAGTGGTCATCCTGAAGTTAGGAAACCTGCTGCCCTACAGTGATCCCA

GCGTGGTGTTTGTCTTCCTGTCCGTGTTTGCTGTGGTGACAATCCTGCAGTGCTTCCTGA

TTAGCACACTCTTCTCCAGAGCCAACCTGGCAGCAGCCTGTGGGGGCATCATCTACTTCA

CGCTGTACCTGCCCTACGTCCTGTGTGTGGCATGGCAGGACTACGTGGGCTTCACACTCA

AGATCTTCGCTAGCCTGCTGTCTCCTGTGGCTTTTGGGTTTGGCTGTGAGTACTTTGCCC

TTTTTGAGGAGCAGGGCATTGGAGTGCAGTGGGACAACCTGTTTGAGAGTCCTGTGGAGG

AAGATGGCTTCAATCTCACCACTTCGGTCTCCATGATGCTGTTTGACACCTTCCTCTATG

GGGTGATGACCTGGTACATTGAGGCTGTCTTTCCAGGCCAGTACGGAATTCCCAGGCCCT

GGTATTTTCCTTGCACCAAGTCCTACTGGTTTGGCGAGGAAAGTGATGAGAAGAGCCACC

CTGGTTCCAACCAGAAGAGAATATCAGAAATCTGCATGGAGGAGGAACCCACCCACTTGA

AGCTGGGCGTGTCCATTCAGAACCTGGTAAAAGTCTACCGAGATGGGATGAAGGTGGCTG

TCGATGGCCTGGCACTGAATTTTTATGAGGGCCAGATCACCTCCTTCCTGGGCCACAATG

GAGCGGGGAAGACGACCACCATGTCAATCCTGACCGGGTTGTTCCCCCCGACCTCGGGCA

CCGCCTACATCCTGGGAAAAGACATTCGCTCTGAGATGAGCACCATCCGGCAGAACCTGG

GGGTCTGTCCCCAGCATAACGTGCTGTTTGACATGCTGACTGTCGAAGAACACATCTGGT

TCTATGCCCGCTTGAAAGGGCTCTCTGAGAAGCACGTGAAGGCGGAGATGGAGCAGATGG

CCCTGGATGTTGGTTTGCCATCAAGCAAGCTGAAAAGCAAAACAAGCCAGCTGTCAGGTG

GAATGCAGAGAAAGCTATCTGTGGCCTTGGCCTTTGTCGGGGGATCTAAGGTTGTCATTC

TGGATGAACCCACAGCTGGTGTGGACCCTTACTCCCGCAGGGGAATATGGGAGCTGCTGC

TGAAATACCGACAAGGCCGCACCATTATTCTCTCTACACACCACATGGATGAAGCGGACG

TCCTGGGGGACAGGATTGCCATCATCTCCCATGGGAAGCTGTGCTGTGTGGGCTCCTCCC

TGTTTCTGAAGAACCAGCTGGGAACAGGCTACTACCTGACCTTGGTCAAGAAAGATGTGG

AATCCTCCCTCAGTTCCTGCAGAAACAGTAGTAGCACTGTGTCATACCTGAAAAAGGAGG

ACAGTGTTTCTCAGAGCAGTTCTGATGCTGGCCTGGGCAGCGACCATGAGAGTGACACGC

TGACCATCGATGTCTCTGCTATCTCCAACCTCATCAGGAAGCATGTGTCTGAAGCCCGGC

TGGTGGAAGACATAGGGCATGAGCTGACCTATGTGCTGCCATATGAAGCTGCTAAGGAGG

GAGCCTTTGTGGAACTCTTTCATGAGATTGATGACCGGCTCTCAGACCTGGGCATTTCTA

GTTATGGCATCTCAGAGACGACCCTGGAAGAAATATTCCTCAAGGTGGCCGAAGAGAGTG

GGGTGGATGCTGAGACCTCAGATGGTACCTTGCCAGCAAGACGAAACAGGCGGGCCTTCG

GGGACAAGCAGAGCTGTCTTCGCCCGTTCACTGAAGATGATGCTGCTGATCCAAATGATT
```

Fig. 9C

CTGACATAGACCCAGAATCCAGAGAGACAGACTTGCTCAGTGGGATGGATGGCAAAGGGT

CCTACCAGGTGAAAGGCTGGAAACTTACACAGCAACAGTTTGTGGCCCTTTTGTGGAAGA

GACTGCTAATTGCCAGACGGAGTCGGAAAGGATTTTTTGCTCAGATTGTCTTGCCAGCTG

TGTTTGTCTGCATTGCCCTTGTGTTCAGCCTGATCGTGCCACCCTTTGGCAAGTACCCCA

GCCTGGAACTTCAGCCCTGGATGTACAACGAACAGTACACATTTGTCAGCAATGATGCTC

CTGAGGACACGGGAACCCTGGAACTCTTAAACGCCCTCACCAAAGACCCTGGCTTCGGGA

CCCGCTGTATGGAAGGAAACCCAATCCCAGACACGCCCTGCCAGGCAGGGGAGGAAGAGT

GGACCACTGCCCCAGTTCCCCAGACCATCATGGACCTCTTCCAGAATGGGAACTGGACAA

TGCAGAACCCTTCACCTGCATGCCAGTGTAGCAGCGACAAAATCAAGAAGATGCTGCCTG

TGTGTCCCCCAGGGGCAGGGGGGCTGCCTCCTCCACAAAGAAAACAAAACACTGCAGATA

TCCTTCAGGACCTGACAGGAAGAAACATTTCGGATTATCTGGTGAAGACGTATGTGCAGA

TCATAGCCAAAAGCTTAAAGAACAAGATCTGGGTGAATGAGTTTAGGTATGGCGGCTTTT

CCCTGGGTGTCAGTAATACTCAAGCACTTCCTCCGAGTCAAGAAGTTAATGATGCCATCA

AACAAATGAAGAAACACCTAAAGCTGGCCAAGGACAGTTCTGCAGATCGATTTCTCAACA

GCTTGGGAAGATTTATGACAGGACTGGACACCAGAAATAATGTCAAGGTGTGGTTCAATA

ACAAGGGCTGGCATGCAATCAGCTCTTTCCTGAATGTCATCAACAATGCCATTCTCCGGG

CCAACCTGCAAAAGGGAGAGAACCCTAGCCATTATGGAATTACTGCTTTCAATCATCCCC

TGAATCTCACCAAGCAGCAGCTCTCAGAGGTGGCTCTGATGACCACATCAGTGGATGTCC

TTGTGTCCATCTGTGTCATCTTTGCAATGTCCTTCGTCCCAGCCAGCTTTGTCGTATTCC

TGATCCAGGAGCGGGTCAGCAAAGCAAAACACCTGCAGTTCATCAGTGGAGTGAAGCCTG

TCATCTACTGGCTCTCTAATTTTGTCTGGGATATGTGCAATTACGTTGTCCCTGCCACAC

TGGTCATTATCATCTTCATCTGCTTCCAGCAGAAGTCCTATGTGTCCTCCACCAATCTGC

CTGTGCTAGCCCTTCTACTTTTGCTGTATGGGTGGTCAATCACACCTCTCATGTACCCAG

CCTCCTTTGTGTTCAAGATCCCCAGCACAGCCTATGTGGTGCTCACCAGCGTGAACCTCT

TCATTGGCATTAATGGCAGCGTGGCCACCTTTGTGCTGGAGCTGTTCACCGACAATAAGC

TGAATAATATCAATGATATCCTGAAGTCCGTGTTCTTGATCTTCCCACATTTTTGCCTGG

GACGAGGGCTCATCGACATGGTGAAAAACCAGGCAATGGCTGATGCCCTGGAAAGGTTTG

GGGAGAATCGCTTTGTGTCACCATTATCTTGGGACTTGGTGGGACGAAACCTCTTCGCCA

TGGCCGTGGAAGGGGTGGTGTTCTTCCTCATTACTGTTCTGATCCAGTACAGATTCTTCA

TCAGGCCCAGACCTGTAAATGCAAAGCTATCTCCTCTGAATGATGAAGATGAAGATGTGA

GGCGGGAAAGACAGAGAATTCTTGATGGTGGAGGCCAGAATGACATCTTAGAAATCAAGG

AGTTGACGAAGATATATAGAAGGAAGCGGAAGCCTGCTGTTGACAGGATTTGCGTGGGCA

TTCCTCCTGGTGAGTGCTTTGGGCTCCTGGGAGTTAATGGGGCTGGAAAATCATCAACTT

TCAAGATGTTAACAGGAGATACCACTGTTACCAGAGGAGATGCTTTCCTTAACAAAAATA

Fig. 9D

GTATCTTATCAAACATCCATGAAGTACATCAGAACATGGGCTACTGCCCTCAGTTTGATG

CCATCACAGAGCTGTTGACTGGGAGAGAACACGTGGAGTTCTTTGCCCTTTTGAGAGGAG

TCCCAGAGAAAGAAGTTGGCAAGGTTGGTGAGTGGGCGATTCGGAAACTGGGCCTCGTGA

AGTATGGAGAAAAATATGCTGGTAACTATAGTGGAGGCAACAAACGCAAGCTCTCTACAG

CCATGGCTTTGATCGGCGGGCCTCCTGTGGTGTTTCTGGATGAACCCACCACAGGCATGG

ATCCCAAAGCCCGGCGGTTCTTGTGGAATTGTGCCCTAAGTGTTGTCAAGGAGGGGAGAT

CAGTAGTGCTTACATCTCATAGTATGGAAGAATGTGAAGCTCTTTGCACTAGGATGGCAA

TCATGGTCAATGGAAGGTTCAGGTGCCTTGGCAGTGTCCAGCATCTAAAAAATAGGTTTG

GAGATGGTTATACAATAGTTGTACGAATAGCAGGGTCCAACCCGGACCTGAAGCCTGTCC

AGGATTTCTTTGGACTTGCATTTCCTGGAAGTGTTCTAAAAGAGAAACACCGGAACATGC

TACAATACCAGCTTCCATCTTCATTATCTTCTCTGGCCAGGATATTCAGCATCCTCTCCC

AGAGCAAAAAGCGACTCCACATAGAAGACTACTCTGTTTCTCAGACAACACTTGACCAAG

TATTTGTGAACTTTGCCAAGGACCAAAGTGATGATGACCACTTAAAAGACCTCTCATTAC

ACAAAAACCAGACAGTAGTGGACGTTGCAGTTCTCACATCTTTTCTACAGGATGAGAAAG

TGAAAGAAAGCTATGTATGAAGAATCCTGTTCATACGGGGTGGCTGAAAGTAAAGAGGAA

CTAGACTTTCCTTTGCACCATGTGAAGTGTTGTGGAGAAAAGAGCCAGAAGTTGATGTGG

GAAGAAGTAAACTGGATACTGTACTGATACTATTCAATGCAATGCAATTCAATGCAATGA

AAACAAAATTCCATTACAGGGGCAGTGCCTTTGTAGCCTATGTCTTGTATGGCTCTCAAG

TGAAAGACTTGAATTTAGTTTTTTACCTATACCTATGTGAAACTCTATTATGGAACCCAA

TGGACATATGGGTTTGAACTCACACTTTTTTTTTTTTTTTGTTCCTGTGTATTCTCATT

GGGGTTGCAACAATAATTCATCAAGTAATCATGGCCAGCGATTATTGATCAAAATCAAAA

GGTAATGCACATCCTCATTCACTAAGCCATGCCATGCCCAGGAGACTGGTTTCCCGGTGA

CACATCCATTGCTGGCAATGAGTGTGCCAGAGTTATTAGTGCCAAGTTTTTCAGAAAGTT

TGAAGCACCATGGTGTGTCATGCTCACTTTTGTGAAAGCTGCTCTGCTCAGAGTCTATCA

ACATTGAATATCAGTTGACAGAATGGTGCCATGCGTGGCTAACATCCTGCTTTGATTCCC

TCTGATAAGCTGTTCTGGTGGCAGTAACATGCAACAAAAATGTGGGTGTCTCCAGGCACG

GGAAACTTGGTTCCATTGTTATATTGTCCTATGCTTCGAGCCATGGGTCTACAGGGTCAT

CCTTATGAGACTCTTAAATATACTTAGATCCTGGTAAGAGGCAAAGAATCAACAGCCAAA

CTGCTGGGGCTGCAACTGCTGAAGCCAGGGCATGGGATTAAAGAGATTGTGCGTTCAAAC

CTAGGGAAGCCTGTGCCCATTTGTCCTGACTGTCTGCTAACATGGTACACTGCATCTCAA

GATGTTTATCTGACACAAGTGTATTATTTCTGGCTTTTTGAATTAATCTAGAAAATGAAA

Fig. 9E

Exon	Forward Primer	Exon (bp)	SEQ ID No	SEQ ID No	Reverse Primer		Intron(kb)	Intron (kb)
exon 1	GGCTGGATTAGCAGTCCCTCA	140	70	119	ATCCCCAACTCAAAACCACA	intron 1	>6.413	>6.4
exon 2	GGATTTCCCAGATCCCAGTG	94	71	120	AAGTCCAATTTAGCCCACGTT	intron 2	>4.241	>4.2
exon 3	GACAGACTTGGCATGAAGCA	142	72	121	CCAGCCATTCAAAAATTCTCC	intron 3	>1.248 (1.6)	1.6
exon 4	GCACTTGGCAGTCACTTCTG	119	73	122	GGTGCAGGTCAATTTCCAAT	intron 4	>1.512	<1.5
exon 5	CGTTTCTCCACTGTCCCATT	122	74	123	CCCCTTCACCACCATTACAA	intron 5	>1.769 (3)	3
exon 6	ACTTCAAGGACCCAGCTTCC	177	75	124	TGTCCAAGGAAAAAGCCTCAC	intron 6	>2.726 (10)	10
exon 7	TCGGTTTCTTGTTGTTAAACTCA	93	76	125	AGGACCTCTTGCCAGACTCA	intron 7	4.957	5
exon 8	TCCCAAGGCTTTGAGATGAC	241	77	126	AGGAGATGACACAGGCCAAG	intron 8	>2.311 (2.5)	2.5
exon 9	GGCTCCAAAGCCCTTGTAA	140	78	127	CGCACACCTCTGAAGCTACC	intron 9	0.332	0.3
exon 10	GCTGCTGTGATGGGGTATCT	117	79	128	ACCTACTCACAACCTGGGAA	intron 10	4.208	4.2
exon 11	TTTGTAAATTTTGTAGTGCTCCTCA	198	80	129	GCCTCCTGCCTGAACCTTAT	intron 11	0.747	0.7
exon 12	TAGTCAGCCCTTGCCTCCTA	206	81	130	CAAAATCATGACACCAAGTTGAG	intron 12	0.523	0.5
exon 13	AAAGGGGCTTGGTAAGGGTA	177	82	131	CATGCACATGCACACACATA	intron 13	1.787	1.8
exon 14	GATGTGGTGCTCCCTCTAGC	223	83	132	CCTTAGCCCGTGTTGAGCTA	intron 14	1.747	1.7
exon 15	CAAGTGAGTGCTTGGGATTG	222	84	133	TGCTTTATTCAGGGACTCCA	intron 15	1.059	1.1
exon 16	GCAAATTCAAATTTCTCCAGG	205	85	134	CCCATGCACTGCAGAGATTC	intron 16	1.105	1.1
exon 17	TCAAGGAGGAAATGGACCTG	114	86	135	AAGGCAGGAGACATCGCTT	intron 17	1.798	1.8
exon 18	CTGAAAGTTCAAGCGCAGTG	172	87	136	GGGATCAGCATGGTTTCCTA	intron 18	0.99	1
exon 19	TGCAGACTGAATGGAGCATC	132	88	137	GCTTAAGTCCCACTCCTCCC	intron 19	1.307	1.3
exon 20	GCCAGGGGACACTGTATTCT	143	89	138	ATTTTCCTCCGCATGTGTGT	intron 20	0.204	0.2
exon 21	AGGTCCTCTGCCTTCACTCA	138	90	139	TCACAGAAGCCTAGCCATGA	intron 21	0.706	0.7
exon 22	CCAGTGCTTACCCCTGCTAA	221	91	140	AACAGAGCAGGGAGATGGTG	intron 22	>0.866 (17)	1.7
exon 23	CACACAACAGAGCTTCTTGGA	73	92	141	TCTGCACCTCTCCTCCTCTG	intron 23	0.986	1
exon 24	ACCTGGAACAGGTGTGGTGT	203	93	142	ACTGGGGCCAACATTAATCA	intron 24	1.668	1.7
exon 25	GGGCTAACATGCCACTCAGTA	49	94	143	CTTCCCCATCTGCAACAAAC	intron 25	0.196	0.2
exon 26	GTTTGTTGCAGATGGGGAAG	114	95	144	GCTAAAGGCCATCCAAAGAA	intron 26	1.396	1.4
exon 27	CACCAGAAGAAGGAGCATGG	149	96	145	TCAAGTGCATCTGGGCATAA	intron 27	1.649	1.6
exon 28	CTGGACTCGTAGGGATTTGC	125	97	146	ICTGAAGTCCATTCCGTTGG	intron 28	>0.728 (1.4)	1.4
exon 29	GCCGTGTCAGAGAGAAATGCTT	99	98	147	CAATGTGGCATGCAGTTGAT	intron 29	>2.589 (3)	3
exon 30	TTACGGAATGATCCTGTGCTC	190	99	148	GAAGCTACCAGCCCATCCT	intron 30	1.521	1.5
exon 31	AGTCAGGTTTCCGGTCACAC	95	100	149	CATTTCCCCACTGTTTCAG	intron 31	>0.944 (I)	>0.9
exon 32	CCGTTCCTTATATCCTCAGGTG	33	101	150	CCAAGGCTTTCTTCAATCCA	intron 32	>1.062 (/6.5)	>1.0
exon 33	CCTTGTACACACTCGCACTGA	106	102	151	GATCCGTTTAAACCTGCCAAC	intron 33	1.475	1.5
exon 34	TGTTGTCCACAGGTTCCAGA	75	103	152	ATGCCCCTGCCAACTTTAC	intron 34	0.522	0.5
exon 35	TGAGGTTTATGGGCATGGTT	170	104	153	CTCTGCAGCTGTTCCCCTAC	intron 35	1.228	1.2
exon 36	ATGTTTTTCCTTGGCTGTGC	178	105	154	TATCAATCCATGGCCCCTGAC	intron 36	>1.898 (2)	2
exon 37	ATCTGCCCTTTCTTGTCTGA	116	106	155	AGAGTCCCTGCCCTCCTTCT	intron 37	0.112	0.1
exon 38	AGGGAGCTGCACAGTGGATA	145	107	156	AAGGCAGTCAGCAGTGTCAA	intron 38	1.545	1.5
exon 39	TCACTCCCATATTTCAGAACTTGA	124	108	157	GGGGAACATCCTGTGCTTAG	intron 39	1.087	1.1
exon 40	TGTTTATTGGAAGATCGGTGAA	130	109	158	CCATTGGTGAGTGTTTCCCT	intron 40	0.265	0.3
exon 41	CGTTAGAGACTGAATCTTTGTCCTG	121	110	159	AGTCAGCAAACTGCTGGGTT	intron 41	>0.622 (0.9)	0.9
exon 42	AGTCCTGCCATCCTGCACAGTTG	63	111	160	ATTGCTCCATCCTGCGATAA	intron 42	0.909	0.9
exon 43	GGTAGTTACGTGTGTAGGGGCA	107	112	161	TCATGGATGATTTTATGTGCTTC	intron 43	2.355	2.4
exon 44	CAGGAACATTAGGCCCAGATTG	142	113	162	GCGTGTGGAAAAGCCATAAG	intron 44	0.372	0.4
exon 45	CATGTATGTGTAGGACAGCCATGA	135	114	163	GCCAATCATACAACAGCCCT	intron 45	>1.059 (1.3)	1.3
exon 46	CTGTTTCAAAGATGCTTCTGC	104	115	164	TGATCGCATATTCTACTTGGAAA	intron 46	0.483	0.5
exon 47	CCTAGGAAGCTGGAATGCTG	93	116	165	TCCCTTTATTTTAGAGGCACCA	intron 47	0.659	0.7
exon 48	GGGTTCCCAGGGTTCAGTAT	244	117	166	GATCAGGAATTCAAGCACCAA	intron 48	0.941	0.9
exon 49	CTTGACCTAATTTCAACATCTGG	295	118	167	TGGGTTCCATAATAGAGTTTCACA		>1.075	

Fig. 10

Exon/Intron	Nucleotide#	Amino acid change		Sequence difference/context	SEQ ID NO:
2	T150C	no change	Public sequence	TGTCAGCTGTTACTGGAAGTGG	168
	A152G		Correct sequence:	TGTCAGCTGCTGCTGGAAGTGG	169
7	C839T	no change	Public sequence.	AGGAGCTGGCCGAAGCCACAA	170
			Correct sequence.	AGGAGCTGGCTGAAGCCACAA	171
33	C4738T	T1495I	Public sequence:	AATGATGCCACCAAACAAATG	172
			Correct sequence.	AATGATGCCATCAAACAAATG	173
35	C5017T	P1588L	Public sequence:	GAGGTGGCTCCGATGACCACA	174
			Correct sequence:	GAGGTGGCTCTGATGACCACA	175
43	G5995A	R1914K	Public sequence:	TTCCTTAACAGAAATAGTATC	176
			Correct sequence:	TTCCTTAACAAAAATAGTATC	177
48	C6577T	P2108L	Public sequence.	GGAAGTGTTCCAAAAGAGAAA	178
			Correct sequence.	GGAAGTGTTCTAAAAGAGAAA	179
49	G6899A	not applicable	Public sequence:	AGTAAAGAGGGACTAGACTTT	180
			Correct sequence:	AGTAAAGAGGAACTAGACTTT	181

Mutations:					SEQ ID NO:
13	A1864G	Q597R	More common	GCCTACTTGCAGGATGTGGTG	182
			Less common	GCCTACTTGCGGGATGTGGTG	183
14	delta CTT 2151-3	deltaL693	More common	CCTCATTCCTCTTCTTGTGAGCG	184
			Less common	CCTCATTCCT/CTTGTGAGCG	185
15	G2385A	V771M	More common	GCAGGACTACGTGGGCTTCAC	186
			Less common	GCAGGACTACATGGGCTTCAC	187
18	C2799T	R909Stop	More common:	AAAAGTCTACCGAGATGGGAT	188
			Less common:	AAAAGTCTACTGAGATGGGAT	189
18	C2860T	T929I	More common	GGCCAGATCACCTCCTTCCTG	190
			Less common	GGCCAGATCATCTCCTTCCTC	191
22	T3346C	M1091T	More common	ACACACCACATGGATGAAGCG	192
			Less common	ACACACCACACGGATGAAGCG	193
Intron 24	(+1) G to C	Altered transcript	More common	CCTGGAAGAAGTAAGTTAAGT	194
	splice donor site	length	Less common	CCTGGAAGAACTAAGTTAAGT	195
30	T4503C	C1477R	More common	GCTGCCTGTGTGTCCCCCAGG	196
			Less common	GCTGCCTGTGCGTCCCCCAGG	197
35	GG 4956-57 to C	Frameshift	More common:	TAGCCATTATGGAATTACTGCT	198
		at aa1628	Less common	TAGCCATTATCAATTACTGCT	199
41	delta AAGATG 5752-7	delta(E,D)1893-1894	More common	GATGAAGATGAAGATGTGAGGCGGGA	200
			Less common	GATGAAGATG/TGAGGCGGGA	201
48	C6504T	R2144Stop	More common	AATAGTTGTACGAATAGCAGG	202
			Less common:	AATAGTTGTATGAATAGCAGG	203

Promoter Variants:					
Location	Position Relative to Xenon cDNA	Position Relative to SEQ ID NO: 14 Containing Exon 1			SEQ ID NO:
1	G57C	8216	More common	ACACGCTGGGGGTGCTGGCTG	204
			Less common	ACACGCTGGGCGTGCTGGCTG	205
5'	(-) 4 ins G	8158	More common	GACCAGCCACGGCGTCCCTG	206
			Less common	GACCAGCCACGGGCGTCCCTG	207
5	A (-) 380 G	⁻780	More common	CATTTTCTTAGAAAAGAGAGGT	208
			Less common	CATTTTCTTAGAGAAGAGAGGT	209
5'	A (-) 479 C	⁻681	More common	GAAAATTAGTATGTAAGGAAG	210
			Less common	GAAAATTAGTCTGTAAGGAAG	211
5'	A (-) 738 G	⁻422	More common	CCTCCGCCTGCCAGGTTCAGCGATT	212
			Less common:	CCTCCGCCTGCCGGGTTCAGCGATT	213
5'	A (-) 1045 G	⁻115	More common	TATGTGCTGACCATGGGAGCTTGTT	214
			Less common	TATGTGCTGACCGTGGGAGCTTGTT	215
5	A (-) 1113 G	⁻047	More common	GTGACACCCAACGGAGTAGGG	216
			Less common	GTGACACCCAGCGGAGTAGGG	217
5'	(-) 1181 ins CCCT	6979	More common	AGTATCCCT/TGTTCACGAGAA	218
			Less common	AGTATCCCTCCCTTGTTCACGAGAA	219

Fig. 11

Page 1 of 2

Polymorphisms:

Exon/Intron	Nucleotide#	Amino acid change		Sequence difference/context	SEQ ID NO:
5	G548A	no change	More common	CTGGGTTCCTGTATCACAACC	220
			Less common.	CTGGGTTCCTATATCACAACC	221
6	G730A	R219K	More common.	GGCCTACCAAGGGAGAAACTG	222
			Less common	GGCCTACCAAAGGAGAAACTG	223
Intron 7	G (+) 2383 T	Not applicable	Allele 1	TTTAAAGGGGGTGATTAGGA	224
			Allele 2	TTTAAAGGGGTTGATTAGGA	225
Intron 7	G (+) 3035 T	Not applicable	Allele 1	GAAGAAATTTGTTTTTTTGATT	226
			Allele 2	GAAGAAATTTTTTTTTTTGATT	227
8	C1010T	no change	More common	GCGGGCATCCCGAGGGAGGGG	228
			Less common	GCGGGCATCCTGAGGGAGGGG	229
8	G1022A	no change	More common	AGGGAGGGGGGCTGAAGATCA	230
			Less common	AGGGAGGGGGACTGAAGATCA	231
Intron 9	(-) 42 ins G	Not applicable	More common	AGGAGCCAAACGCTCATTGT	232
			Less common	AGGAGCCAAAGCGCTCATTGT	233
Intron 13	T (+) 24 A	Not applicable	More common	AAGCCACTGTTTTTAACCACT	234
			Less common.	AAGCCACTGTATTTAACCACT	235
15	A2394C	T774P	More common.	CGTGGGCTTCACACTCAAGAT	236
			Less common	CGTGGGCTTCCCACTCAAGAT	237
15	G2402C	K776N	More common	TCACACTCAAGATCTTCGCTG	238
			Less common	TCACACTCAACATCTTCGCTG	239
Intron 14	C (+) 16 T	Not applicable	Allele 1	GCAGCCTCACCCGCTCTTCCC	240
			Allele 2	GCAGCCTCACTCGCTCTTCCC	241
17	A2723G	I883M	Allele 1	AGAAGAGAATATCAGAAATCT	242
			Allele 2	AGAAGAGAATGTCAGAAATCT	243
Intron 17	C (+) 2000 G	Not applicable	Allele 1	GCGCAGTGCCCTGTGTCCTTA	244
			Allele 2	GCGCAGTGCGCTGTGTCCTTA	245
21	T3233G	no change	More common	GATCTAAGGTTGTCATTCTGG	246
			Less common	GATCTAAGGTGGTCATTCTGG	247
Intron 21	G (+) 118 T	Not applicable	Allele 1	CTCTTCTGTTAGCACAGAACAGA	248
			Allele 2	CTCTTCTGTTATCACAGAACAGA	249
Intron 21	A (+) 563 G	Not applicable	Allele 1	CATTCTAGGGATCATAGCCAT	250
			Allele 2	CATTCTAGGGGTCATAGCCAT	251
Intron 24	G (+) 321 T	Not applicable	Allele 1	AAGTACAGTGGGAGGAACAGCG	252
			Allele 2	AAGTACAGTGTGAGGAACAGCG	253
Intron 29	A (-) 624 G	Not applicable	Allele 1	ATTCCTAAAAAATAGAAATGCA	254
			Allele 2	ATTCCTAAAAAGTAGAAATCCA	255
Intron 31	T (+) 30 C	Not applicable	More common	GGCCCCTGCCTTATTATTACT	256
			Less common	GGCCCCTGCCGTATTATTACT	257
Intron 33	A (+) 732 G	Not applicable	Allele 1	TGAGAGAATTACTTGAACCCGG	258
			Allele 2	TGAGAGAATTGCTTGAACCCGG	259
Intron 33	C (+) 898 T	Not applicable	Allele 1	TTTGCTGAAACAATCACTGAC	260
			Allele 2	TTTGCTGAAATAATCACTGAC	261
Intron 34	C (+) 234 T	Not applicable	Allele 1	AACCTCAGTTCCCTCATCTGTG	262
			Allele 2	AACCTCAGTTTCCTCATCTGTG	263
34	G4834A	R1587K	More common	CTGGACACCAGAAATAATGTC	264
			Less common.	CTGGACACCAAAAATAATGTC	265
37	C5266G	S1731C	More common	TCCTATGTGTCCTCCACCAAT	266
			Less common	TCCTATGTGTGCTCCACCAAT	267
Intron 43	T (+) 18 C	Not applicable	More common	AAGAAGTGGCTTGTATTTTGC	268
			Less common	AAGAAGTGGCCTGTATTTTGC	269
Intron 43	A (+) 1665 G	Not applicable	Allele 1	AACTGATTTGATTGGTATAGCTC	270
			Allele 2	AACTGATTTGGTTGGTATAGCTC	271
48	C6521T	no change	More common	CAGGGTCCAACCCGGACCTGA	272
			Less common	CAGGGTCCAATCCGGACCTGA	273
Intron 10	(+) 14 ins T	Not applicable	More common	GCGTCAGGGATGGGGACAG	284
			Less common	GCGTCAGGGATTGGGGACAG	285
Exon 16	G2547A	V825I	More common	CCACTTCGGTCTCCATG	286
			Less common	CCACTTCGATCTCCATG	287

Polymorphism in an ABC1 BAC contig:
This polymorphism is within approximately 200 kb of the ABC1 gene

					SEQ ID NO:
	A or G	not applicable	Allele 1	TTGGGAGGCTAAGGCAGGAGAA	274
			Allele 2	TTGGGAGGCTGAGGCAGGAGAA	275

Fig. 11

SEQ ID NO: 14

Genomic contig containing ABC1 exon 1:

Underline = putitive promotor element

acctcttatagaatgatagaattcctctggaatgattggataacttcatttcatccttgacttttaccttggaggatt
cttaccccttttggcttctcaaatttgactattaaaatgttgcctttaaaaataggaacacagtttcagggggggagtac
cagcccatgacccttctgcaaggcccccctaactcaaggtagtttccctggaactgtggtttatggaatgtttcaggagt
gtgaggaggtataatttaaggctgtcctagcaaggatacccttaaggatagagggcccagtagcatctggaggccagaa
aagttaaactgaggcagtcagattagcttcaggctcaattaagctgatgggtcagcctgggagaaattgcaggatgact
ctcaatatcccctccacccccacagcagccacgatctgtctgtctttaatcatgggtgcagtgaacctgttctttcca
ggtgtcttggccttcagtaaccttgttaggcttgtccctgaacgtggctaccgatccaaagacacatgatcagagaggc
aattagagaacagaccttttccaaagcaagcatgttctgttgggcttagaagtttcatgtcctaatattataggaccct
gtgcatctctctggagatgaggcacatgagtcatatctgtgattcttgcttttgtgtcaacatctcatgaataggcaat
cagagcttggcaccaatgtattttcagttcatatctgatgtagttaaatccacctcctgctttgtagtttactggcaa
gctgttttgatataagacatctagaacactgtaaatatataacatttttatttgtctattatacctcaattacgaaaa
agacatctagaagcaacctcatcaagagagatactgaggccgggcatggtagctcacacttgcaatcccattactttgg
gaggctgaggcaggtagatcacttgaggtcaagagtttgaaaccagcctggccaacatgttgaaaccctgtctctatta
aaaatacaaaaaagttagctgggcttggtggtgggcacctgtaatcccagctactccggaggctgaggcaggagaatca
cttgaacctgggaggcagaggttgcagtgagctgagatcacaccactgcactccaacctgggcaccagagtgagattac
atctaaaaataaaataaagtaataaaaaagagagatattgatagctgttgttggaaatttcaacttccatctcacttc
tggtaactttttggaagttgttgaacaaagtggaatacacgcacatacacacacacacatactctcttgtttgtttaa
ggtttaatgaaatagctgtcatataatcactgtttttgaaagaggagaattagttgctatctgtacattttgggtatgt
gaactatttggatagaactctgagaaatgcattcagaacaacaaacaaatcataggagaaatagctaagtgggaaggg
gcatataagagttgttgaaaaagttatttcttgagaaaccagctctaatgctaggcaagtcacttgctttgggggaggc
ctcagcttctctgtctataagattgcagcaggggtgtagtgggaatgagtcttcaacattccaagagattttatctact
aatacgacagtcaaatggagcatgactttgtggaagcctctcctcttccacccagaggggccaatttctctgtcccagt
gagatgttgacacttgtatgatccctgcttggagacttccctcttctggaacctgccctggctcaggcatgagggctga
ctgtcacccttcgataggagcccagcactaaagctcatgtgttggcagtgttcttgcgggaaggaaaaagaccagccag
cccatttgttactgcacaagcaaacagcttctggtagctgtacagatacatgcactttctttcctcactgtgtttccat
agacagatttagtgctgtagaagagtagagggcagtcacgggaaggagttcctgttttttcttttggctatgccaaatgg
ggaaaaatcctcctatcttgtctttttagtgtcatcctctctcccctttttcttcttctttataattctcatctctcatc
tctcctggaaatgtgcatgtcaagttcaaaagggcacaatgtttggtgaggaagaggtgggagaacacgtgccaggtg
ctaactagggtcatcattcccccttcacagccagcttcctgtgaatgtgtgtgtgtgtgtgtgtgtgtgtgtgtgtgt
gtgtgtgtgtgtatttcttttgccagcatcactgaatctgtctgctgtctggtattccaggttttggtttagggaaa
agtaaaagtaattttataatcccagctgtcatttaagccacccctttgtgggtagcatatggtccactctctcagttca
ttgtcctaaagatgcttcatcagaaaggaataacttccaccccgttactctctgtccccttactctgctttattttct
tcgtcaatcctaccaccaccacccactgtttgaacaacccactattatttgtctgtttcccatccctggtagaatagga
gccccatgaatgaaggaactttgcttctgttgttcaccactgaatctctaaggtatggaacacacctggcatgtgatag
gcactcgataaatatttgttgtggctcatgggcaccttgcagagttaaggctgcagttgtttgtggaatttataagtgg
taatgaatatttatctactattcctcttccaaggcgatcacacaataatcaggctttacactatccagttcttaggtct
tccaagttatgacttgtgaggtatgttaattatgataatagaaggcagtttatttggttcagatttattgatgtgtaat
ttaccacagtaagacttccccttttacaaaagtatgatgagtttttgacaaatggatacacatgtgtatctaccactgcca
tgctccttttcagtctgtcgtcccctccacccatgaccactggtcaccactgcagtgatttctgtccccttcatttcac
cttttccagaatgtcatataaatggaatcatgcagtatgtagttttttgtgtctggcttattttttcttagcattaggct
tttgggattcatccaggttgtcgcatgtaacagtagcttattccttttttatggctgagtaagtgtcccagttttattta
tatatttatttatgaggaggtgtctcactctgtcacccaggctggagtgcggtagcgcgatctcagctcactgcaacct
ccgcctcccaggttcaagcaattctcctgcctcctgagtagctgggattacaggcacccaccgccacgcccaactaatt
tttatatttttagtagagatggggtttcaccatgttggccaggctgatctcaaactcttgacctcaggtgatccgccca
cctctggctcccaaagtgctaggattacaggcatgagccactgtgcccagccccagtttatttattcaccagttgatg
gtcttttcgacaactaattgtttccagttttttggctattctgtataaggcttctataaatattcacaaatacctaggat
gggatgactgggtcatataatagtactgtataaccttagcagaaactgtcaaactattttccaaagtggctcttccatt
ttacaattccacagtgtattgagtcccagtgtctccatacacatgctagcacttttaatatttaatttagtgggtatgt
aatgatatctcattgtggtttttaatttgcatttctctgcagctaatgatgagtgtttctgcttatttgggaaggtttta
atttagcagtctgttgtattctgtagatattaataacttcaaaatatcagtggcatttgcagttaaaatttccttaaaa
aattggccaaaggtttccagcagtcacttctgccatgcccaaactgtatgaaacaaggctgaggtgtggagattgtcac
atttttggcaaggagtgatccacttgggtgactgatgagacccagagagcgtacgcctcgggcttgagggtgaggacggg
cgggaagtcgactgcatggccctgctggccttgggaggctgcccagtccttagctaaagctggcagttatgggaaacag

Fig. 12
Page 1 of 30

acttagattctattacgttttttcaggatgtcccaggagtcacctgggaagctcagcagtcctttgtgactttcaagcat
atggtagaagctgctgaacacagagctccctcttggggataatttgcccaaatcatttaatcaggcttgagaaatgag
ttaccacaggtccaggagtgctgccaccccttgaattctgacaccctatttctcctatccgtctcttaattaattaagca
gacatccccaagtgcttacgacaagccaggacccttttgcatactaaggaaaacagggatgaaggaaacagaaatggtc
tctgctctgactcagaaggtagaaatcctctttcccagccaagtcttcctagggagcacgtaggaagggctctgaaccc
acgtgtcagttgcaggggaggatatcaggaaaggacattgaagaagtggagacctaagtttgagacctaggcattagcc
aggctagcagtgcttgaaaaagtgtcttaggacaagagaactcaccagtgaagtcccagtggtaggagagcgtgcagca
tattctgagcctgtatacacatctccagggcattgcttagcaggtggggagtggcaagagagtaggctggagtcacaga
agggaggccaggtagaccttggtgagcactggactctatgttcaggtgctgaggagctggcaaaaggtttttaagtcggg
gagaggcatgttcagatatttggtctagctgagtaactttgggtgctctgtgacaaatggttgggagaccagtgaggtg
gcagttgcggtcatctaggagcaggatcagagtggcctattgactgggatgactgtgaagtgggatcctttccagccag
taactggaaatgtgtatgagggcagaagtgagtgtactgcatttgaaacattgagaaatctagtacatagtactgtctc
tttt atatctttttttttttttttttgattttggtttgtttgttcactaacttggaaactgatgtggaaatgtccct
ttggcttcagttacctgagcagaaggggccgggcattgccaaactctcctcttaggacagaattgctcccagtattgat
cattgtgttctgagttggggggagcaaattgtgcaggaggccaggtcagtgccaaggtgggtggggaggaattggagcagg
aagcttgcctaagtgtgcccagcaaagccacggtagaactttctactgtggctctatgctacttcttagcaaccttctc
catgtgcttcctggagagtccttggagtcagaaccttttttcttgaaacccagacactttacttccaagaaaatgctgtc
caagaaaactcatccttcccttcttctcatgaacgttgtgtagaggtgtgtcttctcttcctttgagcttttccactca
gggtttagggggaggtgatattctatatttgggtttggctctgggtactgcaacactaggctattaagatttcatcctta
ctgctttgcccctcctatctttccagaaacccacaatggatttgctagaaataatggaacgtcctgtttggacaggata
taaccatttctcagctagaggatattgttggaatgaagaaagataaatggggagaagggaactcacattgctttggcac
ttaaattaagccatgtactgtgttgggaaattatttatattatctcgttgaatccacagtagaacacagttgaacacca
tacaaggtaagtattgtcatccttattttaccatgaggaaattgatgcttagagagcataaagccttggccaggggcac
atagttgggaagccgggggctaattcatgcctgggctctttctgatagttttccttttttttaattgtcccctcctcattgt
taccttggggattttcaagagattcatgtagcttctaaatcaacgaactgattcctggagagcagcttctgtatgagaaa
aatctagctaattatttatttcagtgtctctggaatgcaagctctgtcctgagccacttagaaaacaatttgggatgac
aagcatgtgtctcacaatgctgctctggttgccagtgctgtgctgccagttgtcatctttgaacaaactgatgcagtgc
tggtttaactcttcctctttttggagtaagaaactttggaggcctgtgtccttctagaagtttgctgagcaaatggtaa
ggaaaagaaataggtcctaaggcttgactatttcagagaatttcttgatttattggactgtcaatgaatgaattggaat
acatagtggtaggctgtctttcttctcagacactgcaatttcctccaatctcttgacttttctagaagttttaatcca
agtccttgttgggtggtagataaaagggtattgttctactagagactgaccttggcatggagatctcatttggactcac
agatttctagtctagcgcttggttttgtatccatacctcgctactgcattcttagttccttctgctccttgttcctcat
gcccagtgtcccaccctacccttgcccctactcctctagaggccacagtgattcactgagccatttcataagcacagct
aggagagttcatggctaccaagtgccagcagggccgaatttttcacctgtgtgtcctcccttccattttttcatcttctgc
cccctccccagctttaactttaatataactacttgggactattccagcattaaataagggtaactgctggatgggtggc
tgggatacacagaatgtagtatcccttgttcacgagaagaccttcttgccctagcatggcaaacagtcctccaaggagg
cacctgtgacacccaacggagtagggggggcggtgtgttcaggtgcaggtggaacaaggccagaagtgtgcatatgtgct
gaccatgggagcttgtttgtcggttttcacagttgatgccctgagcctgccatagcagacttgtttctccatgggatgct
gttttctttccagagacacagcgctagggttgtcctcattacctgagagccaggtgtcggtagcattttcttggtgttt
actcacactcatctaaggcacgttgtggttttccagattaggaaactgctttattgatggtgctttttttttttttttttt
tgagacagagtctcgctctgtcgccatgctggagtgtagtggcacaatcttggctcactgcacctccgcctgccaggtt
cagcgattctcctgcctcagcctcccaagtagctgggactacaggtgcctgccaccatgcccagctaatttttgtattt
ttagtagagacggggtttcaccgtattggctaggatggtctcgatttcttgacctcgtgatccgcctgcctcggcctcc
caaagtgctgggattataggcttgagccaccacgcctggccgatggtgctttttatcatttgaaggactcagt_tgtata_
_ac_ccactgaaaattagtatgtaaggaagttcagggaatagtataagtcactccaggcttgaggcaaaatttacaaatgc
tgctgactttgtatgtaaggggaggcattttcttagaaaagagaggtaggtctctgggattccagtatgccatttccat
cctcagtgtttttggccacctgagagaggtctattttcagaaatgcattcttcattcccagatgataacatctatagaa
ctaaaatgattaggaccataacacgtagctcctagcctgctgtcggaacacctcccgagtccctctttgtgggtgaacc
cagaggctgggagctggtgactcatgatccattgagaagcagtcatgatgcagagctgtgtgttggaggtctcagctga
gagggctggattagcagtcctcattggtgtatggctttgcagcaataactgatggctgtttcccctcctgctttatctt
tcagttaatgaccagccacggcGTCCCTGCTGTGAGCTCTGGCCGCTGCCTTCCAGGGCTCCCGAGCCACACGCTGGGG
GTGCTGGCTGAGGGAACATGGCTTGTTGGCCTCAGCTGAGGTTGCTGCTGTGGAAGAACCTCACTTTCAGAAGAAGACA
AACAgtaagcttgggttttttcagcagcggggggttctctcatttttttctttgtggttttgagttggggattggaggagg
gagggagggaaggaagctgtgttggttttcacacagggattgatggaatctggctcttatggacacagaactgtgtggt
ccggatatggcatgtggcttatcatagagggcagatttgcagccaggtagaaatagtagctttggtttgtgctactgcc
caggcatgagttctgatccctaggacctggctccgaatcgcccctgagcaccccacttttttccttttgctgcagccctg
ggaccacctggctctccaaaagcccctaatgggcccctgtatttctggaagctgtgggtgaagtgagttagtggcccca
ctcttagagatcaatactgggtatcttggtgtcaatctggattctttccttcaggcctggaggaatataataactgaga

Fig. 12
Page 2 of 30

```
cttgtttttatttctgcagagggttctaagccattcacttcccagatgggccaataatgctttgagtaatctggagatca
tctttaatgcgcaggtgaatggaactcttccacagagggatgtgagggctgtagagcagagtgaactccctgaaactca
gacgtcagctctttgtctctctatctctgaacacccttccttagagatcccatctctaggatgcatttctctgtagtta
gtttctaagtctcttgttcctgttctgcctttattttttttttcctggattctaagccagtatccccacttggctgtctt
aatgtagcttaacatgtctgtaatcaaaatgatcatctttctgagattcaaagggctataagggactttggagagaatt
tcattcagtttttcctcaaactagaataatgcttgcactgtctgtaaaagaacaaaagtgtcaaagcatcctttttgttca
ctaaattttcctttttttattatagtgttacttaaatattaggaagttaaaagtaggtataaacttcttataggctgttat
tatacaactatatgacccatacatatttacaaattaagtgcagccaaaattgcaaaatcaataccattcaaattaatac
cttaaatgtggtgaggcagctgttgttcaactgaaaccaaattataagttgcatggcagtaaatgctatcatgctgatc
attttgagtttggccagtctatattatcatgtgctaatgattgaattctccacccattttctacttgtatgaccttaa
tttgatggcacctgttccatcctcatgagtttgctacaattatactggtgccaacacaatcataaacacaaatataaac
ttgggctttgaaatcttgtgccagaacttggctttaaagtaagcatttaaaaaatccatatgtgtttattagactttgt
ttagatgactgttgaaatgaaaacaaagtgtttaaaatcctcttagagaacttaaatataatccctcagcaatatgtat
acagatcttcctttgagaaaaactgattgtgttcagcctctcatgttacaaatgggcaacctgaattctgaggtctcta
gtgagagaacagggactggaatctgtggatcctatctgttttaataataattgtaaagtataatagataatattatatt
aaaaagagagnnnnnnacacttagaatgagcttccatgtgtgaggcactaactgattaggcattattaactagatttat
tcctttttaaggccccgcgatgtactgttatttccacatgttgtagctggggaacgtgctactcagagaggttaagtaac
ttgtctgaggtccacaccactaacaaggagcacaggtagggttcaaatccagataatctgactttggagctggcactct
aactcaatgtgcctaatcgcttttcagtggtgtcattattttgcctattctccatctgagaatattgaagtttctgact
ccttccttgcctttctccctgcctcccgtggttatccccaggtcttggtgttccagtcctctatgtccgtccttactct
tattcctttgctacagtgtgatccagggctcctgcccttcttatcctggtagagggggcccacttgctgggaaattgtc
tccgccatggtttatccatgttgtgtgtccattagtgagtagtgggaagaatcatatcatgttggcaatgaaagggggg
ctatggctctggggtagtctagtctgaactcttatttt
```

SEQ ID NO: 15

Genomic contig containing ABC1 exon 2:

```
cttttttttttttttttttttttttttttttgaggtgaagtctcactctgttgcccaggctggagtgcaatggagcgatc
ttggctcaccccaacctctgtctcctgggttcaaacagttctcctgcctcagcctcccgagtagctgggattacaggctc
ccgccaccatgcccagctattttttgtattttcagtagagatggggtttcacccttttgaccaggctggtcttgaactc
ctgacctcatgatcaacccacctcagcctcccaaagtgctgggattacaggtgtgagccaccacgcccggcctcataagt
attttctaaatttatttacagtcatgccatttaaaaggaaagttgtattcctgtctttgttaatatttataagtgattttt
attcagctacaagcttggaatggcatataattttgtattctgctttttcacttaatattacatggctaatgatttctgt
gtttcataaacattattctgatgatggcatgatatattgttgagtacatgtaccataattgaatcatttccctattgcta
tgcaattaagttgtttccaatattttgcaattataatgtttcaatgaatgaataactttatgcatatagctttttgatat
cttaagttcagtttcctaggatgaatttccaggaatagtaattgggcaaatgggataaacatgactcttgaatacgtatt
gttaacattgctttcccaaagggctcaactgatttatatttccgtgttcattatcttttaaaccagctcatttactcacc
aaacatttttaaagccattatcatgtggtaggcttagtaagaagaaagtgaccctaagggagaagcttatatataaatag
ggtccctggtgtaccaagtgctgatacagacacaaagtacctggggaaattgagatgagggagtcctggctcagctggga
gaaaagttcattttcatagagtcatggtttgttcttggcagaaagaaaattgcttcttccccaccccaccccagc
tttattgaggtataattgacaaataaaaattgtatatctttaagatatgcaatgtgatatatatgtatatctcaacttaa
aaaataagctacagaataaaaaggtgtttgctattaaaaaaaaagaaaaggctgaatgtcattcccaagcttggaaattt
gagtatgttgcctctttgggattatttacagaaatattagcaagaccagccccatctttggtcttgagtactccactgtc
agcatgctttcttccagagagggatccatttgcctttatttttcattctgttgtgccgtctatgcaaactattcttgata
gttttatggtaacagtgttttttttgttccatgagataaatttatacatgctcattgtggaaaatttagaaaagacaggaa
agtattaaaaacatcmcytttttttttttttttttttttttttttttamgcagacagagtcttgctctgtcgcccaggcc
ggagtgcagtggcgtgatctcagctcacagcaacctccgcttcccaggtttaagtgattctcctgcctcagcctcccaag
tagctgggagtacaggcatgcaccaccacgcccggctaattttgtattttttagtagagatggggtttcaccatgttggcc
aggctggtctcaaactcctgacctcaggtgatccgcctgccttggcctcgcaaagttctgggattataggcaggagccac
tgcgccagccacacctacgttcttatcatcctagtacatccactgtcattatcttgctgtatttccttctgcccagtctc
actctgatcatgcagtggcgtgatcatgcagtgatctcggctcactgcaacctaggccttctgggttcgagtgattctcc
tgccttagcctcctgggttcaagtgattctcttgccttggcctcccaagtagctgggattacaggcatacacccccatgc
ccatctaattttgtattttagtagacacagcgtttcactaaaattttgtattttagtagagatggggtttcaccatg
ttggccaggctggtctccaactcctgacctcaggtgatccgcctgccttggcctcacaaagtgattacaggcatgagcca
ctgcatccatcgccaaaaagattttttaaaagagtttaatgtagaaccatatcaaaggtctttggaaataaaaaacagtt
ttttaaaaatatcagaaataaaacaacaaataaataaataaataaaaacacccaaaacaatctgaagcacgagcacctag
cagaaaggttcaattatgatctattcatagagtggaatatcaagtagacattacaggacatgtttaagattatatttta
tgtcatgggaaatgctctcccagtatgatgttaaatgaaaaaacagaatacaaaagtatatatgctgcatagtctcaata
ttgtagagaaaaatattatttatgtatgcatgaaaaaagacaaaagatgttaacagagatccattgttacttcagttta
ctagggattgtctctgggaggtaggattaaggtgatttatatttacctttttaaacttttctgtattttttttattttcaa
attttccataaaaatataaggacttgaagatcaagaaaaaatttctgctttggctcagtgcagtcgtcacgcctgtaatc
ccagcagtttgggagccctaggggagaggatcacttgaacccaagagtttgacgttccagtgagctatgatctccggatc
gtaccgcctggacgatggagcaagaccctgtctcaaaaaaaaaatctttgcttttttttttttgtttgttttttgagacgg
agtctctctctgttgccccagctggagtacagtggcacaatctcagctcaccgcaacctctgcctcctgggttcaagcga
ttctcttgcctcagcctcccaagtacctgggattccatgcacccaccactatgcccagctactttttgtattttcagta
gagacagggtttcaccatgttggccaggctggtctcgaattcctgacctcagctgatccaccggccttggcctcccaaag
tgctgggattacaggcatgagccactgtgcccagcccaatcttttgcttttttttaaaaaaagaagacaaaaagggatttt
ataccagtattatcttggctgtgtgactctgaagccacagttgtaagttataattactctgaaacacaaggccctgtgac
tcttttgggctctttggtgtttatcttgattacaacgttggaatatagaaatgaaaggaatgggagaggtgatagacttc
aggcagtgtaactagttgtctgaacactactggctcaattatattgtgtctagtgatttccatcttgtccgtctgctaat
ttatcgcctggtaactcactgaggcagggttttcctttggagaaacctcattgtttttaaccagtgtatcatgcttgttta
gaagttcaatgatctcttttaactcatcggagaagatgatgaccagacctggacagatggggaaggactttgcactctctc
tttacagtcctgagtgcacacaggtcaatatggaactatgtgtgaattttcattgtctttgagagccctcttctctgccc
cataggggagcagctttgtgtgcaattagaggagcaagggttgtgtgtatttagcacagcaggttggcctggtcctctcct
ctcaacatagtcaccacatacctggcactatgctaaggctgggaatgcagacagatgggtgcctgctttcagagtgctca
atgtgctgaggaagccagcaacagaaacagatgatttcaggagctccaggaaaatgctacaggaggagtgtgcctgggtt
actggagtagcacaggaggagggcttctagctcaggctgagattttagtaaaggaaattatgccacgatgaatcctgaag
aatgaatagaagtgaaccagataaagcacgataggaagcatcttcccttacctaagggaagacacagaggtatatggaat
ggtatgttaaaaggttgggactccaaacagttctgttaaagcttagagagtggtgggagagactggagaagttgattaat
tagtaaatgaagttgtctgtggatttcccagatcccagtggcattggatatccatattattttaaatttacagtgttct
atcttatttcccactcagTGTCAGCTGCTGCTGGAAGTGGCCTGGCCTCTATTTATCTTCCTGATCCTGATCTCTGTTCG
GCTGAGCTACCCACCCTATGAACAACATGAATgtaagtaactgtggatgttgcctgagactcaccaatggcagggaaaat
```

Fig. 12
Page 4 of 30

ccaggcaattaacgtgggctaaattggactttttccaaagatgctgtctttgggaaacatcacacatgctttggatcagaa
aacctaggcttctaatttgttgataaggcatgaactcaggagactgttttcagtcctagtgaatggtgataattgtaatt
ataacagtagacaacatctcttttacacatttttaaatcatgaaaatagaataaccttactgataatttttagaaagtggtg
attaaaagcacatttaagataatgccttaacacctagtcttttccatatgcatgatgtcttaatcacacattgcaaatca
tggaacacagaatttt

Fig. 12
Page 5 of 30

Genomic contig containing ABC1 exon 3:

```
atcttacaatcacagtctttctcttagggctgggctcagtgggtggattgacactgcagaaatggccagatctaaaggat
caacatttacgtagctgggaaatgtagctgggacttcagtttcactgccctagtgattttttcctaccactaagcagctca
gtccatacccctacgagacccacaagcttatgagatactgttcttccaggaaagcagtggggccagggccacctttttaat
tgtgtttcttggcctggtcccatctttctcacaatatatagcaacagttatttacttgctgattttctaatgcacatcac
acatagtcatattaaacacacacacacacacacacacacacacacacacccctcaagaaacattttctgagacgtgatttcc
tgatttcatcaaaaaagaaaagagcgggccaggcacagtgggaagtcaaggtgggtggatcacttgaggtcaggagtttg
aaaccagcctggccaacacggtggaacctcgtctctactaaaaatacaaaaattagccaggcgtggtggcgcacacctgt
aatcccagctactggggaggctgaggcaggagaattgcttcaacctgcgaggctgacgttgcagtgagccgagattgcgc
cattgcactccagcctgggcaacagagtgagactctgtctcaaaaaaaaaaaaaaaaaaaaagcataaactgaaattta
tatgcaatttatatgcctgtgagataattctgtttctcttttggaaccccaaagagattttttgattgatgagcaaat
acattttagattttatttaagcattatgccaagcaccactgaagtataagtttcaagggcaaactcagttttttcatcta
ctagacgaatgatttctggaatgattacaagcaggcaagatggtgtagtggaaatagcaaatgtcttcggcatcagaca
agttgggggtttgtttgtatcctgcctctgcccttcaccgaggttgtgatcttgggcagattgttgagttttaacctagat
tcctctgactccagatcataaattttcagaaaagttctgaaattcttgtatatactgatggtaaatgagacttttcctta
catctatgcacttctttgtttgtttgttttgagatggtcttgctctgttgcccagactggagtgcagtagtgcaatctcc
gctcactacaatgtctgcctcccaggttccagtgagcctcctgcctcagcctcccaaatagctgagactacaggcatgtg
ccaccacgtccggctaattttttgtattttttagtagagacagggttttgccatgttgaccacactggtctcgaactcctgg
cctcaggtgattcgcccgcctcagcctcccaaagtgctgggattacaggcatgagccaccatgcccggccatatccatgc
acttcttgcaaccttaccttcttttctcatcaccctccagggacctagttggaagagcagagttaaaagttaaggtgaaa
cttggagaggtgtcttgtccctaggaacaaaggactggtttgaaattctctgtaaatcttccccagttcaaaccagagtt
atcaaggtcttaaaaacttccctgggtcctgagagcccattatattatttacttgtcttcctgtacacccactgcctagt
cctgatcctacttttgtttgcaaataggatggggcacaacgtacaaggaagggcctttgccacccctgctaagggataac
ctgaaataccttcaccatcactgccctgtgctgcttttcacctatgccagtctgtctacagtgccagtgtctcctggcat
tgaaagggggagaatcttttggtcctttgagtatttggttgggttacataaatctccctgaatgaagagcagctgacttag
gcaagggccttgtttggttttccttgaactattaacaggaagatagggagattaactgtgtaaatgttcaataggccag
agtccctgcagagggtggccacagtgatcagatcttatcacatccttgctttgggtgttgcctctctggttggagtatgg
atagaaaagaaagaaagaccctatattgaaatgcaaagtgcagcaagtcctgactttggattaacttctcagcccatttg
catgaaaataaaaagatgaataaaacaaggttcccactttggagggaggtggtagctgtgagatggaaggagtgttcctg
ctgggcaacagcagagtaagtgctgggggtagattcactcccacagtgcctggaaaatcctcataggctcatttgttgagt
ctttgtcctacaccaggcactctgcaaaaacgctttgcctgcaaggtctcatgcgatgctcaccacagctctgtgaagtt
aattgtacttttatcaccatttttacagatgagaaaactgagggtatggggtcaatgacttggctaaagtcactgcttagc
aagctgcagggactggatgtgaattccaattggtttgactccaaagcctgtgaagctacttgttcttcaccacctagagc
tgtggttcttgataactgtgaactctttttggggtcacaaatagccctgagaatatgatagaagcaggagctctggcctttt
ctgtccatacctgaacaggtccttgggttaagagcccctcgtccagggcctattaatcttgatcctcataagcagcatcc
atgtattacggccgcaaaccaaactgtgccagaccgaatcctaggaccaagcccaaatatgtcccatcatcctttttggta
agaagctcattgtaagaaagaaagaggagagcaagaggatgacctagtgcatgggggcctcattgtttttaattagtgacaa
aacaacaataataacaacaaaaccccccgaagcttcacagatgacatcagacccccaagcctgtgtgtttttttcaggtgccct
tgaggagctttgtagctggcagaggaggtgaaactgacaaatgtttggcagatggaggagagtaccagaggggtttgaga
tgagctaaattccaatctaaccgcagtgttgaggaagaggcttggattgggaccatggagatggggggttctactcccagt
cacgccagctgactttgcgagtgttctttgtcagtcactttatcttattttatttattttattttttttgaaatggagtt
tcgctcttgtcgcccaggctggagtgaaatggcgcgatcttggctcactgcaacctccccctcctgagttcaagcgattc
tcctgcctcagcctccagagtacctgggattacaggcgcctgccaccaagcccatcgaattttttgtatgcttagtagaga
cagggttttcgccatgttggccagggtggtcttgaactcctgacctcaggtgatccgcccaccttggcctcccaaagtgct
gggattacaggcgcgagccactgtgcccagcccacttcatcttaccgtagttacctccttagagtatgaaaaaataggct
tagggcatccccaagtccctctatgtctgagagctgaggctggctgtcaaagaggaactaaggatgccagggactttct
gcttaggacccctctcatcacttctccaacgctggtatcatgaaccccattctacagatgatgtccactagattaagaat
ggcatgtgaggccaagtttccacctgagagtcagtttattcagaagagacaggtctctgggatgtggggaatgggacgg
acagacttggcatgaagcattgtataaatggagcctcaaaatcgcttcagggaattaatgtttctccctgtgttttttcta
ctcctcgatttcaacagGCCATTTTCCAAATAAAGCCATGCCCTCTGCAGGAACACTTCCTTGGGTTCAGGGGATTATCT
GTAATGCCAACAACCCCTGTTTCCGTTACCCGACTCCTGGGGAGGCTCCCGGAGTTGTTGGAAACTTTAACAAATCCATg
taagtatcagatcaggttttctttccaaacttgtcagttaatccttttccttcctttcttgtcctctggagaattttgaa
tggctggatttaagtgaagttgtttttgtaaatgcttgtgtgatagagtctgcagaatgagggaagggagaattttggag
aatttggggtatttggggtatccatcacctcgagtatttatcatttctgtatgttgtgaacatttcaagtcctgtctgct
agctattttggaatatactatatgttgttaatgatatcatgcagcagacgtgcatctgaatgggctggctctaggagcta
gagggtaggggctggcacaaagatgcatgctggaagggtccttgcccataagaagcttacagccaaggctaggggagttc
```

Fig. 12
Page 6 of 30

tgtcttctctgcatcaggtcacctctctcacctctgtcactgccccatcagactacaatgtctgcaggtctttctcccct
gagtgtgagctccctgagcaaagcaggatgctgccccttccctttgtattccttgctccttgcttcagtgcctgtacata
agtatgggcataataagtgtcccccaaatgagacattgaggattcttcaaatgcacaggaccgtgatgtgagttaggacg
gagtaaggacgatgggatgtggctcatgacaatcctgaggaagctgcagctgcggcacgcagggccacactgtcatgttc
atggaccctagactggctttgtagcctccatgggcccccttccatacac

Fig. 12
Page 7 of 30

Genomic contig containing ABC1 exon 4:

```
tcatgactgccattggtataaagatgaatataatccagaccagattcatgattattcatacatttttagtgtattaactt
ttaattctgctttttaaaataaattaaaacattctaatatgcccttaagagtatcccagcccaggccactgagcctactgt
ggttcatggataagtttgcccctgggggcatgtgtgtgcatgcatgtgtgtgcacatgcatgatgagccgggccttgaag
cgtggtaagatttgggtgtgtagaccaatggagaaaggcatttggggcagtgatgatgggtgggggagggaacatggtga
tgaatggagctgggtgtggggagccatgggagtgggttagggccagcctgtggaggacctgggagccaggctgagttcta
tgcacttggcagtcacttctgtaaagcagcagaggcagttggcctagctaaagcctttcgccttttcttgcaccctttac
agTGTGGCTCGCCTGTTCTCAGATGCTCGGAGGCTTCTTTTATACAGCCAGAAAGACACCAGCATGAAGGACATGCGCAA
AGTTCTGAGAACATTACAGCAGATCAAGAAATCCAGCTCAAgtaagtaaaaaccttctctgcatccgtttataattggaa
attgacctgcaccagggaaagagagtagcccaggtgtctggggcttgttcccattagatcttccccaaggggtttttctc
cttggtggctggcctgtggggcccctctccaggaggcattggtgaagaaactaggggagctggttgccacagacagtgat
gtactaatcttctctgggaagacagaagaaaagtccccagggaagaatactacagacttggccttagggacagctagggg
tgcagattgctgccaactgcatttttttctgaagttggccatatggttgcagtgaatggatttatagacagagtatttctg
tgcatataagagcaattacagttgtaagttgatatggataagtgaaagttaagcacttctttctaaaaagagaatgcaat
tcattttcccctaatcatttcaattagtctgatgggcatttgaacttgttgtctttaaaaagtgaaatctttacctctga
tctggtaagtatccaggcaatttcttgtgtgccacccaggaggtatctggggagtgggcattttctgactgaggcattgg
ctgccatagcatcagagcagccttccaggcagtggcctggcaaggggacagaggctggtgggagcagctggctgagtgca
gccagtaatggcatgt
```

Fig. 12
Page 8 of 30

Genomic contig containing ABC1 exon 5:

```
agctctccaggtgattctgatgcatacttaagtttgagaaccattgcttgttttgcattaaacaggagattagtctctgc
agcttgtgggaataaagctttaaatctctccaatttttagctctgtgaaaaggcagtggggagacaggaatgaacggacta
gtgccacaaagctcaggtggggtgggtgagatcatttagaagagaaagaccgggcatggtggctcacgcctgtactgtca
gcactttgggaggccaaggcaggttggatcacaaggtcaggagtttgagaccagcctgcctatcatggtgaaaccctgtc
tgtactaaagataaaaaaaaaaaatttgccagtcatggtgatgcatacctgtaatcccagctactcgggaggctgaggc
aggagaatctcttgaacccgggaggcggggttgcagtgagctgagattccaccattgcactccaacctaggtgacaggg
tgagactccgtctcaaaataaaaaaaaaaaagaaaaggaaaggctgtgtgtgtgtgtatgtgtgtgtgtgtgtgtgt
gtgtgtaacagcaccatcacactgtttgagttgaggagcacatgctgagtgtggctcaacatgttaccagaaagcaat
attttcatgcctctcctgatatggcgatgctcccctatctcattctgtgtgtgtttagccaggcaactgttgatcatca
atattatgataacgtttctccactgtcccattgtgcccactttttttttttttttgagttacttactaaataaaaataaa
acactatttctcaatagACTTGAAGCTTCAAGATTTCCTGGTGGACAATGAAACCTTCTCTGGGTTCCTGTATCACAACC
TCTCTCTCCCAAAGTCTACTGTGGACAAGATGCTGAGGGCTGATGTCATTCTCCACAAGgtaagctgatgcctccagctt
cctcagtagggctgatggcaattacgttgtgcagctactggaaagaaatgaataaacccttgtccttgtaatggtggtga
aggggagggaggtagtttgaatacaacttcacttaattttacttccctattcaggcaggaattgccaaaccatccaggag
tggaatatgcaacctggcgtcatgggccagctggttaaaataaaattgatttctggcttatcacttggcatttgtgatga
tttcctcctacaagggatacattttaagttgagttaaacttaaaaaatattcacagttctgaggcaataaccgtggttaa
gggttattgatctggaggagctctgtctaaaaaattgaggacaggagactttagacaagggtgtatttggagacttttaa
gaattttataaaataagggctggacgcagtggcactgagttgagaactgttgcttgctttgcattaaataggagatcagt
ccctgcagcttgtgggaataaggctttaaatctctccaattttagctctgtgagatggcactggggaaacagaaatgaac
ggactagtgtcacaaagctcaggtgggatggacgagatcacttcaaaggtctgtaatcccacgtctataatcccagcact
ttgggaggccaaggcgggaaaatcacttgaggtcaggagttcgagaccatcctggccaacaatgcaaagcctgtctctac
taaaaatatgaaaattagctcagcgtggtggcatgctcctgtagtcccagctactcgtgaggctgagacaggagaatcgt
ttgaacctgggaggcggaggttgcagtgagccaatatcacgccattgcactccagcctggctgacagagtgagactccat
ctcaaaaaaaaaaaaaaaaaaaagaattttataaaatcaggaaataatattagtgtttatgttgaattttaacttttagaat
catagaaaacttcctctggcatcattattagacagctcttgtgcagtgggtagcaccagacccagcttgcatggttattg
atttttcagagacacttttttgagcttattctctggcagaaaggggaactgcttcctcccctatctcgtgtctgcatacta
gcttgtctttacaagaagcagaagtagtggaaatgtttattcttgaaaataagcttttttgcttcacatgatctagaattt
ttaaaattagaaaaatgtgcttactgcg
```

Fig. 12
Page 9 of 30

Genomic contig containing ABC1 exon 6:

```
agtaaaatggagaattccaaattctgaaattgttagaacatagttctgtgtcttagttaaatatcgacacttacagataa
atagcataaatgctttctccccatatttcagcccagtcctacttaaagacaacataaattgcaaaatagtgaggatgttg
ttcatctaataaaagtggttccaggaattcagactctggattcctgtttgccaaatcatgtgtcccactcttaagaaaac
gagttggactntggattttttctttgcaagagggacaagagtgtgggagatactgagttaatgcaacttgcaggtttttaag
tgtcctgtcattgtgccttgtgctttgatacattctgagtttcagtaaagagacctgatgcattggactgttgcaatgga
acctgttttaagatcttcaaagctgtattgatatgaagttctccaaaagacttcaaggacccagcttccaatcttcataa
tcctcttgtgcttgtctctctttgcatgaaatgcttccagGTATTTTTGCAAGGCTACCAGTTACATTTGACAAGTCTGT
GCAATGGATCAAAATCAGAAGAGATGATTCAACTTGGTGACCAAGAAGTTTCTGAGCTTTGTGGCCTACCAAGGGAGAAA
CTGGCTGCAGCAGAGCGAGTACTTCGTTCCAACATGGACATCCTGAAGCCAATCCTGgtgagtagacttgctcactggag
aaacttcaagcactaatgctttcggaatgtgaggcttttccttggacagcatgactttgttttgtagaaaagtacggctg
gctgggagtttgtgatataatttagttcagtggtattctaagtgttcttagtgttctttcagacttttgggccatctccc
aaagggtgaatgggaagaataagctgggtgtggctgagtttaagccaaaagttttttgtgcttgtttcaatcagagaaga
cctgctttttcatgtttttactattataatactaagcaagagctcatttgaaaacagagttcttcatatttaaaaaaaaa
aagtcttgaaaccattgatgggaagatggatatctatttatgtttaaaaacccatcataaagatgacattgtgggctgtc
acagttggaaggccctggaattagatgagaccacactatttagcttacttagtaataacattg
```

Genomic exon containing ABC1 exon 7 and 8:

```
ccgtttggcaaatgctcagtaaaagaaaagggttagaagggggagaaaggcatttttatcccaagccttcaggaatcaggat
gaggatgtcttcaccttgtggtgggggagtaattatacaattagagacagcacattggagtgtggctgatatgctgtgtga
tgatagctctagctctctgcctagcagaggaaggacatttcaatagaagaaaaagtttaagaccttgccgagaaacagag
aaaggatgtttgtcttttttaagaagttgaaaaccctgtttgcagacaaaagccctccagttttggcagtaaactttcatg
caagggaagaaaaaggcaggggatgacattgttgacaattgtgaggaattaccatgtgccaggcactgtgcgaggggctt
tgtacatatcctctagttttagtgcttataaaaactctgtgatatgtgcacagcattttaaactttgctgcatagtcgag
aaaatggaaggatggggaatttgagtcatttgcccagggttctatagctaccccaggttcccatgactggagaattgggg
cacagggtggcggggagagtgagtgacaagaatcctaacaatcttatttccattgagtccttataaaagaagtggatta
actaccacgttttttaagttttttcttaaatttaggttatgtggatctggcgtttcttgttttgtcctgggtttgttttgtt
tttgctatgctgtcttgaacatctgtcatcttgtaggcctaacggtaaacacaaaaacactttacctcctatagctttca
attaagatctctcagttgtgtgtttgtaatagttttccaggcaagttctccctaggttcggcttctagtgtgttaacctttt
agttataaagtgaacccaaagagagaaagtagaaacaaaacacctcacctgttttttgctcatgaattactctctatggaa
ggaacaatcatgaacacctctgcgtatcacagaggcctatctgagtctgacgtttaagggagaccgcgtaggtcccttttg
aggactgtgaatgtgggagtcctgggactctggtgaagaacccgttccagaagagatgaatgagctggacaagttctttc
atagaacctttaggcaggttttcttagaaatgcacattgaggattatgcttggatattgtgatgatcagaatgatactca
atcccttctgcatttggaattctctttgaaagaaaacatcccaggcagctatttctcagagatagtgagtcccagccact
tctagacatttcttgtgtagtctacattataatttcacagcagtctctgatatgacaaatgtcaaaatagcccaacctt
ctctaaacttcagagatgtctgatatgatattgaataaaacaatgctcatagaaacatcaagaaaggtggattttttccctg
gatactttttttcctgcttgacaaataacagtgaagaaactgatctcacgtcttttttctctttggaagcctgaacactcag
aacccaacttgaggctcctcagctatagcaattctgacttcacagtctgtaaattattgttcttttttttttctttagcttta
tgctttctgccctaatttatcttttccctgttctaatgaattattgtcctatatctgctgtgcagttaggtgacatataa
cagcaattaaatatatgaattggtacatataaagatttgactaaaactcgatgtaaaaataagtgttctacattcaattt
ccagtgttagaaacagtgctgacttgaacagagtgacagaattccatctttccctattttttgacagctttaaactttata
ttttcttccttttcttgtgagccgtcattaacttgtttctcaaagccattcccgtattacccatcttgcagacgcagacag
atttgggaatttgcggtcagagttgtattggacacatcccccccagcccacatgagatccttttaatctctattgcatattaa
ctagttttaagtacaatattcctacttcatttaaaaaccattaatcaaagaatgagtttgaaaatgaacaaaatgcaaact
tacagttagaaataattgtagtgtctttagttttggttaggagtcggtttcttgtttgttaaactcaagattgtgaacag
ttttaattcacttgtttatttccaatagagatttcaggtttacatttgaattcagaaacaaagttttctttctcattaca
GAGAACACTAAACTCTACATCTCCCTTCCCGAGCAAGGAGCTGGCCGAAGCCACAAAAACATTGCTGCATAGTCTTGGGA
CTCTGGCCCAGGAGgtaagttgtgtctttccagtaccaggaagcggatcatccactgtatcagtattttcattcctgagt
ctggcaagaggtcctttttgagttgaatatcacatgggatgtaatatcaattttcaaagtataagtgatgtaaacaataat
gttttgatttccttatttttagaaatgaagaaacctaaaactcatagatgtctcagagctaattggttagtggctaacagc
tggatatctagtttagaaccttctccattttttcttttttgcccctaggtaatcatacatttgtaaagaggagaattatct
ctgccactgcccatgcactgcttttgtctgaccagcaatttctccatattgcttcttcagtagcaaggccaatcatttta
ccaacacacatgcttgctaactaacaggaataacgtggtacccctaattcagcccttttcccttgaaagcatctggcttct
gaggttcaactatgggaatatggtctcttaatgaacattaagttgagtttgccttttaggtccacatgttgacaaatgta
tcagagtaatctctgtcctaggatcagagggcctgtaggcacttgcaaaagcagttagctctgactcccagccagtgcac
actccacctttctgactcccagccttgtctcaaattaggcttggaagcgaggaactgtctggtgtcccccagcataggaa
gctgagccagggggcagtgctcacaaacaatacagactttaacgtgtaggatattggaaaataataatttgtggggaaat
tgtctcagacttggtccaccettattttttagctgcttctctaatccgtttttcttttttttggtgcttgtatctaacctac
ccattttttggtgcttgcatcatttttttcaaatatcaaaaacgaactttatgtttttctaacaatgaaagtattgcatgtt
cattgtggaaaatgctgaagacttggaaaatacaaaaatgctgagatcaaacactattgatacgttagtgtatttcttcc
tgtcctgttctactttctttctttgaattctgctcacgtgtttctgactgatgaggtctgacttttgggttccttttcca
gaggagaagccttctttcagcttgccatttgttaccctggttatgaaggctggtaacctttttttactaggtagagaagct
ggaccaactggggttcttccaggggggagaatgagaaagagaaactgttttgcaagtccgtagctatttctctagggccct
gttagctgacattgacatgccttgcattgctctgcagatcccctcgcagccctctgtcccttgttcatttctggccttag
agaaagcaaagcagggtctgtaacaggggaggctgcctctaaactcagggtttggttacagctgttttcacttacatcac
tggccctggttttttttttttttctggcattaaaaaaaaaaattggaagcaggtgatgttcccattgctgatgtggtgga
aactctccaagtgaacaatatacgtttttcttggcagctgtttcttgtgccctgcttgctcctggtccaggacaagcaag
gaccatctgcctctttcaatagaacacctccagatccctttgatcaaaagttactcattgtctgacttgctatttctgtg
agataaatgggagaagatcaatagatgcacttgtttgtccagtcagcgtgtggaaagttgataattttgaccaaagcaca
accctgaaaggaaaagaaaaagggagtgaatgtcttctgagaagctgcctaggttcagacagtgtcacccatttccctgt
atgctccacatgacaaacctgagtgggtctcatcatgtccattttgcagatggcaccaaggctcagaaaggttaggcaac
ttttccagtcacccaatgagttaattgacaaaactgggattcaaacccagaactgttggattccaaagcctgtgttgttg
cctgcttcgtgaaaaactccagtagcgactggaatagaaaggagaaccttccaagaaagaaaatacgcactagcagaacc
```

Fig. 12
Page 11 of 30

tggaaattgggaggaaatgaggacttgaggaataagatgaatgaaagctgacctgagtttcacatctgggtgatgggaag
ggaggacagggaggcagcatctcagatgtccacccagcaccgaccagctgcctggcattgctaggtgttgaggactcagc
agtgaacacgctaacttctctgctttcttggggcacgtatagggtgagagacagaaacaaacaggtcagtgtacaatgcc
acaggagggatatatgcagtgaagaaaaagcagggtaaggggcatagagcatgagaaggtgcttttttttaaaggggktga
ttaggaaagctctctctaaggtgacagttggacctgaaggagatgatagcatgtctgtggtgagggaaggaaactccgaa
caggaagaatggcagatacaaagacattgatgctagagcatgcctaaggaatgtgtttaaggaccagggaaagtgagcaa
gtggtgggggcaggagaggagctcagagcaggaggaggtgagtgccatacaggcctggcaagactttggattcctgctgg
gtgagatgagaatccagcggagggcttgagggagggggacatgatgtgatctagagtttagactgtttacactctggttgt
tgggttgagaagagactgggatgggggaaagggaggacaaaggacattgtgctggattgagaaagcagtaagtcagtttc
attcattcactcaaccgatgatgttcaaataccaccatcatccgtgggctaaaggatgaagagccatccctccctgagag
tcaggaagcacttccagataaagtttggagtgtgagctgaggtgtaggagaaagagtaagagtttacccctgaaacggg
tgctggcaagagtcaatagtttggaataactcaataatttatggtgcttctttagaaagatttgctggctttatgtggga
agaaatttktttttttgattggggagtggtgggttggtggtgaggctgcctgtggaaagagaagtgagtgttttgactca
ctgttatttaaaaatctctagggctgttccaataagcaacaaaaggcaaaatggcctggttctctgtccccttctgtct
gtatgcctcgtacaggttatgaaaagaaaaagttgggaaaagctgtccacctcacctaattgtgttcttgtggagtgtgc
tagatgcccctctctggagaaaaaaaatccttgtggcctctgacccacctctggagagcctagttcccttctggaggca
gaaggcaaagcttaggacctagagagtgctggaccacgccactcacaggaaccagcaggctgtgaggttgaaagctaggc
atatggagctttccaggctgggtgcagggcctcgtggcccttcccctcccctctgtgctctatagctcagtcttcccagg
cggtgtgaacacgcagtgacatttccaggaatacagggatttattaatgatttcttgtgaaatgtttggaaatacaaagt
actctataaatatttcataatagcattggggctgagaactccacaaagtgccggaatacatttgcatgtaagacagaacg
ctgcctgggtcattgatgcctgttgagtggcagtcacagacactgcctagggtttctgactcacgctgttgggactgttc
tatgcagggcaccctcttgtgtggcataggatttgtgcctcaccacacactgttgtagctttgctgtcttgatgatgagt
agagggcagtgtccaggccatggtataagcatctactgcccccccagggttaccaaaaccaagccaagttgtgtctcagcg
agctccgtgaagcatggagaagttgagtactcagagacatgacgtgacttttcaaaggctgtaagctgacgagggacata
gctagggttcagacttgagttttttctttttctttttctttttcttttttttttttaagactgagtcttgcttttgtcgccca
ggctggattgcagtggtgcttggctcactgcaacctctgcctcccgggttcaagcaattctcctgcctcagcctccccag
tagctgggattacaggcacctgccaccatgcctggccaacattttgtatttttttagtagagatggggtttcaccatgt
tggccaggctggtcttgaactcctgacctcaggtgatccacccgcctcgacctcccaaagtactgggattacaggtgtga
gccactgcaccggcccagactcgagttttttcatcttaatgctttttcattgcctgacactttactgagaccaagatagg
gaacttcacatacagtaccttttctcccaaggcggaagagggctgttcaatttctacactagagttcggggagtttttaga
aatgagtcagttatcgaggatgagagcagttcctgataggctcaaccacaatgagatgtagctgttcagagaaagcattc
tttttatctatataactggaagataatcccggtgaaacgaagcccagccccaggggcttcactaactccaggctgtgcttct
caaactttagtgagcataggaatcacctgggcatcttgtgaagctgtagatttgaattctgcaggtcggcagaggggtct
cagaatccgcatttccaacaatgtctccagtaatgctgatgctgctcgtccctggaccacagattgggtagccaggttct
ggcaagctcatcccaaggctttgagatgacatcagacaaaatatgttctgggacatggcttttgagaggtcaagaaaata
agatgtttctttctcttctcatccccaacccttgcactgccctttttctcccttcccctaccctccttctgtccccatcc
ctgacgccagCTGTTCAGCATGAGAAGCTGGAGTGACATGCGACAGGAGGTGATGTTTCTGACCAATGTGAACAGCTCCA
GCTCCTCCACCCAAATCTACCAGGCTGTGTCTCGTATTGTCTGCGGGCATCCCGAGGGAGGGGGGCTGAAGATCAAGTCT
CTCAACTGGTATGAGGACAACAACTACAAAGCCCTCTTTGGAGGCAATGGCACTGAGGAAGATGCTGAAACCTTCTATGA
CAACTCTACAAgtgagtgtccatgcagaccccagccctgtccccaaccccatccctcccttagttctggccttggcctgt
gtcatctcctccctctgtagcagcgttagatgtctacatgcccatttgcccaccagactgagctcttcctagaggagaga
ggcttctcttgaatagctacctgtccccagttctctgaatgcagcctggcacatctcaggtgcacagtagtgtttatcaa
tggaatgaatgattgacagccaaccttctggttttctgggggatgtggaagggtggcttccagggtgatcaagaatgaga
taatggcagaaggacaaatcctgcaagatctcacttatatatggaatatatgtaaggtagaaagtgtcagtttcacatga
tgaataagttcctgggatcttgatgtacatcgtgatgactatagttagtaacactgtatagtatacttgaaatttgctaa
gagagtagatccgaagtgttcacactacacaaaaaaggcaactatgaggtgatggatttattaacagcttgattgtggtg
atccttttacaaagtatacatatattaaaacatcacattgtataccttaaatatatacaatttttatttgtcagttgtaa
ctcaaaaaagctagaaaagcatttttaaaaaggatgatgtactggtcttaatattaccattgagataagctttataataa
cataaaaagaaataacagtaatgataatagcaacaacaacaacaacaaagaactaacatttaagtagaatttcttgtgca
ctgtgcattctgtttaagttatctcattttaccctcatgataacctgcagggaagattctttaacccacatttcatagg
ctcagagaggttaagtgccttggttagagccacatcagagttaatccacaagagccaggattcaagcccaaatctgcctg
gatctgtgctctctaagataactgttagtggtggcgtgtgtgttctcacactcagacatttgatctgccctttgtttccc
attcttagctgcaaggcagtgtttaaagaaccctgtgtctccatatccactccccacacttaagcacttttgtgggcccgt
gtgccgtatgcctcgtggcagcagggatccaatgtcacagtttttaggcagtggcatcctttttccttgaaaacttgatgca
ggggaacctttctccatttccaaccacaggtgtgtctttcagacactgagtgaggcaggttttgtactttattgtaacac
aagaacctttttcttctctggagtaaagcactccagacattcgcaagttgctttacaagccttaaaaggatggtattgtag

Fig. 12
Page 12 of 30

gcaactttaattaaatcccatctcctcctctcccccagcttgcaagttgacccaaggaagccttcatttccatgacagac
ttaattgtgagggcatcctca

Fig. 12
Page 13 of 30

Genomic contig containing ABC1 exons 9 through 22:

```
actgtgttagcaaggatggtctcgatctcctgacctcgtgatccgcctgtatcggcctcccaaagtgctgggattacagg
cgtgaaccactgcgccctgttgagaatttttttttttttttttgggagaaagagtttcgctcttgttgcccgggctagag
tgcagtgacacaatctcggctcactgcaacctctgcctcctgggttcaagcaattctcctgcctcagcctcatgcgtcac
cacgcccagctaattttgtattttttagtagagacagggtttctccatgttggtcaggctggtctcgaactcccaacctca
ggtggttcgcccgccttggcctcccaaagtgctgggattgcaggcatgagccactgcgcccagccccaaattttggtttt
tgcttgaaaactgaggtctgaattcagccttctggttgcccctcaagagtcagtttaaatgttggtcatgttagttgtca
gtgaaaacaatggtgaggctggcatgagagtgtgaatctggatgggagggcttgtgcttcatgaaaacattttttccagat
cagctcagtcgtgagttatccgtcattgacgttataataagctctgattatttatcaagcatcattctttatagatatct
cagtttaatctgagataatcttctccacatctctccacatagatgttatgaatttttacttttacagaggagccaactgag
gctcagataagttacttattatatgactagtagtggtagagctggggtttcaactaagaactctctggctccaaagccct
tgtaagtttctatcagtatatgaccatgcatatgagcatttgtctctcctcttcttcatagCTCCTTACTGCAATGATTT
GATGAAGAATTTGGAGTCTAGTCCTCTTTCCCGCATTATCTGGAAAGCTCTGAAGCCGCTGCTCGTTGGGAAGATCCTGT
ATACACCTGACACTCCAGCCACAAGGCAGGTCATGGCTGAGgtaagctgcccccagcccaagactccctcccccagaatct
ccccagaactgggggcaaaaaactcaaggtagcttcagaggtgtgcgctaagtatactcacggctcttctggaattccca
gagtgaaaacctcaagtctgatgcagaccagagctgggccagctccccagtcgtgggtatagaatcatagttacaagcag
gcatttcttggggatggggaggactggcacagggctgctgtgatggggtatctttttcagggaggagccaaacgctcattg
tctgtgcttctcctcctttttctgcggtccctggctcccaacctgactccagGTGAACAAGACCTTCCAGGAACTGGCTG
TGTTCCATGATCTGGAAGGCATGTGGGAGGAACTCAGCCCCAAGATCTGGACCTTCATGGAGAACAGCCAAGAAATGGAC
CTTGTCCGGgtgagtgtccctcccattattaccatgtgcctgcttgatactggagaggtgagtttctggtcactttccca
ggtgtgagtgaggtgagaattctttcagtttatctagctggggggaatgtagtgagcatagctaaagtcacagggcaccac
ctctccagaagtacaggccatggtgcagagataacgctgtgcatatcagcatccatgccactcacggtcaaatagcagtt
ttctgcaaaacttagtgagggctggtgtttggaagtggagttgagtaattgcagtaccctattttccttttgctgcagc
ctctcagccagccacagcatctccctgtgtcttggtaggttttggaaagaagtgtgggagcaaaagcatgatgttacatg
tagactggcctgagatactcattctcagggcactgtgtgaatgatgagctgctgttactgtgtggaggggaaatgcactt
agtgcttcagagccacttgaaagggataagtgctctagagacaattgggttcaaatgtggagcaggctgagcaagaacag
aatgtctcctttgcctgagcctgagtgctgttaatcacatcttcctgccttgggctgagttagagaatcattagactatt
tcctgtttccatggtgagggaggcctcttcctttgtctctgctcccttaagaagcaggtgaggattttgccaggtttc
ttgttttgaaccttattgactttaagggcggctgggtttttagagactgtacctacctaggggggaacacttccgaagttta
ggactattccctgatccgctgggaggcaggttactgaggaagtccctttaaaaacaaaggagtttatactgagaaaagca
taaacagtgatttgtatggattcacactgactaatatagctcatgccattaaagtggggtctcttctctaaaggagggtt
atatgatctagcccccgtagacctaagtgtggtttcagacctgttcttcctggtcctctccttggaatccatatttctact
agttggactttttctgtttgtctggctctcagaggattataggaggccctgtgaagtgactcagtgaattttgatttgtg
ggcaagtagatggttccctagtctgaaattgactttgccttaggtgcttcaattcttcataagctcccagttcttaaagg
acaagatccttgtaaacatggcaatggcattcattaggaatctagctgggaaaatccagtgtgtatgcttggaaatgagg
gatctggggctggagagaaaggcatgggcatgccttggagggacttgtgtgtcaagctgaggacctttactttaagctct
aggggaccaggcaaggggagatgtagatacgttactctgatggggtggatgaattgaagaaggatgaggcaagaatgaag
gcagagaccagggaggaggctctccaagtggccaaggcataaagcaagaaatgaggcctggtgactgcttagtggcagag
cagtgaaagagagggaggcatcaaagtgagtctcgatttctagctgggtgggtggtagcgatgtccagtaggccagtggc
tactgaggtctgcagtggaggagggtggttgggctggagacagatgatgagggagtcatcagcctgtgggtggaagaaa
gggaacctcttccaactgttttctttgcttcttccctctctttctcttttttttttttttggacagagtcttgctctgt
cacccaggctgaaatgcagtggcatgatcttggctcaccacagcctccgcctcctgggttcaagcaattctcctgtctca
gcctccagagtagctgggattacaggcacatatcactgtgcccggctaattttgtattttcagtggagatgggatttca
ccatgttggtcgggctggaatgaactcctgacctcaagtgatccacctgcctcagcctcccaaagtgttgggattacagg
catgagccaccgcgcccggccttctttcctctcttaaagagtgttatttaattccacaaacatgagcttgtcacccc
tgtagcctggcatctcctacacgaggtgatggctgaggcttctgcttctgctggggtagctctgatctttctgctttctc
tggcactgtctacccatgttgcctcaccccacaggtcccagggcacctctctcgggcaagtcttggaaccctctgacact
gatttgctctcttttctgagctgcttttagccacccatcctcgggacctgttttctctctgcctccacccctgcgggcag
tcttaggtctcctgcccctcacgagcaccccagagaggccacgtgctcagtgatctcagtgggcgcatctttctagtctt
gctattcttttttggccatgttgttcagaaaccatactgggcagggccgacttcaccctaaaggctgcgtctcttcactct
gctttgtttgttccaaataaagtggcttcagaattgctaacccttagcctctgtgaacttgtgaggtacaattttgtgtc
tgttatgttaacaaaaatacatacataccttcctggtgatggtataaattgctattctctattggaaagcaatttggaat
gaaaatttaaagaaccattttaaaatatgctatcctgcgtacctccattccacccacccccagggatgtagcctactgaa
ataattttaaagaagtcaccatatgagagaaaatgttattgctatattgttattgtgagaaattggaaatagactaaatg
ttcagcactataggaataattaatgaaattacatatactctatacaatcattatgctgccattgaaataataaatacaaa
ggcgcaagggggaaaagcttataatgttagtgaaactaagactgattttttttataaagcagcagttttcagacccttgg
```

Fig. 12
Page 14 of 30

agactccaattcggtagaaccagagcttcatcttctctgtcgaagctgtgacaggagttgcaaatgcctctccttttt gc
tgagtttgcagctgctgtttttccggcagcacatctgtgcaggcctctgcctcggcccctctggatctgctgattgagca
gcggattgatctgtccttctctttcgtgttgacccatgtgaggaaccaactggcaagggaacaagaaatggaaataggcc
tcctttgcatcatgacctgtacatcctgcaattggaaaagattgtactttagttggtttaaccagcagcattattttttct
aaactaagcagtaagaaggaattaggtttttatgtgtgggatcaacagactgggtctcaaaagaggaaggtgatagaacacag
tggggaggggaggtgcactagaaacagagggcctatgctttcattctggctttgctacttaatagctgtgtgacccaat
cttagagacttaacctctctgaacttccattttctcatgtataaaatgggaaatattaaaggatactcactgggctggtg
gcttgtgcctgtaatcccagcacttggggaggttgaggtggggaggatcacttgagcccaggtgttcaagaccagcccagg
caacatggcaagactctgtctctatgaaaaaattaaaaattagccaggtgtggtggtgtgcacctgtagtcttagctact
tggtaggctgagatgggaggatcacttgggcttgggaggtcaaggctgcggtgagctgtgattccatcactgcactccag
cccgggcggcagagcgagacactgaatccaaacgacaacaacaacaaaaggcaaaaaataaaagtgccctcttatgga
gttgtgtaaggtgaagcatatacactattcaacatagtaactatataaaggaagtattgttgttgttactgtagttaata
ccattaagtgagatgtttcgtatagtggaaagcacatggactctgaattcagactggtctgactttgagtctcagctcca
catctactaatactatgaccaagccctggttaaaatcatgtttttttttttcttcagcctcagtcttctcacatataaaata
gggacactgtcatttacctcagtttTctgtgaggataaaacaacgacagtgtatatgcaagtattttgtaaattttgtag
tgctcctcaagatttagttggtgtttactacttgtactttctcactggaatggcagATGCTGTTGGACAGCAGGGACAAT
GACCACTTTTGGGAACAGCAGTTGGATGGCTTAGATTGGACAGCCCAAGACATCGTGGCGTTTTTGGCCAAGCACCCAGA
GGATGTCCAGTCCAGTAATGGTTCTGTGTACACCTGGAGAGAAGCTTTCAACGAGACTAACCAGGCAATCCGGACCATAT
CTCGCTTCATGGAGgtgaatctgttgctgggatcatttagaaaagacttaacggcttctttctctgagacgttacaataa
ggttcaggcaggaggcaagtttagaaataatgtatagtctcatttacaaaactatccctcaagcctaacacaggatttga
taacaaaaggcacttaataaatgttagttgagtggttgaatgagtaaataaactctagctttagtaaattaactctagct
tattctatataggctcaagagaatatttctacccattttcttctaggttttcctatctcagtgactaatggtagcaaagc
attcccttaaaaaggcattatttgtgaaacttayctaaaatcgaattcgggtccaattaaatttttgaaattttatatta
aaaattatattagtagggatgggtaagaggtgtttttggtctggttggttggttagttgctatgactcagaattgctaaga
aaacagaaagtaagataagatcattgttttaacctctttttcctccacaaaatcaataaataacatatccctaaattact
cttagaatttctcttaaattgcagtgaaaaaccaaaatccttcattcttggttgaaggttggaaaactacgttagagagg
attagagagagaggatgagcaatcgtgtagtcagcccttgcctcctagtgtaggatttgtctcagccactgcttgttgtc
ctggctgccaacgttctcatgaaggctgttcttctatcagTGTGTCAACCTGAACAAGCTAGAACCCATAGCAACAGAAG
TCTGGCTCATCAACAAGTCCATGGAGCTGCTGGATGAGAGGAAGTTCTGGGCTGGTATTGTGTTCACTGGAATTACTCCM
RGCAGCATTGAGCTGCCCCATCATGTCAAGTACAAGATCCGAATGGACATTGACAATGTGGAGAGGACAAATAAAATCAA
GGATGGgtaagtggaatcccatcacaccagcctggtcttggggaggtccagagcacctattatattaggacaagaggtac
tttattttaactaaaaatttggtagaaatttcaacaacaacaaaaaaactcaacttggtgtcatgatttttggtgaaattg
gtacatgacttgctggaaggttttttcataggtcataaaataacagtatcttttgatttagcatttctactcaagggaatt
aattccaggaattttggtggcaggcacctgtaatcccagctactcgggaggctgaggcaggagaattgcttgaacccagg
aggcagaggttgcagtgagctaagatcgcatcattgcactcccgcctgggcaataagagtgaaactccatctcaaaaaaa
aaaaaagatacaaaaatagaaaaaggggcttggtaagggtagtagggttttgggcaatttttttttttttttttttttttt
attgtatggttctaaaggaatggttgattacctgtggtttggctttagGTACTGGGACCCTGGTCCTCGAGCTGACCCCT
TTGAGGACATGCGGTACGTCTGGGGGGGGCTTCGCCTACTTGCAGGATGTGGTGGAGCAGGCAATCATCAGGGTGCTGACG
GGCACCGAGAAGAAAACTGGTGTCTATATGCAACAGATGCCCTATCCCTGTTACGTTGATGACATGtaagttacctgcaa
gccactgttttaaccagtttatactgtgccagatggggggtgtatatatgtgtgtgcatgtgcatgcatgtgtgaatgat
ctggaaataagatgccagatgtaagttgtcaacagttgcagccacatgacagacatagatatatgtgcacacactagtaa
acctctttccttctcatccatggttgccactttatctttttattttttatttttttttttgagatggagtctcgctctga
cgcccaggctggagtgcagtggctcgatctcggctcactgcaacctttgcctcccgggttcaagctattctcctgcctca
gcctccacagtagctgggactacaggctcatgctgccacgcccggctgactttttgtattttagtagagacgaggtttca
ccatgttacccaggctagacttcaactcctgagctcaggcaatccaccctccttggcctcccaaagtgctgggattacag
gtgtgagccactgcacccagcccaccactttaattttttacactctacccttttggtcaaaatttgctcaatctgcaagc
ttaaaatgtgtcatgacaaacacatgcaagcacatactcacacatagatgcagaaacagcgtctaaacttataaaagcac
agtttatgtaaatgtgtgcacttcttctccctaggtggtaaaccacatttcaaaacaacccaaataaaactgaacaaagc
ttcttcctcttagacttttttagaaaatctttcagtgctgagtcactaagctgccaagttctcattgtgggaactatgcct
ttggatgtaatgatttcttctaagacaatgggcggaggtgtagttattgcagacatctgaaatatgtaatgtttcttcca
gattctggaaattctcttattctctgtggttggtggtggtggtgggatgtgtgtgtgtgtgtgtgtgtgtgtgtgtgt
gtgtgtagggatcaggatgcgggaggagctgggttctgcttgtattggttctctgttttgcattgaatagtgtgtttcct
tgtatggctatctatagcttttcaaggtcaccagaaattatcctgttttttcaccttctaaacaattagctggaatttttc
aaaggaagactttacaaagacccctaagctaaggtttactctagaaaggatgtcttaagacagggcacaggagttcaga
ggcattaagagctggtgcctgttgtcatgtagtgagtatgtgcctacatggtaaagctttgacgtgaacctcaagttcag
ggtccaaaatctgtgtgcctttttactttgcacatctgcattttctattctagcttggaatctgaaacattgacaagagc
tgcctgaaatgtatgtctgtggtgtgattagagttacgataagcaagtcaatagtgagatgaccttggagatgttgaact

tttgtgagagaatgagttgtttttttgtttttggttttttagtactttaacataatctacctttagtttaagtatcgctcac
agttacctagttactgaagcaagcccccaaagaaatttggttttggcaacactttgttagcctcgttttttctctctacatt
gcattgctcgtgaagcattggatcatacgtacatttcagagtctagagggcctgtccttctgtggcccagatgtggtgct
ccctctagcatgcaggctcagaggccttggcccatcaccctggctcacgtgtgtctttctttctccccttgtccttcctt
ggggcctccag**CTTTCTGCGGGTGATGAGCCGGTCAATGCCCCTCTTCATGACGCTGGCCTGGATTTACTCAGTGGCTGT**
GATCATCAAGGGCATCGTGTATGAGAAGGAGGCACGGCTGAAAGAGACCATGCGGATCATGGGCCTGGACAACAGCATCC
TCTGGTTTAGCTGGTTCATTAGTAGCCTCATTCCTCTTCTTGTGAGCGCTGGCCTGCTAGTGGTCATCCTGAAGgtaagg
cagcctcactcgctcttccctgccaggaaactccgaaatagctcaacacgggctaagggaggagaagaagaaaaaaatc
caagcctctcgtagagaaggggtcatacctgtcatttcctgcaatttcatccatttatagttggggaaagtgaggcccag
agagggggcactgacttgcccaaggtcaacccagccgggtagcagctaagtaggatgagagtgcagggttcatgctttcca
gataaccacatgctcaactgtgccatgctgtctcattggtagtggttcatggcagcatctgaaagctatttattttctta
gatatattgggtggcgattcttcctaagtttctaagaacaataatcagaaggatatatattgttgcaggttagactgtct
ggaagcagaggctgaaatagagtttgatgtatgggtatttatgagggctcaataacctatggaagagatatggaagatgca
ggattgggcagagggaggagttgaactgtgatatagggccaaccccgtggggcactctagagaatatgcagcttgttgga
gttgttcttcatcgagctgaaacatccagccctttgtgctccccaaggcctccctcctgacaccacctacctcagccct
ctcaatcaatcactggatgtgggctgccctgggaaggtcgtgccccagggcctacatggctctctgctgctgtgacaaac
ccagagttgctgatgcctgaggccgtctactgacagctgggcaacaaggcttccctgaatggggactctgggcagtgcag
ttttgtgtctgaaccatacattaatatatttatatccgaatttctttctctgcaagcatttcatataaagacacatcag
gtaaaaataaatgttttgaagcaaaaggagtacaaagagataagaactaactaatttaatactagttaccatctgttac
aaatagttcctactgattgccaaggactgtttaaacacatcacatgggcttcttcttctatcctcactaacccttttaac
agacaaggaaatgaggctcaggaaggtcaaggactttattgaggttccacagtaggatacagttcttgctaaaagcaacc
cctccctcatgctctgttatctaactgcaaggggaaggtcagtggcagaggtagtggtcccatggttggtgcataagagc
tgctctgagacaactgcatgctggtgggtcctgcagacatgtacccatcagccggagataggctcaaaatatccacaaga
gtttggatgattgtgggaatgcagaatccatggtgatcaagagggaaagtcaagttgcctggccattttccttggctttt
agacagaaaagttacgtgggatattatctcccacagctcttctgtggtgccaccagtcatagtccttatataaggagaaa
ccagttgaaattacctattgaagaaacaaagagcaaactcgcccactgaaatgcgtagaaagccctggactctgttgtat
tcataactctgccattatttttctgcgtagtttgggtaagtcacttatcttctttaggatggtaatgatcagttgcctc
atcagaaagatgaacagcattacgcctctgcattgtctctaacatgagtaggaataaaccctgtctttttctgtagatc
atacaagtgagtgcttgggattgttgaggcagcacatttgatgtgtctcttccttcccag**TTAGGAAACCTGCTGCCCTA**
CAGTGATCCCAGCGTGGTGTTTGTCTTCCTGTCCGTGTTTGCTGTGGTGACAATCCTGCAGTGCTTCCTGATTAGCACAC
TCTTCTCCAGAGCCAACCTGGCAGCAGCCTGTGGGGGCATCATCTACTTCACGCTGTACCTGCCCTACGTCCTGTGTGTG
GCATGGCAGGACTACGTGGGCTTCACACTCAAGATCTTCGCTgtgagtacctctggcctttcttcagtggctgtaggcat
ttgaccttcctttggagtccctgaataaaagcagcaagttgagaacagaagatgattgtcttttccaatgggacatgaac
cttagctctagattctaagctctttaagggtaagggcaagcattgtgtttttattaaattgtttacctttagtcttctcag
tgaatcctggttgaattgaattgaatggaatttttccgagagccagactgcatcttgaactgggctggggataaatggca
ttgaggaatggcttcaggcaacagatgccatctctgccctttatctcccagctctgttggctatgttaagctcatgacaa
accaaggccacaaatagaactgaaaactcttgatgtcagagatgacctctcttgtcttccttgtgtccagtatggtgttt
tgcttgagtaatgttttctgaactaagcacaactgaggagcaggtgcctcatcccacaaattcctgacttggacacttcc
ttccctcgtacagagcagggggatatcttggagagtgtgtgagccctacaagtgcaagttgtcagatgtccccaggtca
cttatcaggaaagctaagagtgactcataggatgctcctgttgcctcagtctgggcttcataggcatcagcagccccaaa
caggcacctctgatcctgagccatccttggctgagcagggagcctcagaagactgtgggtatgcgcatgtgtgtggggga
acaggattgctgagccttggggcatctttggaaacataaagttttaaaagtttttatgcttcactgtatatgcatttctga
aatgtttgtatataatgagtggttacaaatggaatcattttatatgttacttggtagcccaccactccctaaagggactc
tataggtaaatactacttctgcaccttatgattgatccattttgcaaattcaaatttctccaggtataatttacactaga
agagatagaaaatgagactgaccaggaaatggataggtgactttgcctgtttctcacag**AGCCTGCTGTCTCCTGTGGC**
TTTTGGGTTTGGCTGTGAGTACTTTGCCCTTTTTGAGGAGCAGGGCATTGGAGTGCAGTGGGACAACCTGTTTGAGAGTC
CTGTGGAGGAAGATGGCTTCAATCTCACCACTTCGGTCTCCATGATGCTGTTTGACACCTTCCTCTATGGGGTGATGACC
TGGTACATTGAGGCTGTCTTTCCAGgtacactgctttgggcatctgtttggaaaatatgacttctagctgatgtcctttc
tttgtgctagaatctctgcagtgcatgggcttccctgggaagtggtttgggctatagatctatagtaaacagatagtcca
aggacaggcagctgatgctgaaagtacaattgtcactacttgtacagcacttgtttcttgaaaactgtgtgccaggcagc
atgcaaaatgtttttatacacattgcttcatttaattctcacaaggctactctgaagtagttactataataaccagcaatt
ttcaaatgagagaactgtgactcaaagacgttaagtaaccagctttggtcacacaactgttaaatgttggtacgtggagg
tgaatccacttcggttacactgggtcaataagcccaggcgaatcctcccaatgctcacccaattctgtatttctgtgtcc
tcagagggggtacaactaggagaggttctgtttcctgagtacaggttgttaataattaaatatactagctctaaggcctg
cctgtgatttaattagcattcaataaaaattcatgttgaattttctttagtacttctttcttaatataatacatcttct
tgaccaagtccaagaggaacctgcgttggacagttttcatatgagatcaaattctgagagagcaagatttaacccttttt
ggttcaccttctgatcctcccctaaggaggtatacatgaaatatttattactcctgcctgaacttctttcattgaatatg

Fig. 12
Page 16 of 30

caattttgcagcatgcagattctggatttaaattctgagtcttaacttactggctgagggaccttggataggctccttat
ccctcagtttcctcatctctaaaatggggatggcacctgccccgtgggttgttggaaggacttacagaggtgcagaatgt
acgttgtacatagcaggtttcagcaaatgttagctccctctttccccacatccattcaaatctgttccttctccaaagga
tgtgtcaaggaggaaatggacctggctgggaaaccctcagaatactgggatgatgctgagcttggctcatacctgtgctt
tgctttcagGCCAGTACGGAATTCCCAGGCCCTGGTATTTTCCTTGCACCAAGTCCTACTGGTTTGGCGAGGAAAGTGAT
GAGAAGAGCCACCCTGGTTCCAACCAGAAGAGAATGTCAGAAgtaagtgctgttgacctcctgctctttctttaaccta
gtgctgctgcctctgctaactgttggggggcaagcgatgtctcctgcctttctaaaagactgtgaaaccactccagggggca
gagaaatcacatgcagtgtccctttccaaatcctcccatgccatttatgtccaatgctgttgacctattgggagttcacg
gtctcgatccctgagggacattttctttgttgtcttggcttctagaagagtatcttttacttgcccctcccaaacacac
atttcatggtctcctaacaagctagaagaaagaggtaaagacaagcgtgattgtggaaccatagcctcgctgcctgcctg
tgacatggtgacctgtgtatcagcctgtgtgggctgagaccaagtggctaccacagagctcagcctatgcttcataatgt
aatcattacccagatccctaatcctctcttggctcttaactgcagacagagatgtccacagctcatcaaaggctctgctt
ctgggttctttgtgcttagagtggcttcctaaatatttaataggtcccttttctgccagtctcttctgtgcccatcccct
gattgcccttggtaaaagtatgatgcccccttagtgtagcacgcttgcctgctgttcctaatcatcttctcctacctcctc
tttacacctagctcctgtttcagtcacctagaaatgctcacagtcgctggaatatgtcatgttcttccacacctccatgc
ctttgtaggtactgtttgctctcacaggagaactttctctctaacttgcctatcttctcaactcctcctttctctccaag
atctagttccggatcccctcccctgagcatccctccttggttctcaggtagtcagtcactctctgccctgaacttccatg
gcacgtgaaagaaatcttttattttaaaacaattacagactcacaagaagtaatacaaattacatgagggggttccct
taaacctttcatccagtttccccaatggtagcagcatgtgtaactgtagaatagtatcaaaaccatgaaattgacatagg
tacaattcacaaaccttcttcagatttcactagctttatgtgcgctcatttgtgtgtgtgtgtgcgtatttagttctatg
caattttatcatgtgtgaattcatgtaattactagctcagtcaagctgcagaaatatctcattgtcacaaagctccttca
tgctaccccttaatggccacagccacctcccttcttcctcagttcctgacacctgtcaaccactaatgcgttcctcgttt
ttacagtttattatttctagaatgttacataaatggaaccatacagtaggtatccttttgatactggctttttttttttt
tttcactcagcagtattcccttagatctatccaagttgtgtgtgtcaacagttcattcctcttcactgctgagtagtgtt
ccctgggaggggtgtatcacagttccatggcatttttagatgtattttttaaacagctttcagcatcctctattttaatt
gttcatcaagtccttttttcccaatagactctgaatgctcctttatcatcgtattcccatcaccaacatcagtacccaaat
aggccctaaataaacatttatagcctcctgcctgcctgagaaaccagggtggacatggagagaaggcacttctgaaagtt
caagcgcagtgcsctgtgtccttacactccactcctcagtgctttctgtgggttcatttctgtcttctctcctgtcacag
TCTGCATGGAGGAGGAACCCACCCACTTGAAGCTGGGCGTGTCCATTCAGAACCTGGTAAAAGTCTACCGAGATGGGATG
AAGGTGGCTGTCGATGGCCTGGCACTGAATTTTTATGAGGGCCAGATCACCTCCTTCCTGGGCCACAATGGAGCGGGGAA
GACGACCACCATgtaagaagagggtgtggttcccgcagaatcagccacaggagggttctgcagtagagttagaaatttat
accttaggaaaccatgctgatccctgggccaagggaaggagcacatgaggagttgccgaatgtgaacatgttatctaatc
atgagtgtctttccacgtgctagtttgctagatgttatttcttcagcctaaaacaagctggggcctcagatgacctttcc
catgtagttcacagaattctgcagtggtcttggaacctgcagccacgaaaagatagattacatatgttggagggagttgg
taattcccaggaactctgtctctaagcagatgtgagaagcacctgtgagacgcaatcaagctgggcagctggcttgattg
ccttccctgcgacctcaaggaccttacagtgggtagtatcaggagggggtcagggggctgtaaagcaccagcgttagcctca
gtggcttccagcacgattcctcaaccattctaaccattccaaagggtatatctttggggggtgacattcttttcctgttt
tcttttttaatcttttttttaaaacatagaattaatatattatgagctttttcagaagattttttaaaaggcagtcagaaatcc
tactacctaacacaaaaattgtttttatctttgaataatatgttcttgtttgtccattttccatgcatgcgatgttaggc
atacaaaatacatttttttaaagaatactttcattgcaaattggaaacttcgtttaaaaaatgctcatactaaaattggca
tttctaacccataggcccacttgtagttatttaccgaagcaaaaggacagctttgctttgtgtgggtctggtagggttca
ttagaaaggaatggggggcggtggggagggttggtgttctgttctctctgcagactgaatggagcatctagagttaagggta
ggtcaaccctgacttctgtacttctaaattttttgtcctcagGTCAATCCTGACCGGGTTGTTCCCCCCGACCTCGGGCAC
CGCCTACATCCTGGGAAAAGACATTCGCTCTGAGATGAGCACCATCCGGCAGAACCTGGGGGTCTGTCCCCAGCATAACG
TGCTGTTTGACATgtgagtaccagcagcacgttaagaataggcctttttctggatgtgtgtgtgtcatgccatcatgggag
gagtgggacttaagcattttactttgctgtgttttttgtttttttcttttttttcttttttattttttttgagatggagtctcg
ctctgtagccaggctggactgtagtggcgcgatctcggctcactgcaaccttggcctcccaggttcaagcgattctcctg
cctcagcctcccgagtagctgggactctaggcacacaccaccatgcccagctaattttttgtgttttttagtagagacgggg
tttcaccatgttggccaggatggtctcaatgtcttgacctcgtgatccgcccacctcggtctcccaaagtgctgggaaca
caggcatgagccactgtgtctggccacatttttactttctttgaatatggcaggctcacctccgtgaacaccttgagacct
agttgttctttgattttaggagaagtgggaggtgaatggttgagctgtagaggtgacatcagcccagccagtggatgggg
gcttgggaaacattgcttcccattattgtcatgctggagggccctttagcccatcctctccccccgccaccctccttatt
gaggcctggagcagacttcccagacctggtagtgcttcagggccctggtatgatggacctatatttgctgcttaagacat
ttgctcccactcaggttgtcccatcagccataaggcccccagggagccgtgtgatggagcagagagagacctgagctct
gcaatcttgggcaaggcttttcccttatgtttcttcttatctaaagtgaacagctggggctcatgtgctccctcctcatc
taaagtgaacacatggggctcatgtgcagggtcctcccccgctttcagagcctgaggtccctgaggctcaggaaggctgc
tccaggtgagtgccgagctgacttcttggtggacgtgctgtggggacagcccattaaagaccacatcttggggccctgaa

```
attgaaagttgtaactgcctggtgcatggtggccaggcctgctggaaacaggttggaagcgatctgtcacctttcacttt
gatttcctgagcagctcatgtggttgctcactgttgttctaccttgaatcttgaagattatttttcagaaattgataaag
ttattttaaaaagcacggggagagaaaaatatgcccattctcatctgttctgggccaggggacactgtattctgggggtat
ccagtagggcccagagctgacctgcctccctgtccccagGCTGACTGTCGAAGAACACATCTGGTTCTATGCCCGCTTGA
AAGGGCTCTCTGAGAAGCACGTGAAGGCGGAGATGGAGCAGATGGCCCTGGATGTTGGTTTGCCATCAAGCAAGCTGAAA
AGCAAAACAAGCCAGCTGTCAGgtgcggcccagagctaccttccctatccctctcccctcctcctccggctacacacatg
cggaggaaaatcagcactgccccagggtcccaggctgggtgcggttggtaacagaaacttgtccctggctgtgcccctag
gtcctctgccttcactcactgtctggggctggtcctggagtttgtcttgctctgttttttgtagGTGGAATGCAGAGAA
AGCTATCTGTGGCCTTGGCCTTTGTCGGGGGATCTAAGGTTGTCATTCTGGATGAACCCACAGCTGGTGTGGACCCTTAC
TCCCGCAGGGGAATATGGGAGCTGCTGCTGAAATACCGACAAGgtgcctgatgtgtatttattctgagtaaatggactga
gagagagcggggggcttttgagaagtgtggctgtatctcatggctaggcttctgtgaagccatgggatactcttctgtta
kcacagaagagataaagggcattgagactgagattcctgagaggagatgctgtgtctttattcatctttttgtccccaac
atggtgcactaaatttatggttagttgaaaggggtggatgcttaaatgaatggaagcggagaggggcaggaagacgattgg
gctctctggttagagatctgatgtggtacagtatgaggagcacaggcaggcttggagccaactctggcttggccctgaga
cattgggaaagtcacaacttgcctcaccttctttgccgataataatagtggtgcgttacctcatagaggattaaattaaa
tgagaatgcacacaaaccacctagcacaatgcctggcatatagcaagttcccaaataaaatgcgtactgttcttacctct
gtgaggatgtggtacctatatatacaaagctttgccattctaggggtcatagccatacagggtgaaaggtggcttccagg
tctcttccagtgcttacccctgctaatatctctctagtccctgtcactgtgacaaatcagaactgagaggcctcacctgt
cccacatccttgtgtttgtgcctggcagGCCGCACCATTATTCTCTCTACACACCACATGGATGAAGCGGACGTCCTGGG
GGACAGGATTGCCATCATCTCCCATGGGAAGCTGTGCTGTGTGGGCTCCTCCCTGTTTCTGAAGAACCAGCTGGGAACAG
GCTACTACCTGACCTTGGTCAAGAAAGATGTGGAATCCTCCCTCAGTTCCTGCAGAAACAGTAGTAGCACTGTGTCATAC
CTGAAAAAGgtgagctgcagtcttggagctgggctggtgttgggtctgggcagccaggacttgctggctgtgaatgattt
ctccatctccacccctttttgccatgttgaaaccaccatctccctgctctgttgcccctttgaaatcatatcatacttaag
gcatggaaagctaaggggccctctgctcccattgtgctagttctgttgaatcccgttttccttttcctatgaggcacana
gagtgatggagaaggtccttagaggacattattatgtcaaagaaaagagacttgtcaagaggtaagagccttggctacaa
atgacctggtcgttcctgctcattacttttcaatctcattgaccttaactttttaaactataaaacagccaatatttatta
ggcactgatttcatgccagagacactctgggcattgaaagaaagtaatgataatagttaattttatatagcgttgttacc
atttcaacctttttttttttttaacctctatcatctcaattaaag
```

Fig. 12
Page 18 of 30

Genomic contig containging ABC1 exons 23 to 28:

```
ctgaacacacattaaagcatgagaagcatgaactagacatgtagccaggtaaaggccttgctgagatggttggcaaaggc
ctcattgcagcattcattggcaggccacagttcttttggcagctctgcttcctgacctttcaccctcaggaagcgaggct
gttcacacggcacacacatgccagacagggtcctctgaagccacggctgccagtgcatgtgtcccagggaaagcttttc
ctttagttctcacacaacagagcttcttggaagccctccccggcgaaggtgctggtggctctgccttgctccgtccctga
cccgttctcacctccttctttgccatcagGAGGACAGTGTTTCTCAGAGCAGTTCTGATGCTGGCCTGGGCAGCGACCAT
GAGAGTGACACGCTGACCATCGgtaaggactctggggtttcttattcaggtggtgcctgagcttcccccagctgggcaga
gtggaggcagaggaggagaggtgcagaggctggtggcgctgactcaaggtttgctgctgggctggggctgggtggctgcg
ggggtgggagcagcttggtggcgggttggcctaatgcttgctggggtgcctggggctcggtttgggagctagcagggcag
tgtcccagagagctgagatgattggggtttggggaatcccttaggggagtggacactgaataccagggatgaggagctga
gggccaagccaggagggtgggatttgagcttagtacataagaagagtgagagcccaggagatgaggaacagccttccaga
ttttcttgggtagcgtgtgtaggaggccagtgtcaccagtagcatatgtggaacagaagtcttgacccttgctatctct
gcctagtcctaatggctggcttttcccaggaaggcttctgcttccatggactgttagattaacccctttatttaggtaaat
gagggaacctactttataagcataggaaagggtgaagaatcttttaagattcctttactcaagttttcttttgaagaatc
ccagagcttaggcaatagacaccagactttgagcctcagttatccattcacccatccacccacccaccccatccttc
catcctcccatcctcccattcacccatccacccatccagctgtccacccattctacactgagtacctataatgtgcctgg
ctttggtgatacaaaggtgaataagacatagtcctttcctttgcccccaaccctcagaccagagatgaacatgtggaatg
acctaaacacctggaacaggtgtggtgtatgagcggcaggcctctgatgagagggtggggatggccagccctcactccg
aagcccctctgagttgattgagccatctttgcattctggtcctgcagATGTCTCTGCTATCTCCAACCTCATCAGGAAGC
ATGTGTCTGAAGCCCGGCTGGTGGAAGACATAGGGCATGAGCTGACCTATGTGCTGCCATATGAAGCTGCTAAGGAGGGA
GCCTTTGTGGAACTCTTTCATGAGATTGATGACCGGCTCTCAGACCTGGGCATTTCTAGTTATGGCATCTCAGAGACGAC
CCTGGAAGAAgtaagttaagtggctgactgtcggaatatatagcaaggcccaaatgtcctaaggccagaccagtagcctgc
attgggagcaggattatcatggagttagtcattgagttttttaggtcatcgacatctgattaatgttggccccagtgagcc
atttaagatggtagtgggagatagcaggaaagaagtgtttttcctctgtaccacagtacatgcctgagatttgtgtgttga
aaccagtggtacctaacacatttacatcccaaccttaaactcctatgcacttatttacccttttaatgagcctctttactt
aagtacagtgkgaggaacagcggcatcaggatcacttgggaacttgttagaaattcagcaacttgggcccagctcagacc
tactgaatcagaatcaggagcaattctctggtgtgactgtgtcacagccaggtatcaactggattctcatacataggaaa
tgacaaacgtttatggatggatagtctacttgtgccaggtgctgagatttgttttttgttttttgattttttttttaatca
ctgtgacctcatttaattctcaaaaaaagatgaaaaaatgaacactcaggaatgctgacatgagattcagaatcaggggt
ttgggggcttcaaagtccatcctctctctttatccatgtaatgcctccccttagagatacaacatcacagaccttgaaggctg
aaggggatataaaagctgtctggccaagtggtctccaagcttgacagtgcagcagaatcacctggggatattattaaaaa
taaacatactaaggtttggcttcagggcctgtgaatcagaatttctggaggtgaggccttgaagtctgtatttctattgc
atactttggacacagtggtctatagactagagtttggaaatgattgcgctcattcagattctcttctgatgtttgaattg
ctgccatcatatttctagtgctctatttcctcctgctcattctgtcttggataacttatcatagtactagcctactcaaa
gatttagagccacagtcctgaaagaagccacttgactcattccctgtaggttcagaataaatttcttctgcgcagtgtct
gtcatagcttttttttaaatttttttttatttttgatgagactggagttttgctcttattgcccaagctggagtgcagtgg
tgcgattttggctcactgcaacctccacctcccaggttcaagcgattctcctgcctcagcctcccaagtagctgagatta
caagcatgtgctaccacgcccagctaattttgtatttttagtagagatgggtttttatccatgttggtcaggctggtctcg
agctccagacctcaggtgatctgcccgcctcggcctcccaaagtgctgggattataggcctgagccacagcgctcagcca
taactttaatttgaaaatgattgtctagcttgatagctctcaccactgaggaaatgttctctggcaaaaacggcttctct
cccaggtaactctgagaaagtgttattaagaaatgtggcttctactttctctgtcttacggggctaacatgccactcagt
aatataataatcgtggcagtggtgactactctcgtaatgttggtgcttataatgttctcatctctctcattttccagATA
TTCCTCAAGGTGGCCGAAGAGAGTGGGGTGGATGCTGAGACCTCAGgtaactgccttgagggagaatggcacacttaaga
tagtgccttctgctggctttctcagtgcacgagtattgttcctttccctttgaattgttctattgcattctcatttgtag
agtgtaggtttgttgcagatggggaaggtttgttttgttgtaaataaaataaagtatgggattctttccttgtgccttca
gATGGTACCTTGCCAGCAAGACGAAACAGGCGGGCCTTCGGGGACAAGCAGAGCTGTCTTCGCCCGTTCACTGAAGATGA
TGCTGCTGATCCAAATGATTCTGACATAGACCCAGgtctgttagggcaagatcaaacagtgtcctactgtttgaatgtga
aattctctctcatgtctctcacctgttttctttggatggcctttagccaaggtgatagatccctacagagtccaaagagaa
gtgaggaaatggtaaaagccacttgttctttgcagcatcgtgcatgtgatcaaacctgaaagagcctatccatatcactt
cctttaaagacataaagatggtgcctcaatcctctgaacccatgtatttattatctttctgcggggtcctagtttcttg
tatacattaggtgtttaattgttgaacaaatattcattcgagtagatgagtgattttgaaagagtcagaaaggggaattt
gctgttagagttaattgtaccctaagacttagatatttgaggctgggcatggtggctcatgccagtaatcccagcgcttt
gagaggctgaggtgggtagatcacctgaggtcaggagtttgagaccagtctgaccaacaaggtgaaacccgtctctact
aaatacaaaaaattagccgagtgtggtggcacatgcctgtcatcccagctacttgggaggctgaggcaggagaatcgctt
gaacccaggaggcagaggttgcagtcagccacggttgcgccattgcactccagactgggcaacaagagtgaaaactccat
ctcaaaaaagaaaaaaaaagaattagatattttggatgagtgtgtctttgtgtgtttaactgagatggagaggagagcta
```

Fig. 12
Page 19 of 30

agacatcaaacaaatattgttaagatgtaaaagcacatcagttaggtatcattagtttaggacaaggatttctagaaaat
ttttaggaacagaaaactttccagttctctcacccctgctcaaagagtgtatggctcttacattatatataactgcctga
cttcatacagtatcagtacttagatcatttgaaatgtgtccacgtttttaccaaaatataataggggtgagaagctgagatg
ctaattgccattgtgtattctcaaatatgtcaagctacgtacatggcctgtttcatagagtagtctataagaaattgatg
acttgattcatccgaatggctggctgtaacacctggttacgcatgaacacctcttttcagttgtctcaagacacctttct
tttctgtacttatcagacaaggactgaaaggcagagactgctactgttagacattttgagtcaagcttttccttggacat
agctttgtcatgaaagccctttacttctgagaaacttctagcttcagacacatgccttcaagatagttgttgaagacacc
agaagaaggagcatggcaatgccgaaaacacctaagataataggtgaccttcagtgttggcttcttgcag**AATCCAGAGA**
GACAGACTTGCTCAGTGGGATGGATGGCAAAGGGTCCTACCAGGTGAAAGGCTGGAAACTTACACAGCAACAGTTTGTGG
CCCTTTTGTGGAAGAGACTGCTAATTGCCAGACGGAGTCGGAAAGGATTTTTTGCTCAGgtgagacgtgctgttttcgcc
agagactctggcttcatgggtgggctgcaggctctgtgaccagtgaaggcaggatagcatcctggtcaagatatggatgc
cggagccagatttatctgtatttcaatcccagttctattccttgccagttgtgtatccgctggcaagttacttctctatg
cctcaatctcctcatctgtaaaatgggggataataatattacctgcaatacagggttgttacgaaaataaaaatgaatagg
tgcttagaatgggggcctgacattagtaagtgcttagtttttgtgtgtgtatatgttatttttattttggaggagaacataa
aaaggacaaagtgtagaaaaactggttgggtgtattcagctgtcataacatgagagttgttatgcccagatgcacttgac
atgtgaatttattagaaacatgattttttctctgagttgatgtttaactcaaactgatagaaaagataggtcagaatatag
ttggccaacagagaagacttgttagactattgtctgcatgtcagtgtttgcatgctaacttgcttagttagaaaggttaa
attttttcactctataaaatcaagaaatatagagaaaaggtctgcagagagtctttcatttgatgatgtggatattgtta
agagcgggagtttggagcatacagagctcaagttgaatcctgactttgctacttattggctatatgaccttgggcaagct
gcttagtctctctgatcctcagttacctttgtttgttgatgatgaccattgataacacaaccataaataatgacaacata
gagatagttctcattatagtagttgttatacagaattattcactcaatgttaattttctgcattgaaatcccagaacatt
agaattggggggcattatttgaatctttaaggttataaggaatacatttctcagcaataaatggaaggagtttttgggttaa
cttataaagtatacccaagtcattttttttttcagagaagatatggtagaaagtcttaggaggttgaagaaggaattggata
tttattctttctgagactatcatgggagataatgactatggttgtccatgattggagccgttgctgtagagttggttttta
ttatagtgtaggatttgaatgggccatgtgttctcagacctcagaataaaaagagaaaactgaggccagtggggagcgtg
acttcacatgggtacacttgtgctagagacagaaccaggattcaggacttctggctcctggtcctgggttcatggcccaa
tgtagtctttctcagtcttcaggaggaggaagggcaggacccagtgttctgagtcaccctgaatgtgagcactatttact
tcgtgaacttcttggcttagtgcctctgccaggtggccataacctctggccttgtgttgccagagaaaaggtttagttttt
caggctccattgcttcccagctgccaagaatgccttggtgcagcacagtcataggccctgcattcctcattgccgtgctg
gttggtcggggaggtgggctggactcgtagggatttgcccttggccttgtttctaacacttgccgtttcctgctgtccc
cctgccccctccactgcctgggtaaag**ATTGTCTTGCCAGCTGTGTTTGTCTGCATTGCCCTTGTGTTCAGCCTGATCGT**
GCCACCCTTTGGCAAGTACCCCAGCCTGGAACTTCAGCCCTGGATGTACAACGAACAGTACACATTTGTCAGgtatgtttt
gtcttctacatcccaggagggggtaagattcgagcagaccaaagatgtttacgagggccaagggaatggacttcagaatt
acacggtggaat

Genomic contig containg ABC1 exon 29:

```
gggaagcatttaaaaaaaaaaaagtatatatatatatatatatatatatgtaatgtgaattggcctctttttctctaa
gcccacattttcttcttacatagttcaggtttactttattttttcctttccggctgctgaccctgtattgcccgtagttg
tggaacatagcatgtgtttgtgacctgtgcctgttattttttgtgctttctagttgtgcatgcaaagagtacaaagttttc
ttgcccttcttggaaaatcctgcttgtctgtgccaaagggataattgtgaaagcacttttgaaatacttaatgagttga
ttttcttcaaattaaaaaaaaatatataaatgtatatgtgtatgtacatgtgtgtacacatacacacctttatacatacag
cccatttaaaacaagctccactttggagtgctctacgtcaccctgatgccgaatacagggccagagtctgagatccttct
gggtggtttctgtgtttgttcatttctgttttaagagcctgtcacagagaaatgcttcctaaaatgtttaatttataaa
aacattttatctctcgattactggttttaatgaattactaagctggctgcctctcatgtacccacag**CAATGATGCTCC**
**TGAGGACACGGGAACCCTGGAACTCTTAAACGCCCTCACCAAAGACCCTGGCTTCGGGACCCGCTGTATGGAAGGAAACC**
**CAATCCC**gtgagtgccactttagccataagcagggcttcttgtgcttgttgcctggtttgatttctaatatgctgcattt
atcaactgcatgccacattgtgaccgccagcatttgccctttgaattattattatgttttatttacaaaaagcgaaggta
gtaaccgaactaaattatctaggaacaaacgtttggagagtcttctaacaccgyscaaagcacgtcattacagacatttg
tttactgatttagaaccttaatatttaatttaaatacgcactttacacttactgatgaaatgcttttcctttctttctct
cccagcccctgtacttaagtgcttcaataggctctcattatatatgattttttaggttttgcttatcagcttcttcgcttt
tataatctgaaaagatggcatatgaattttttataaaaagggacactttcttcttctcaaattgtatattttttattgtact
ttccttcaaaacccccttttaaaaagtaagcagtggataaataaattcagtgaagcatccatatgacccttaagtgagtg
taggggaagggaggtcaccagatcactgtgagtgaagatggtggagaggtgaggatcttatgaggccgtgctcaaggctg
gtagaggtgggttagtgtttccaggtttaggcagaatctcagctgaggtcatgaaacaacagtgatctctgaaaaattat
ggcaaggtgggaaggtgctggagaattggagagggggcaaacttgactttcaagtttcaatgggaagataggtgactctg
cacaccacagaacagtgagcatgataacctgtttatacaaggttctagagcagatttctaaatggatagctactgtgtgc
ttgtttgttcttaattagtattggatagttactaaatacttgttagtacttagtacataatgggtggtaaatcctagcag
ctaatattggttcccaaataaccagatgacaaggatagagaaggacacagacacggcctatctggatttcatggtgcctt
tgattttccacatgaaggttgtgtagggaagatagaagcatgagatgagatgataatatagttatctggattcatcactg
gccagctgaaccatatgaactcatggattgatgctagcttaggaaggctctgtaggagccagaactgggctgagagccag
cccatagagacaaaagaggcccggccctgacatcagagggttcaaacatgatgtctgagccccacctacagtctgccgga
ggtggttggaaggaagagcctttatccttacaattcttactgaaattcaaattttaggttttgcaaaaaaatggtggac
ctgaaggaaatttgacaggagcatgtctcagctgtatttaaatttgtctcagccaatcccctttttgaatgttcagagtgt
aagcttcaggagggcagcgcgtcttagtgtgacttttctggtcagttcaggtgctttaaggagacaattagagatcaatc
tggaaaacttcatttgaattttttaatacataagaaaacaataagaaatagttaaaaatatatatttatataatatatata
tgtgtgtgtgtgtgtgtgtgtgtgtgtgtatatatatatatattttatttatttattttttttttgagatggagtctcg
ctctgttgcccaggctggagtgcagtggctcaatcttggctcactgccacctctgcctcccaggttcaagtgattctcct
acctcagcctcctgagtagctgggattacaagcatgtgccaccacactggctaa
```

Fig. 12
Page 21 of 30

Genomic contig containing ABC1 exons 30 and 31:

tcttgccagtctctactcattttttcagcacatcgagcataagatccagactctttcccaggcctctctcatctggctcct
ctcctcctcctttatcattactcttcttcgtagcttatcctactccagccatgctgtcttcctattattcctaaaaarta
gaaatgcatttcttcctagggcctttgtacctgcacttgccatcgcttttgctcagaatgttcttttttgccaagctttg
cccagcttgttctccatcattgttatgtttggctgaaatgtcttctcttagtaggttcattctccccagtcactgtctt
tttattttgctttattttgggccatctaaggttatcttattagtgtatttgttgttcgtctcctccatgggcatacacct
ccatgaaggcaggtattttcaccttaggccctcgaatatactggacagcatctggcacgtagtagatgctcaacgaatgt
ttgttgtgtgagcaaatggttggttgattggattgaactgagttcagtatgtaaatatttagggcctctttgcattctat
tttacttatgtataaaatgatacataatgatgatataaatgatgtcacagtgtacaaggctgttgtgggatcaagcaatc
aaatgagatcatgcttgtcttttccaaatggtgagggaatagatgcatgtttgtggttgttacggaatgatcctgtgctc
ctgaggcaacagaaaggccaggccatctctggtaatcctactcttgctgtcttccctttgcag**AGACACGCCCTGCCAGG**
CAGGGGAGGAAGAGTGGACCACTGCCCCAGTTCCCCAGACCATCATGGACCTCTTCCAGAATGGGAACTGGACAATGCAG
AACCCTTCACCTGCATGCCAGTGTAGCAGCGACAAAATCAAGAAGATGCTGCCTGTGTGTCCCCCAGGGGCAGGGGGGCT
GCCTCCTCCACAAgtgagtcactttcaggggggtgattgggcagaaggggtgcaggatgggctggtagcttccgcttggaa
gcaggaatgagtgagatatcatgttgggagggtctgtttcagtcttttttgtttttttgtttttttttttctgaggcggagtc
ttgctctgtcgcccaggctggagtgctgtggcatgatcttgcctcactgcaacctccacctcccaggttcaagcgattct
cctgcctcagcctcctgagtagctgggattacaggcacgcaccaccatgtctggctaattttttgtgttttttagtagagat
agggtttcgccgtgttggctaggctggtctggaattcctgacctcaggtgatccaccgcctcggcctcccaaagtgctg
ggattacaggcgtgagccactacgcccagccctgtttcagtctttaactcgcttcttgtcataagaaaaagcatgtgagt
tttgaggggagaaggtttggaccacactgtgcccatgcctgtcccacagcagtaaagtcacaggacagactgtggcaggc
ctggcttccaatcttggctctgcaacaaatgagctggtagcctttgacaggcctgggcctgtttcttcacctctgaatta
gggaggctggaccagaaaactcctgtggatcttgtcaactctggtattcttagagactctgtttgggaaggagtcctgag
ccatttttttttttcttgagaatttcaggaagaggagtgcttatgatagctctctgctgcttttatcagcaaccaaattgc
aggatgaggacaagcaattctaaatgagtacaggaactaaaagaaggcttggttaccactcttgaaaataatagctagtc
caggtgcggggtggctcacacctgtaatctcagtattttgggatgccgaggtggactgatcacctaaggtcaggagttcg
aaaccagcttggccaatgtggcgaaaccctgtctctactaaaaattcaaaaattagccaggcatggtggcacatgcctgt
aatcccagttacttgggaggctgaagcaggagaattgcttgaacctgggaggtggaggtcgcagggagccaaaattgcgc
cactgtactccagcctgagcaacacagcaaaactccatatcaaaaaataaaatgaataaaataacagctaatctagtcat
cagtataactccagtgaacagaagatttattaggcatagtgaatgatggtgcttcctaaaaatctcttgactacaaagaa
tctcatttcaatgtttattgtttagatgttcagaataaattcttgggaaagaccttggcttggtgtaagtgaattaccag
tgccgagggcagggtgaaccaagtctcagtgctggttgactgagggcagtgtctgggacctgtagtcaggtttccggtca
cactgtggacatggtcactgttgtccttgatttgttttctgtttcaattcttgtctataaagacccgtatgcttggtttt
catgtgatgacag**AGAAAACAAAACACTGCAGATATCCTTCAGGACCTGACAGGAAGAAACATTTCGGATTATCTGGTGA**
AGACGTATGTGCAGATCATAGCCAAAAGgtgactttttactaaacttggcccctgccttattattactaattagaggaat
taaagacctacaaataacagactgaaacagtgggggaaatgccagattatggcctgattctgtctattggaagtttagga
tattatcccaaactagaaaagatgacgagagggactgtgaacattcagttgtcagcttcaaggctgaggcagcctggtct
agaatgaaaatagaaatggattcaacgtcaaattttgccac

Fig. 12
Page 22 of 30

Genomic contig containing ABC1 exon 32:_

gcatgctggagtgatagtgaccatgagtttctaagaaagaagcataatttctccatatgtcatccacaattgaaatatta
ttgttaattgaaaaagcttctaggccaggcacggtggctcatgcctgtaatcccagcactttaggagccaaggcgggtgg
atcacttgaggtcaggagtttgagaccagcctggccaacatggggaaaccctgtctctactaaaaatacaaaataagctg
ggcgtggtggtgcgtgcctgtaatcccagctacttgggaggctgaggcaggagaactgcttgaatctgggaggcggaggt
tgcagtgagctgagttcatgccattgcattccagcctgggcaacaagagcgaaaccatctcccaaaagaaaaaaaaaaga
aagaaaaagcttctagtttggttacatcttggtctataaggtggtttgtaaattggtttaacccaaggcctggttctcat
ataagtaatagggtatttatgatggagagaaggctggaagaggcctgaacacaggcttcttttctctagcacaaccctac
aaggccagctgattctagggttatttctgtccgttccttatatcctcaggtggatatttactccttttgcatcattagga
ataggctcagtgctttctttgaactgattttttgtttctttgtctctgcag**CTTAAAGAACAAGATCTGGGTGAATGAGT**
TTAGgtaagttgctgtctttctggcacgtttagctcagggggaggatggtgttgtaggtgtgcttggattgaagaaagcc
ttggggattgtttgtcactcacacacttgtgggtgccatctcactgtgagga

Fig. 12
Page 23 of 30

Genomic contig containing ABC1 exons 33 to 36:

```
gctttatagagtttctgcctagagcatcatggctcagtgcccagcagcccctccagaggcctctgaatatttgatatact
gatttccttgaggagaatcagaaatctcctgcaggtgtctagggatttcaagtaagtagtgttgtgaggggaatacctac
ttgtactttccccccaaaccagattcccgaggcttcttaaggactcaaggacaatttctaggcatttagcacgggactaa
aaaggtcttagaggaaataagaagcgccaaaaccatctctttgcactgtatttcaacccatttgtccttctgggttttga
aggaacaggtgggactggggacagaagagttcttgaagccagtttgtccatcatggaaaatgagataggtgatgtggcta
cgtcaggggggcccgaaggctccttgttactgatttccgtcttttctctctgccttttccccaagggccaggacccctgga
tctctgggcagagcagacgcaggcccctataatagccctcatgctagaaaggagccggagcctgtgtataaggccagcgc
agcctactctggacagtgcagggttcccactctcccaactccccatctgcttgcctccagacccacattcacacacgagc
cactgggttggaggagcatctgtgagatgaaacaccattctttcctcaatgtctcagctatctaactgtgtgtgtaatca
ggccaggtcctccctgctgggcagaaaccatgggagttaagagattgccaacatttattagaggaagctgacgtgtaact
tctgaggcaaaatttagccctcctttgaacaggaatttgactcagtgaaccttgtacacactcgcactgagtctgctgct
gatgatactgtgcaccccactgtctgggtttttaatgtcaggctgttcttttagGTATGGCGGCTTTTCCCTGGGTGTCAG
TAATACTCAAGCACTTCCTCCGAGTCAAGAAGTTAATGATGCCATCAAACAAATGAAGAAACACCTAAAGCTGGCCAAGg
taaaatatctatcgtaagatgtatcagaaaaatgggcatgtagctgctgggatataggagtagttggcaggttaaacgga
tcacctggcagctcattgttctgaatatgttggcatacagagccgtctttggcatttagcgatttgagccagacaaaact
gaattacttagttgtacgtttaaaagtgtaggtcaaaaacaaatccagaggccaggagctgtggctcatgcctgtaatcc
tagcactttgggaggctgaagcgggtggatcacttgaggtcaggagttcgagaccagcctggcctacatgacaaaacccc
gtatctactaaaaatacaaaaaaattagctgggcttggtggcacacacctgtaatcccagctacttgggaggctgaggca
ggagaattgcttgaaccctgtaggaagaggttgtagtgagccaagatcgcaccgttgcactccagcctgggcaacaagag
caaaactccatctcaaaaaacaaattaaatccagagatttaaaagctctcagaggctgggcgcggtggcttacacctgtt
atcccagcattttgggatgccgaggcgggcaaagcacaaggtcaggagtttgagaccagcctggccaacatagtgaaacc
ctgtctctgctaaaaacatagaaaaattagccgggcatggtggcgtgcgcctgtaatcccagctactcgggaggctgagg
tgagagaattrcttgaacccgggaggcggaggttgcagtgagcccagattgcaccactgcactccagcctgggcgacaga
gcaagactccatctcaaaaaaagctctcagaacaaccaggtttacaaatttggtcagttggtaaataaactgggtttcaa
acatactttgctgaaaycaatcactgactaaataggaaatgaatctttttttttttttttttaagctggcaagctggtctg
taggacctgataagtactcacttcatttctctgtgtctcaggtttcccatttttaggtgagaattaaggggctctgataa
aacagaccctaggattgtggacagcagtgatagtcctagagtccacaagtctgcttttgagtgatgggcccatgtatctg
gcacatctgcaggcagagcgtggttctggctcttcagatgatgccggtggagcactttgaggagtcctcaccccaccgtg
ataaccagacattaaaatcttggggctttgcatcccaggatttctctgtgattccttctagacttgtggcatcatggcag
catcactgctgtagatttctagtcacttggttctcaggagccgtttatttaatggcttcacatttaatttcagtgaacaa
ggtagtggcattgctcttcacagggccgtcctgttgtccacaggttccagattgactgttgccccttatctatgtgaaca
gtcacaactgaggcaggtttctgttgtttacagGACAGTTCTGCAGATCGATTTCTCAACAGCTTGGGAAGATTTATGAC
AGGACTGGACACCAGAAATAATGTCAAGgtaaaccgctgtctttgttctagtagctttttgatgaacaataatccttatg
tttcctggagtactttcaactcatggtaaagttggcaggggcattcacaacagaaaagagcaaactattaactttaccag
tgaggcagtacggtgtagtgtagtgattcagagaatttgctttgccaccagacataccaggtaaccttgactaagttact
taacctatctaaacctcagttycctcatctgtgaaatggagacagtaatcatagctatttccaaactgttgtgagaattc
aatgagttaaaggtataaggtcctcaccacagcgcctgcccacatagtcagtgatcactatgtcctgaacactgtaatta
cttcgccatattctctgatcatagtgttttgccttggtatgtgactagaatttctttctgaggtttatgggcatggttgg
tgggtatgcacctgcctgcaggagcccggtttggggcattaccttgtacctggtatgtttttctttcagGTGTGGTTCAA
TAACAAGGGCTGGCATGCAATCAGCTCTTTCCTGAATGTCATCAACAATGCCATTCTCCGGGCCAACCTGCAAAAGGGAG
AGAACCCTAGCCATTATGGAATTACTGCTTTCAATCATCCCCTGAATCTCACCAAGCAGCAGCTCTCAGAGGTGGCTCTg
taagtgtggctgtgtctgtatagatggagtggggcaaggagagggttatggagaagggagaaaaatgtgaatctcatt
gtaggggaacagctgcagagaccgttatattatgataaatctggattgatccaggctctgggcagaagtgataagtttac
gaattggctggttgggcttcttgaactgcagaagagaaatgacactgatatgtaaaaatcgtaacatttagtgaattca
tataaagtgagttcaaaaattgttaattaaattataatttaattataagtgtttaatcagtttgatttgtttaaaaacca
ctgttttaaatttggtggaatatgtttttattagcttgtatctttaattcctaaattaagctgtgtgtgtgtgtgtgtgt
gtgtgtgtgtgtgtgtgtgtgtgtgtgaagtttaaagccaggatgagctagtttaaagtatgcagcctttggagtc
atacagatctgggtttgaatctggtctctaaactttatagatgtatgatattaaatgaggcagttcatgtaaattgccaa
gcccagcactcagcacagagttgatatttcacacacattagatacctttcctgtatgtggagcatggcagttcctgtttc
tgctttactcctacaggatactaatataggacactaggatctttataccaagaccccatgtaatgggcttatgagaccat
tcttcttataaaaatctgacagaattttttgtatgtgttagatcaataggctgcatactgttattttcaagttgatttaca
gccagaaatattaatttatttgagtagttacagagtaatatttctgctctcatttagttttcaagccccactagtccttt
gtgtgtgaaaatttacaacttactgctcttacaaggtcatgaacagtggaccaaagtgaatgccattaaccactctgact
tccttcattagtttttattgtgacagtggactctttttgacctcagtaataccagtttggcatttacattgtcatatttta
gacttaaaaatgatcatcttaacccctgaataaaatgtgtctggtgaacagatgttttttccttggctgtgcctcagatatc
```

Fig. 12

Page 24 of 30

tctgtgtgtgtgtacgtgtgtgtttgtctgtgtgtccatgtcctcactgattgagccctaactgcatcaaagacccctca
gattttcacacgctttttctctccagGATGACCACATCAGTGGATGTCCTTGTGTCCATCTGTGTCATCTTTGCAATGTC
CTTCGTCCCAGCCAGCTTTGTCGTATTCCTGATCCAGGAGCGGGTCAGCAAAGCAAAACACCTGCAGTTCATCAGTGGAG
TGAAGCCTGTCATCTACTGGCTCTCTAATTTTGTCTGGGATATGgtaaggacacaggcctgctgtatctttctgatgtct
gtcagggccatggattgatatggataagaaagaaagagctctggctatcatcaggaaatgttccagctactctaaagatg
tatgaaaaagaaatagccagaggcaggtgatcactttcatgacaccaaacacagcattgggtaccagagttcatgtcaca
ccagagggaaaattctgtacacaatgatgaaaattaataccactaccacttaagttcctatgtgacaactttcccaagaa
tcagagagatacaagtcaaaactccaagtcaatgcctctaacttctctgatgggtttttaacctccagagtcagaatgttc
tttgccttactaggaaagccatctgtcatttagaaaactctgtacattttatcagcagcttatccatccattgcaaatat
tgtttttgtgccasccacaatatattgcttctatttggaccaatatggggggatttgaaggaattctgaagttctaattat
atttcaactctactttacaatatctccctgaaatatatctccctgtaacttctattaattataagctacacagagcaaat
ctaattcttctcccaccgaacaagtccctggatatttaaaaataactctcatactctcatttaacctgagtattacccag
ataagatgatatatgagaatacaccttgtaacctccgaagcactgtacaaatgtgagcaatgatggtggagatgatgatg
agatctttgctgtttataccaagccccttagactgtgtcactcttctgatccggttgtccttgtatggccatgctgtata
ttgtgaatgtcccgttttcaaaagcaaagccaagaattaaccttgtgttcaggctgtggtctgaatggttatgggtccag
agggagttgatctttagctcacacttctattactgcagcacaaagattttgcattttggaaggagcaccgtcttactggc
aacttagtggtaaaccaaaacctccatttcacacaaatgattgtgaaattcgggtctccttcattctatacaaattcatt
tgattttttttgaaactaaactttatatttatccatattaaattacatgggttttattttttgttttatcttgattcagtaa
ttactcctttcagtaaacacagactgagtgctgtgtgtctgacttatgccaggcataggtgattcagagatgaaaggtca
agtccctgaacccatctcttgtcttcctgggtattatctgtccctccctgctttagagctcctgaaatttgctagaagca
tgtcttcatctaagttgttgataaacacatcaagtaggattggactgaggcagagccctgtagtctgaagctgcagttct
tctagcggctgacaagccccactatcacttccctgctggtgctttgctctgccagctgtgaattctcataattgtcctat
cgtcaagtctttatttctgcatttttactgcttgatacactgtcaggacagactttaaaattattctcagtgcgatgaaac
aattctgacattcatgttatgagcagttacctcataaatagattacatg

Fig. 12
Page 25 of 30

Genomic contig containing ABC1 exons 37 to 41:

```
aaattactctgactgggaatccatcgttcagtaagtttactgagtgtgacaccttggcttgactgttggaaagacagaaa
gggcatgtagtttataaaatcagccaaggggaaaatgcttgtcaaaatgtattgtcgggtattttgattaatagtttatg
tggcttcattaattcagagttactctccaatatgtttatctgccctttcttgtctgataatggtgaaaacttgtgtgatg
cattgtatatttgatttagggggtgaactggatgtgtctttgttttcacttttagTGCAATTACGTTGTCCCTGCCACACTGG
TCATTATCATCTTCATCTGCTTCCAGCAGAAGTCCTATGTGTCCTCCACCAATCTGCCTGTGCTAGCCCTTCTACTTTTG
CTGTATGGgtaagtcacctctgagtgagggagctgcacagtggataaggcatttggtgcccagtgtcagaaggagggcag
ggactctcagtagacacttatcttttgtgtctcaacagGTGGTCAATCACACCTCTCATGTACCCAGCCTCCTTTGTGT
TCAAGATCCCCAGCACAGCCTATGTGGTGCTCACCAGCGTGAACCTCTTCATTGGCATTAATGGCAGCGTGGCCACCTTT
GTGCTGGAGCTGTTCACCGACAATgtgagtcatgcagagagaacactcctgctgggatgagcatctctgggagccagagg
acagtgtttaattgtgatcttattccacttgtcagtggtattgacactgctgactgccttgtcctgtcttcagagtctgt
cttccctgagaaggcaaagcacctttctttcttgctgtgccttacattttgctggtcaagcctttcagtttctttttgaca
gtttttttttacttctttctttttttcaatgttgctcttaccaagagtagctcctctgccttccactttacacatgagagct
gggcgacgcattcagtcctaaggcttttaccatcacctctcttggtgttttttattgtcatctctaagatcaatgccttta
gccttgatcataaccttgaactctaatctcaaattctcacttgcctagtggattgctccatttagatagtatatagatac
cccaacctggatatgtcctagtttttctttcccttggaacttaatgcttttcttgccatccctgtcacactcagtggcac
taccatccactcggttgcccaagctggctcttagagttatcctagatgcttgctttgctgttgcagatttcccacattca
actggttatgttgtcagttcttccaggtatggacctctaaaataaggcttcctctccattccggttgtcattgcctttgt
ccaaacacagcacacaaggcctttacagttgcacaactcttcctgtccatacccaccacacccctttcccagctgtaagc
ttcagatgagttgcctccaaccaccatgctcctgtaggcctggcttgaaatgcccttcttctgtcacagggtctggtagt
atatcccttgcccttcaagatttagctaaaatgtgaagctttccttacctgctgggaggtgttctctcttttctctgtgc
tctcagagtccttagtccatgcctccagtacaacgtacatccacttacatggtaatttcctgtttacatacttttcctac
tcggagtggagtctgtttcttaataattttgcctctcccatgccctagcacagtgcatccagcgtatagcccccttattca
gttggtagatatttggccactgttgccttgtgggatcataagttctgatgtatttgagaagaatttctaaaattctgaca
aaatcctgaaactcaaatattgacccagacatgagcaatttgcttttcaaatgctaagggattttttaatggatttgcttt
aattaaatctagcctgtttctaagctttattcattatttctccatactcagagcatttctccagatttttctaaagaatag
aattttattgctacatatcatcagctatgcctgctgctatttaattggtatctgaattaaaaggtctggtttgtccctag
agaatcaaattttttcttcactcccatatttcagaacttgatacatttttaggataaaccatgaatgacacccgtttctt
ctccctcaccctcccttccctcccattttttttttttttttttttttagAAGCTGAATAATATCAATGATATCCTGAAGTC
CGTGTTCTTGATCTTCCCACATTTTTGCCTGGGACGAGGGCTCATCGACATGGTGAAAAACCAGGCAATGGCTGATGCCC
TGGAAAGGTTTGgtgagtgaagcagtggctgtaggatgctttaatggagatggcactctgcataggccttggtaccctga
actttgttttggaaagaagcaggtgactaagcacaggatgttcccccacccccatgcccagtgacagggctcatgccaac
acagctggttgtggcatgggtttttgtgacacaaccatttgtctgtgtctctgacagcattgagaaaagtgaaagggcagt
tttgaaggtaaggaaaatagtgttatttgcttggatccactggctcatgccactgtctgggttggttagaagcactggaa
aagtcaaaccataactttgagaattaggtgatcagggaatcagaaggaaagatgcaaactttggctcttttaggcgaatc
atgtgcctgcagatgaggtcatttattatcttttacacagtctataaaattataatgtattacatcttttttctacccttta
gaatggttaaaaatatttctccggtagccatatgattattattcatccattagataatatagtcaaatgggccatgttat
ttactgttcatagaagaggggcttttgcaacttgggctacaaaggagatatgtaaggaatttaaggaatggttacatgg
aactagatttaattgaatctagtggtttaattgattcactaggatatatgctactgaaaggggaatctgcttaaagtgct
ttctgatatttattattactaaaacttagaatttattaaaaatactgactgtgaaaattacttgggtcgtttgccttttt
aaaaggatttttggcatgtctcattaaaaaaagaaatactagatatcttcagtgaagttacaaatcgaatacacattggc
tctgaaattctgattgatactgggtcataaaaagtttttcccaaatcagacttggaaagtgatcactctcttgttactctt
ttttccttgtcatgggtgatagccatttgtgtttattggaagatcggtgaattttaaggaacataggcccaaatttgagg
aagggccatggttttgatccctccattctgaccggatctctgcattgtgtctactagGGGAGAATCGCTTTGTGTCACC
ATTATCTTGGGACTTGGTGGGACGAAACCTCTTCGCCATGGCCGTGGAAGGGGTGGTGTTCTTCCTCATTACTGTTCTGA
TCCAGTACAGATTCTTCATCAGGCCCAGgtgagcttttcttagaacccgtggagcacctggttgagggtcacagaggag
gcgcacaggaaacactcaccaatggggggttgcattgaactgaactcaaaatatgtgataaaactgattttcctgatgtg
ggcatcccgcagccccctccctgcccatcctggagactgtggcaagtaggttttataatactacgttagagactgaatct
ttgtcctgaaaaatagtttgaaaggttcattttttcttgttttttcccccaagACCTGTAAATGCAAAGCTATCTCCTCTG
AATGATGAAGATGAAGATGTGAGGCGGGAAAGACAGAGAATTCTTGATGGTGGAGGCCAGAATGACATCTTAGAAATCAA
GGAGTTGACGAAGgtgagagagtacaggttacaatagctcatcttcagttttttttcagctttatgtgctgtaacccagca
gtttgctgacttgcttaataaaagggcatgtgttcccaaaatgtacatctataccaaggttctgtcaattttatttttaaa
aacaccatggagacttcttaaagaattcttactgagaattcttttgtgatatgaattcccattctcgaatactttggtttt
tatatgcttacatttatgtgttagttattaaaacatactaatattgtatatctagtcaaactgagtagagagataatggt
gatt
```

Fig. 12
Page 26 of 30

Genomic contig containing exons 42 through 45:

```
ttttaaaatacctgcaatacatatatatgttgaatagatgaaaaattatgtagatgataatgaatgatacggttctaaaa
agacaggttaaaaagtaagttcacttttattttgagcttcagaatcattcagaagccagtcgccacaaacgcagaccaag
gctcttggcacatcaaatatgcctatggcttagggttattgacaagtcttatgttgcagtgtatgtggtttatagtcctg
ccttccacagttgcttgggagagctgtgagtcactgaggcttatgaatgtttacattttgtttgttgcagATATATAGAA
GGAAGCGGAAGCCTGCTGTTGACAGGATTTGCGTGGGCATTCCTCCTGGTGAGgtaaagacactttgtctatattgcgtt
tgtccctattagttcagactatctctacccaatcaagcaacgatgctcgttaagaggtaaaagtggattttaaaggcttc
tgtatttatgccaggatggagcaattagtcatcgagaagagagggaccctgtatgtcaagagaatgatttcagagaatcc
aatacaatttaagaaaagcatgggctgggcgcagtgattcactcctgtaatcccagcactttgggaggccgaggtgggg
cggactcacgaggtcaggagattgagaccatcctggccaacatggtgaaaccccatctctactataaatacaaaaattag
ctgggcatagtagtgcattcctgtagtcccagctactcgggaggctgaggcaggagaattgcttgaacctaggaggggga
ggttgcccagattgcgctgctgcactccagcctggtgacagagtgagactcatgtcaacaacaaaaacagaaaaagcacg
cacatctaaaacatgcttttgtgatccatttgggatggtgatgacattcaaatagtttttttaaaaatagattttctcctt
tctggtttccgtttgtgttcttttatgcccttttgccagagtaggtggtgcaatttggctagctggctttcattactgtt
tttcacacattaactttggcctcaacttgacaactcaaataatatttataaatacagccacacttaaaatggtcccatta
tgaaatacatatttaaatatctatacgatgtgttaaaaccaagaaaatatttgattcttctctgatatttaagaattgaa
ggtttgaggtagttacgtgttaggggcatttatattcatgttttttagagtttgcttatacaacttaatctttccttttca
gTGCTTTGGGCTCCTGGGAGTTAATGGGGCTGGAAAATCATCAACTTTCAAGATGTTAACAGGAGATACCACTGTTACCA
GAGGAGATGCTTTCCTTAACAAAAATAGgtgagaaaagaagtggccttgtattttgctgcaaagactttgtttttaatttta
tttaaagaaataggttgttattttttgattacagtggtattttttagagttcataaaaatgttgaaatatagtaaagggtaa
agaagcacataaaatcatccatgatttcaatatctagagataatcacaatttacatttccttttcagtctcattctcttct
tttaacagctttattcaggtataatttacatacaatataatttgcttgtttttttaagagtataatttagtgattttttggt
aaattgagagttttgcaaccatcaccacaatccagttttagaacttttccatcaccccacatctgtcttatatacacata
taaatgtgccatacaattgagatcatactgtatgtagaatttaaaattagtttttattgttaatgagtgtattatgaata
tttcccagtgggttacatttcctaagatgtggaattttacattgctacataaaatcccctatgtacatgtacctataat
ttatttaataaaattccttataaatgttggacacattagtttccattttcactatgtaaatatgtccctgtatacatctt
ttattatttcctcaggaacaattcctacaaagtaaattgccctctctaaagagcatacaaattgactgagccaccgttag
gccattttctgagactgcacaggtcacaaagcaatctgatctttgggaatacagctacattttataggcttcttagataa
tgttactctaagtactttaaatatgtggggcttctctgggctttttttttttttgagacggagtttcactcttactgccca
ggctggagagcaatggcgcgaccttggctcactgcaacctccgcctcccaggttcaagcgattctcctgcctcagcctcc
tgagtagctgagattacaggtgcccgccacaatgcctgcctaatttttttgtattttcagtagagatgggggtttcaccat
gttggccagactggtctcgagctcctgacctcaggtgatccacctgcctcagcctcccaaagttctgggattacaggcat
gagccactgcgccggcttctctggacttattatgtggagagatagtacaaggcagtggctttcagagttttttgaccat
gaccgttgtgggaaatacattttatatctcaacctagtatgtacacacagacatgtagacacatgtataacctaaagttt
cataaagcagtacctactgttactaattgtagtgcactctgctatttcttattctaccttatactgcgtcattaaaaaag
tgctggtcatgacccactaaatttatttcccaaaccactaatgaacaatgactcacaatttgaacacactggacagggggg
atagccaataaaattgaaaagagcaaggaaattaatgtattcatgatctcctctcctgtctcttacattttttgcagtagc
aatgtaaaggaatcctaagagaacagacattctgggaatagcaggcctagcgctgcacaactgctttcctaggcttgctc
ctagtaccaagctcctgacgcatatagcagtggcagtaataaccagcccatagtaaggtttgtcacagggactggttgta
agaactgatttgrttggtatagctgtgagggcctggcacggtgtccacgtgtgcctcaatcctaattctgaaaaaggctg
accctggggggtgctaattagatacacagagaggaatgaatgctgccagaaggccaagttcatggcaatgccgctgtggct
gaggtgcagtcatcagtctggaacgtgaacactgaacttctctcacatgtgattcttcacttgactggcttcatagaacc
ccaaagccacccccaccaccacataaattgtgtctctaggttctgtgttgctcacactcaaaatttctgggccttctcatt
tggtgcatgtgaatggtgcatatgagtgaagtctaggatggggccttagcgttaaagccctggggtagtgtgactgagat
tgttggtaaagaatgtgcagtggttggcatgacctcagaaattctgaaatgggactgcacctgcagactgaagtgttcag
agagccaggggaggtgcaaggactggggagggtagaggcaggaaccctgcctgccaggaagagctagcatcctgggggcag
aaaggctgtgctttcaagtagcagcagatgtattggtatctttgtaatggagaagcatactttacaggaacattaggcca
gattgtctaaccagagtatctctacctgcttaaaatctaagtagttttcttgtcctttgcagTATCTTATCAAACATCCA
TGAAGTACATCAGAACATGGGCTACTGCCCTCAGTTTGATGCCATCACAGAGCTGTTGACTGGGAGAGAACACGTGGAGT
TCTTTGCCCTTTTGAGAGGAGTCCCAGAGAAAGAAGTTGGCAAGgtactgtgggcacctgaaagccagcctgtctcctttt
ggcatcctgacaatatataccttatggcttttccacacgcattgacttcaggctgttttttcctcatgaatgcagcagcac
aaaatgctggttctttgtatctgctttcagggtggaaacctgtaacggtggtggggcagggctgggtgggcagagaggga
gtgctgctcccaccacacgagtcccttctccctgctttggctcctcaccagttgtcaggttatgattatagaatctagtc
ctactcagtgaaagaactttcatacatgtatgtgtacgacagcatgataaaattcccaagccagaccaaagtcaaggtgc
tttttatcactgtagGTTGGTGAGTGGGCGATTCGGAAACTGGGCCTCGTGAAGTATGGAGAAAAATATGCTGGTAACTA
TAGTGGAGGCAACAAACGCAAGCTCTCTACAGCCATGGCTTTGATCGGCGGGCCTCCTGTGGTGTTTCTGgtgagtataa
```

Fig. 12
Page 27 of 30

```
ctgtggatggaaaactgttgttctggcctgagtggaaaacatgactgttcaaaagtcctatatgtccagggctgttgtat
gattggcttgtcttcccccagggacagcagagcaaccttggaaaagcagagggaagcttctcccttggcacacactgggg
tggctgtaccatgcctgcagatgctcccaaatagaggcactccaagcactttgtttcttagcgtgattgaggctggatat
gtgatttgatctttctctggaacattctttctaatcatctttgtgttcattccctgaaaatgaagagtgtggacacagct
ttaaaatccccaaggtagcaactaggtcatagttccttacacacggatagatgaaaaacagatcagactgggaagtggcc
cttgacctttttcttctgtagataagagcattgatgttattacgggaagaagcctttgaggctttttatgtattccacct
cggtctggaatttgtttctgtaaggctaacagttgcaatatactagggtaatctgagtgagctggaattaaaaaaaaaaa
ggaatttcaccccaatcttatactgacttcaatagaggtttcagacaaaaagttgttttgtat
```

Fig. 12
Page 28 of 30

Genomic contig containing ABC1 exons 46 to 49:

```
ngccnngttnaaaangaaaatttnnnnnaaaattnaannttannggngnnntttccccagaaaaaacnaaaangatttccn
cccnggggggnccccnantcnaaaaggccccncttntttgnggngagggaaagnttttttttggaatttttaattttttgg
tcccccaaaacctattattgagaatttaattacataaaaaagtactcagaatatttgagtttcctgcatcaataagacat
ttataataatgaccttgtttacaaatgaatttgaaagttactctaattctttgattcatcaagaataactagaatggca
agttaaaatttaagctgtttcaaagatgcttctgcatttaaaaacaaatttatctttgatttttttttcccccagcaaat
aagacttattttattctaattacagGATGAACCCACCACAGGCATGGATCCCAAAGCCCGGCGGTTCTTGTGGAATTGTG
CCCTAAGTGTTGTCAAGGAGGGGAGATCAGTAGTGCTTACATCTCATAGgtccgtagtaaagtcttgggttcctcactgt
gggatgttttaactttccaagtagaatatgcgatcattttgtaaaaattagaaaatacagaaaagcaaagagtaaaacaa
ttattacctgaaattatatatgcatattcttacaaaaatgcaagcccagtataaatactgctcttttttcacttaatatat
tgtaaacattattccaagtcagtgcatttaggtgtcatttcttatagctggatagtattccattaggatatactcttatt
taactattcccccttttgtagacatttggattatttccaacttgttcacaattgtaaacaccactacactgaacagcatc
atccctatatccacatgtacttgtaacagaatacaattccctaggaagctggaatgctggaagtcatggtgatgttctca
tggttacagagaatctctctaaaactaaaacctctttctgtttaccgcagTATGGAAGAATGTGAAGCTCTTTGCACTA
GGATGGCAATCATGGTCAATGGAAGGTTCAGGTGCCTTGGCAGTGTCCAGCATCTAAAAAATAGgtaataaagataattt
ctttgggatagtgcctagtgagaaggcttgatatttattcttttgtgagtatataaatggtgcctctaaaataaagggaa
ataaaactgagcaaaacagtatagtggaaagaatgagggctttgaagtccgaactgcattcaaattctgtctttaccatt
tactggttctgtgactcttgggcaagttacttaactactgtaagagttagtttccctggaagatctacctcctagctttg
tgctatagatgaaatgaaaaaaatttacatgtgccagtactggtgagagcgcaagctttggagtcaaacacaaatgggtt
tgcatcctggccctaccaattatgagctctgagccatgggcaagtgactaactccctgggcctcagtttctctgtaacat
ctgtcagacttcatgggtccaggtgaggattaaaggagatcatgtatttacagcacatggcatggtgcttcacataaaat
aagtatttagtaaatgataactggttccttctctcagaaacttatttctgggcctgccaggggccgcccttttttcatggc
acaagttgggttcccagggttcagtattcttttaaatagttttctggagatcctccatttgggtatttttttcctgctttc
agGTTTGGAGATGGTTATACAATAGTTGTACGAATAGCAGGGTCCAACCCGGACCTGAAGCCTGTCCAGGATTTCTTTGG
ACTTGCATTTCCTGGAAGTGTTCYAAAAGAGAAACACCGGAACATGCTACAATACCAGCTTCCATCTTCATTATCTTCTC
TGGCCAGGATATTCAGCATCCTCTCCCAGAGCAAAAAGCGACTCCACATAGAAGACTACTCTGTTTCTCAGACAACACTT
GACCAAgtaagctttgagtgtcaaaacagatttacttctcagggtgtggattcctgccccgacactcccgcccataggtc
caagagcagtttgtatcttgaattggtgcttgaattcctgatctactattcctagctatgcttttttactaaacctctctg
aacctgaaaagggagatgatgcctatgtactctataggattattgtgagaatttactgtaataataaccataaaaactac
catttagtgagcacctaccatgggccaggcatttttacttggtgcctaatcctatttaaattagataaaaaagtaccaaat
aggtcctgacacttaagaagtactcagtaaatattttcttccctcttccctttaatcaagaccgtatgtgccaaagtaaa
tggatgactgagcagttggtgatgtaggggtgggggcgatatagaaagtcagtttttggccgggcgtggtggctcatgc
ctgtaatcccagcactttgggaggctgaggagcaggcagatcatgaggtcaggagatccagataatcctggccaacaggg
tgaaacccgtctctactaaaaatacaaaaattagctgggcatggtggtgcgcacttgtagtcccagctacttgcgaggc
tgaggcaggagaattgctcgaacccaggaggtggaggttacagtgagccaaggtctcgccactgcactccagcctgggga
cagagcaagaccccatttcaaggggggaaaaaaagtctattttttaagttgttattgctttttttcaagtattcttccctcc
ttcacacacagttttctagttaatccatttatgtaattctgtatgctcctacttgacctaatttcaacatctggaaaaat
agaactagaataaagaatgagcaagttgagtggtatttataaaggtccatcttaatctttttaacagGTATTTGTGAACTT
TGCCAAGGACCAAAGTGATGATGACCACTTAAAAGACCTCTCATTACACAAAAACCAGACAGTAGTGGACGTTGCAGTTC
TCACATCTTTTCTACAGGATGAGAAAGTGAAAGAAAGCTATGTATGAAGAATCCTGTTCATACGGGGTGGCTGAAAGTAA
AGAGGAACTAGACTTTCCTTTGCACCATGTGAAGTGTTGTGGAGAAAAGAGCCAGAAGTTGATGTGGGAAGAAGTAAACT
GGATACTGTACTGATACTATTCAATGCAATGCAATTCAATGcaatgaaaacaaaattccattacaggggcagtgcctttg
tagcctatgtcttgtatggctctcaagtgaaagacttgaatttagttttttacctatacctatgtgaaactctattatgg
aacccaatggacatatgggtttgaactcacacttttttttttttttttgttcctgtgtattctcattgggggttgcaacaa
taattcatcaagtaatcatggccagcgattattgatcaaatcaaaaggtaatgcacatcctcattcactaagccatgcc
atgcccaggagactggtttcccggtgacacatccattgctggcaatgagtgtgccagagttattagtgccaagttttttca
gaaagtttgaagcaccatggtgtgtcatgctcactttttgtgaaagctgctctgctcagagtctatcaacattgaatatca
gttgacagaatggtgccatgcgtggctaacatcctgctttgattccctctgataagctgttctggtggcagtaacatgca
acaaaaatgtgggtgtctccaggcacgggaaacttggttccattgttatattgtcctatgcttcgagccatgggtctaca
gggtcatccttatgagactcttaaatatacttagatcctggtaagaggcaaagaatcaacagccaaactgctggggctgc
aactgctgaagccagggcatgggattaaagagattgtgcgttcaaacctagggaagcctgtgcccatttgtcctgactgt
ctgctaacatggtacactgcatctcaagatgtttatctgacacaagtgtattatttctggcttttttgaattaatctagaa
aatgaaaagatggagttgtattttgacaaaaatgtttgtactttttaatgttatttggaatttttaagttctatcagtgac
ttctgaatccttagaatggcctctttgtagaaccctgtggtatagaggagtatggccactgcccactatttttatttttct
tatgtaagtttgcatatcagtcatgactagtgcctagaaagcaatgtgatggtcaggatctcatgacattatatttgagt
ttctttcagatcatttaggatactcttaatctcacttcatcaatcaaatattttttgagtgtatgctgtagctgaaagag
```

Fig. 12
Page 29 of 30

tatgtacgtacgtataagactagagagatattaagtctcagtacacttcctgtgccatgttattcagctcactggtttac
aaatataggttgtcttgtggttgtaggagcccactgtaacaatactgggcagcctttttttttttttttttttaattgcaac
aatgcaaaagccaagaaagtttaagggtcacaagtctaaacaatgaattcttcaacagggaaaacagctagcttgaaaac
ttgctgaaaaacacaacttgtgtttatggcatttagtaccttcaaataattggctttgcagatattggataccccattaa
atctgacagtctcaaattttttcatctcttcaatcactagtcaagaaaaaatataaaaacaacaaatacttccatatggag
cattttcagagttttctaacccagtcttattttttctagtcagtaaacatttgtaaaaatactgtttcactaatacttac
tgttaactgtcttgagagaaaagaaaaatatgagagaactattgtttggggaagttcaagtgatctttcaatatcattac
taacttcttccactttttccagaatttgaatattaacgctaaaggtgtaagacttcagatttcaaattaatctttctata
tttttaaatttacagaatattatataacccactgctgaaaaagaaacaaatgattgttttagaagttaaaggtcaatat
tgattttaaaatattaag

Fig. 12
Page 30 of 30

245 kD →

1   2   3

Fig. 13

Control

A C C A G G G G A A T C T C C

WHAM

A C C A G G G A A A T C T C C

258

G265A (E89K)

272

Fig. 14

wt chicken   cgctacccaacaccaggggGaatctcctggtattgttggaaacttc

HUMAN_ABC1	R	Y	P	T	P	G	E	A	P	G	V	V	G	N	F
MOUSE_ABC1	R	Y	P	T	P	G	E	A	P	G	V	V	G	N	F
wt chicken	R	Y	P	T	P	G	E	S	P	G	I	V	G	N	F
WHAM chicken	R	Y	P	T	P	G	K	S	P	G	I	V	G	N	F

WHAM chicken   cgctacccaacaccagggAaatctcctggtattgttggaaacttc

E89K

Fig. 15

No.	Name	Location in SEQ ID No. 14	Sequence	Sequence Length	Strand
1	PPRE	58-69	AGGTAAAAGTCA	12	Complement
2	PPRE	1997-2009	AGAGTAGAGGGCA	13	Lead
3	PPRE	2150-2161	ATGTCAAGTTCA	12	Lead
4	PPRE	2156-2169	AGTTCAAAAGGGCA	14	Lead
5	PPRE	4126-4139	AGGCCAGCAGGGCC	14	Complement
6	PPRE	5075-5087	AGGGCAGAAGTGA	13	Lead
7	PPRE	6604-6615	ATGCCAAGGTCA	12	Complement
8	PPRE	6731-6743	GGGGCAAGGGTA	13	Complement
9	PPRE	7220-7233	AGGTAATGAGGACA	14	Complement
10	PPRE	7554-7568	GGATCACGAGGTCA	15	Complement
1	SRE	159-166	CAGCCCAT	8	Lead
2	SRE	1133-1140	CAGCTCAC	8	Complement
3	SRE	1145-1152	CACACCAC	8	Lead
4	SRE	1809-1816	CAGCCCTC	8	Complement
5	SRE	1894-1901	CAGCCCAT	8	Lead
6	SRE	2563-2570	CAACCCAC	8	Lead
7	SRE	3303-3310	CAGCTCAC	8	Lead
8	SRE	3470-3477	CCGCCCAC	8	Lead
9	SRE	4784-4791	CTCCCCAC	8	Complement
10	SRE	4802-4809	CAGCCTAC	8	Complement
11	SRE	4970-4977	CACCTCAC	8	Complement
12	SRE	6487-6494	CAGCCTAC	8	Complement
13	SRE	6565-6572	CACCCAAC	8	Complement
14	SRE	6727-6734	CACCCTAC	8	Lead
15	SRE	7041-7048	CACCCAAC	8	Lead
16	SRE	8059-8066	CAGCCCTC	8	Complement
1	ROR(retinoic acid receptor related)	166-172	AGGGTCA	7	Complement
2	ROR(retinoic acid receptor related)	166-173	AAGGGTCA	8	Complement
3	ROR(retinoic acid receptor related)	363-370	ATGGGTCA	8	Lead
4	ROR(retinoic acid receptor related)	364-370	TGGGTCA	7	Lead
5	ROR(retinoic acid receptor related)	2218-2225	TAGGGTCA	8	Lead
6	ROR(retinoic acid receptor related)	2219-2225	AGGGTCA	7	Lead
7	ROR(retinoic acid receptor related)	3643-3649	TGGGTCA	7	Lead
8	ROR(retinoic acid receptor related)	6604-6610	AAGGTCA	7	Complement
1	SREBP-1 or "E box"	473-479	ACACCTG	7	Complement
2	SREBP-1 or "E box"	536-541	ACACATG	7	Lead
3	SREBP-1 or "E box"	537-543	TCATGTG	7	Complement
4	SREBP-1 or "E box"	655-661	TCATGTG	7	Complement
5	SREBP-1 or "E box"	925-931	ACACTTG	7	Lead
6	SREBP-1 or "E box"	967-973	TCACTTG	7	Lead
7	SREBP-1 or "E box"	968-974	TCAAGTG	7	Complement
8	SREBP-1 or "E box"	1063-1069	ACAGGTG	7	Complement
9	SREBP-1 or "E box"	1104-1110	TCACTTG	7	Lead
10	SREBP-1 or "E box"	1105-1111	TCAAGTG	7	Complement
11	SREBP-1 or "E box"	1561-1567	TCACTTG	7	Lead
12	SREBP-1 or "E box"	1670-1676	TCAAATG	7	Lead
13	SREBP-1 or "E box"	1748-1754	ACACTTG	7	Lead
14	SREBP-1 or "E box"	1749-1755	ACAAGTG	7	Complement
15	SREBP-1 or "E box"	1852-1858	TCATGTG	7	Lead
16	SREBP-1 or "E box"	1853-1859	ACACATG	7	Complement
17	SREBP-1 or "E box"	1899-1905	ACAAATG	7	Complement
18	SREBP-1 or "E box"	2199-2205	ACACGTG	7	Lead
19	SREBP-1 or "E box"	2393-2399	ACAGCTG	7	Complement
20	SREBP-1 or "E box"	2669-27005	ACACCTG	7	Lead
21	SREBP-1 or "E box"	2677-2683	TCACATG	7	Complement
22	SREBP-1 or "E box"	2740-2746	ACAACTG	7	Complement
23	SREBP-1 or "E box"	2969-2975	ACAAATG	7	Lead
24	SREBP-1 or "E box"	2979-2985	ACACATG	7	Lead
25	SREBP-1 or "E box"	2981-2987	ACATGTG	7	Lead
26	SREBP-1 or "E box"	2980-2986	ACATGTG	7	Complement
27	SREBP-1 or "E box"	2982-2988	ACACATG	7	Complement
28	SREBP-1 or "E box"	3461-3467	TCAGGTG	7	Lead
29	SREBP-1 or "E box"	3462-3468	TCACCTG	7	Complement
30	SREBP-1 or "E box"	3547-3553	TCAACTG	7	Complement
31	SREBP-1 or "E box"	3752-3758	ACACATG	7	Lead
32	SREBP-1 or "E box"	4226-4232	TCACCTG	7	Lead
33	SREBP-1 or "E box"	4582-4588	ACACGTG	7	Complement
34	SREBP-1 or "E box"	4588-4594	TCAGTTG	7	Lead
35	SREBP-1 or "E box"	4861-4867	TCAGGTG	7	Lead
36	SREBP-1 or "E box"	4951-4957	ACAAATG	7	Lead
37	SREBP-1 or "E box"	5096-5102	TCAAATG	7	Complement
38	SREBP-1 or "E box"	5912-5918	ACAGTTG	7	Lead
39	SREBP-1 or "E box"	5913-5919	TCAACTG	7	Complement
40	SREBP-1 or "E box"	6245-6251	ACACATG	7	Complement
41	SREBP-1 or "E box"	6288-6294	ACAACTG	7	Complement
42	SREBP-1 or "E box"	6623-6629	TCATTTG	7	Lead
43	SREBP-1 or "E box"	6836-6842	TCACCTG	7	Lead
44	SREBP-1 or "E box"	6837-6843	ACAGGTG	7	Complement
45	SREBP-1 or "E box"	7032-7038	ACAGGTG	7	Complement

Fig. 16

Page 1 of 2

46	SREBP-1 or "E box"	7069-7075	TCAGGTG	7	Lead
47	SREBP-1 or "E box"	7101-7107	ACATATG	7	Complement
48	SREBP-1 or "E box"	7138-7144	ACAGTTG	7	Lead
49	SREBP-1 or "E box"	7139-7145	TCAACTG	7	Complement
50	SREBP-1 or "E box"	7240-7246	ACACCTG	7	Complement
51	SREBP-1 or "E box"	7467-7473	ACAGGTG	7	Lead
52	SREBP-1 or "E box"	7640-7646	TCATTTG	7	Lead
53	SREBP-1 or "E box"	7641-7647	TCAAATG	7	Complement
54	SREBP-1 or "E box"	7653-7659	TCAGTTG	7	Lead
55	SREBP-1 or "E box"	7654-7660	ACAACTG	7	Complement
56	SREBP-1 or "E box"	7735-7741	ACAAATG	7	Lead
57	SREBP-1 or "E box"	7838-7844	TCAGGTG	7	Complement
58	SREBP-1 or "E box"	7880-7886	TCATCTG	7	Complement
59	SREBP-1 or "E box"	8051-8057	TCAGCTG	7	Lead
60	SREBP-1 or "E box"	8052-8058	TCAGCTG	7	Complement

Fig. 16

Page 2 of 2

COMBINED DECLARATION AND POWER OF ATTORNEY

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled METHODS AND REAGENTS FOR MODULATING CHOLESTEROL LEVELS, the specification of which

    ■ is attached hereto.
    ☐ was filed on _____ as Application Serial No. _____
       and was amended on _____.
    ☐ was described and claimed in PCT International Application No. _____
       filed on _____ and as amended under PCT Article 19 on _____.

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose all information I know to be material to patentability in accordance with Title 37, Code of Federal Regulations, §1.56(a).

FOREIGN PRIORITY RIGHTS: I hereby claim foreign priority benefits under Title 35, United States Code, §119 of any foreign application(s) for patent or inventor's certificate or of any PCT international application(s) designating at least one country other than the United States of America listed below and have also identified below any foreign application for patent or inventor's certificate or any PCT international application(s) designating at least one country other than the United States of America filed by me on the same subject matter having a filing date before that of the application(s) of which priority is claimed:

Country	Serial Number	Filing Date	Priority Claimed?
			Yes/No

PROVISIONAL PRIORITY RIGHTS: I hereby claim priority benefits under Title 35, United States Code, §119(e) and §120 of any United States provisional patent application(s) listed below filed by an inventor or inventors on the same subject matter as the present application and having a filing date before that of the application(s) of which priority is claimed:

Serial Number	Filing Date	Status
60/124,702	March 15, 1999	Pending
60/138,048	June 8, 1999	Pending
60/139,600	June 17, 1999	Pending
60/151,977	September 1, 1999	Pending

COMBINED DECLARATION AND POWER OF ATTORNEY

NON-PROVISIONAL PRIORITY RIGHTS: I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, §112, I acknowledge the duty to disclose all information I know to be material to patentability as defined in Title 37, Code of Federal Regulations, §1.56(a) which became available between the filing date of the prior application and the national or PCT international filing date of this application:

Serial Number	Filing Date	Status

I hereby appoint the following attorneys and/or agents to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith: Paul T. Clark, Reg. No. 30,162, Karen L. Elbing, Ph.D. Reg. No. 35,238, Kristina Bieker-Brady, Ph.D. Reg. No. 39,109, Susan M. Michaud, Ph.D. Reg. No. 42,885, Mary Rose Scozzafava, Ph.D., Reg. No.36,268, James D. DeCamp, Ph.D., Reg. No. 43,580.

Address all telephone calls to: Paul T. Clark at 617/428-0200.

Address all correspondence to: Paul T. Clark at Clark & Elbing LLP, 176 Federal Street, Boston, MA 02110.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patents issued thereon.

Full Name (First, Middle, Last)	Residence Address (City, State, Country)	Post Office Address (Street, City, State, Country)	Citizenship
Michael R. Hayden	Vancouver, British Columbia CANADA	4484 West 7th Avenue Vancouver, British Columbia V6R 1W9 CANADA	USA and CANADIAN
Signature:			Date:

COMBINED DECLARATION AND POWER OF ATTORNEY

Full Name (First, Middle, Last)	Residence Address (City, State, Country)	Post Office Address (Street, City, State, Country)	Citizenship
Angela R. Wilson	Richmond, British Columbia CANADA	7100 Langton Road Richmond, British Columbia V7C 4B2 CANADA	CANADIAN
Signature:			Date:

Full Name (First, Middle, Last)	Residence Address (City, State, Country)	Post Office Address (Street, City, State, Country)	Citizenship
Simon N. Pimstone	Vancouver, British Columbia CANADA	4746 West 6th Avenue Vancouver, British Columbia V6T 1C5 CANADA	CANADIAN
Signature:			Date:

SEQUENCE LISTING

<110> Hayden, Michael R.
      Wilson, Angela R.
      Pimstone, Simon N.

<120> METHODS AND REAGENTS FOR MODULATING
   CHOLESTEROL LEVELS

<130> 50110/002005

<150> 60/124,702
<151> 1999-03-15

<150> 60/138,048
<151> 1999-06-08

<150> 60/139,600
<151> 1999-06-17

<150> 60/151,977
<151> 1999-09-01

<160> 287

<170> FastSEQ for Windows Version 4.0

<210> 1
<211> 2261
<212> PRT
<213> Homo sapiens

<400> 1
Met Ala Cys Trp Pro Gln Leu Arg Leu Leu Leu Trp Lys Asn Leu Thr
 1   5   10   15
Phe Arg Arg Arg Gln Thr Cys Gln Leu Leu Leu Glu Val Ala Trp Pro
            20   25   30
Leu Phe Ile Phe Leu Ile Leu Ile Ser Val Arg Leu Ser Tyr Pro Pro
            35   40   45
Tyr Glu Gln His Glu Cys His Phe Pro Asn Lys Ala Met Pro Ser Ala
        50   55   60
Gly Thr Leu Pro Trp Val Gln Gly Ile Ile Cys Asn Ala Asn Asn Pro
65   70   75   80
Cys Phe Arg Tyr Pro Thr Pro Gly Glu Ala Pro Gly Val Val Gly Asn
            85   90   95
Phe Asn Lys Ser Ile Val Ala Arg Leu Phe Ser Asp Ala Arg Arg Leu
            100   105   110
Leu Leu Tyr Ser Gln Lys Asp Thr Ser Met Lys Asp Met Arg Lys Val
            115   120   125
Leu Arg Thr Leu Gln Gln Ile Lys Lys Ser Ser Ser Asn Leu Lys Leu

1

```
            130                     135                     140
Gln Asp Phe Leu Val Asp Asn Glu Thr Phe Ser Gly Phe Leu Tyr His
145                     150                     155                     160
Asn Leu Ser Leu Pro Lys Ser Thr Val Asp Lys Met Leu Arg Ala Asp
                    165                     170                     175
Val Ile Leu His Lys Val Phe Leu Gln Gly Tyr Gln Leu His Leu Thr
                    180                     185                     190
Ser Leu Cys Asn Gly Ser Lys Ser Glu Glu Met Ile Gln Leu Gly Asp
                    195                     200                     205
Gln Glu Val Ser Glu Leu Cys Gly Leu Pro Arg Glu Lys Leu Ala Ala
        210                     215                     220
Ala Glu Arg Val Leu Arg Ser Asn Met Asp Ile Leu Lys Pro Ile Leu
225                     230                     235                     240
Arg Thr Leu Asn Ser Thr Ser Pro Phe Pro Ser Lys Glu Leu Ala Glu
                    245                     250                     255
Ala Thr Lys Thr Leu Leu His Ser Leu Gly Thr Leu Ala Gln Glu Leu
                    260                     265                     270
Phe Ser Met Arg Ser Trp Ser Asp Met Arg Gln Glu Val Met Phe Leu
                    275                     280                     285
Thr Asn Val Asn Ser Ser Ser Ser Thr Gln Ile Tyr Gln Ala Val
        290                     295                     300
Ser Arg Ile Val Cys Gly His Pro Glu Gly Gly Gly Leu Lys Ile Lys
305                     310                     315                     320
Ser Leu Asn Trp Tyr Glu Asp Asn Asn Tyr Lys Ala Leu Phe Gly Gly
                    325                     330                     335
Asn Gly Thr Glu Glu Asp Ala Glu Thr Phe Tyr Asp Asn Ser Thr Thr
                    340                     345                     350
Pro Tyr Cys Asn Asp Leu Met Lys Asn Leu Glu Ser Ser Pro Leu Ser
                    355                     360                     365
Arg Ile Ile Trp Lys Ala Leu Lys Pro Leu Leu Val Gly Lys Ile Leu
        370                     375                     380
Tyr Thr Pro Asp Thr Pro Ala Thr Arg Gln Val Met Ala Glu Val Asn
385                     390                     395                     400
Lys Thr Phe Gln Glu Leu Ala Val Phe His Asp Leu Glu Gly Met Trp
                    405                     410                     415
Glu Glu Leu Ser Pro Lys Ile Trp Thr Phe Met Glu Asn Ser Gln Glu
                    420                     425                     430
Met Asp Leu Val Arg Met Leu Leu Asp Ser Arg Asp Asn Asp His Phe
                    435                     440                     445
Trp Glu Gln Gln Leu Asp Gly Leu Asp Trp Thr Ala Gln Asp Ile Val
        450                     455                     460
Ala Phe Leu Ala Lys His Pro Glu Asp Val Gln Ser Ser Asn Gly Ser
465                     470                     475                     480
Val Tyr Thr Trp Arg Glu Ala Phe Asn Glu Thr Asn Gln Ala Ile Arg
                    485                     490                     495
Thr Ile Ser Arg Phe Met Glu Cys Val Asn Leu Asn Lys Leu Glu Pro
                    500                     505                     510
Ile Ala Thr Glu Val Trp Leu Ile Asn Lys Ser Met Glu Leu Leu Asp
                    515                     520                     525
Glu Arg Lys Phe Trp Ala Gly Ile Val Phe Thr Gly Ile Thr Pro Gly
        530                     535                     540

                            2
```

Ser Ile Glu Leu Pro His His Val Lys Tyr Lys Ile Arg Met Asp Ile
545   550   555   560
Asp Asn Val Glu Arg Thr Asn Lys Ile Lys Asp Gly Tyr Trp Asp Pro
                565   570   575
Gly Pro Arg Ala Asp Pro Phe Glu Asp Met Arg Tyr Val Trp Gly Gly
                580   585   590
Phe Ala Tyr Leu Gln Asp Val Val Glu Gln Ala Ile Ile Arg Val Leu
                595   600   605
Thr Gly Thr Glu Lys Lys Thr Gly Val Tyr Met Gln Gln Met Pro Tyr
                610   615   620
Pro Cys Tyr Val Asp Asp Ile Phe Leu Arg Val Met Ser Arg Ser Met
625   630   635   640
Pro Leu Phe Met Thr Leu Ala Trp Ile Tyr Ser Val Ala Val Ile Ile
                645   650   655
Lys Gly Ile Val Tyr Glu Lys Glu Ala Arg Leu Lys Glu Thr Met Arg
                660   665   670
Ile Met Gly Leu Asp Asn Ser Ile Leu Trp Phe Ser Trp Phe Ile Ser
                675   680   685
Ser Leu Ile Pro Leu Leu Val Ser Ala Gly Leu Leu Val Val Ile Leu
                690   695   700
Lys Leu Gly Asn Leu Leu Pro Tyr Ser Asp Pro Ser Val Val Phe Val
705   710   715   720
Phe Leu Ser Val Phe Ala Val Val Thr Ile Leu Gln Cys Phe Leu Ile
                725   730   735
Ser Thr Leu Phe Ser Arg Ala Asn Leu Ala Ala Ala Cys Gly Gly Ile
                740   745   750
Ile Tyr Phe Thr Leu Tyr Leu Pro Tyr Val Leu Cys Val Ala Trp Gln
                755   760   765
Asp Tyr Val Gly Phe Thr Leu Lys Ile Phe Ala Ser Leu Leu Ser Pro
                770   775   780
Val Ala Phe Gly Phe Gly Cys Glu Tyr Phe Ala Leu Phe Glu Glu Gln
785   790   795   800
Gly Ile Gly Val Gln Trp Asp Asn Leu Phe Glu Ser Pro Val Glu Glu
                805   810   815
Asp Gly Phe Asn Leu Thr Thr Ser Val Ser Met Met Leu Phe Asp Thr
                820   825   830
Phe Leu Tyr Gly Val Met Thr Trp Tyr Ile Glu Ala Val Phe Pro Gly
                835   840   845
Gln Tyr Gly Ile Pro Arg Pro Trp Tyr Phe Pro Cys Thr Lys Ser Tyr
                850   855   860
Trp Phe Gly Glu Glu Ser Asp Glu Lys Ser His Pro Gly Ser Asn Gln
865   870   875   880
Lys Arg Ile Ser Glu Ile Cys Met Glu Glu Pro Thr His Leu Lys
                885   890   895
Leu Gly Val Ser Ile Gln Asn Leu Val Lys Val Tyr Arg Asp Gly Met
                900   905   910
Lys Val Ala Val Asp Gly Leu Ala Leu Asn Phe Tyr Glu Gly Gln Ile
                915   920   925
Thr Ser Phe Leu Gly His Asn Gly Ala Gly Lys Thr Thr Thr Met Ser
                930   935   940
Ile Leu Thr Gly Leu Phe Pro Pro Thr Ser Gly Thr Ala Tyr Ile Leu

3

```
945                    950                    955                    960
Gly Lys Asp Ile Arg Ser Glu Met Ser Thr Ile Arg Gln Asn Leu Gly
                    965                    970                    975
Val Cys Pro Gln His Asn Val Leu Phe Asp Met Leu Thr Val Glu Glu
                    980                    985                    990
His Ile Trp Phe Tyr Ala Arg Leu Lys Gly Leu Ser Glu Lys His Val
                    995                    1000                   1005
Lys Ala Glu Met Glu Gln Met Ala Leu Asp Val Gly Leu Pro Ser Ser
    1010                   1015                   1020
Lys Leu Lys Ser Lys Thr Ser Gln Leu Ser Gly Gly Met Gln Arg Lys
1025                   1030                   1035                   1040
Leu Ser Val Ala Leu Ala Phe Val Gly Gly Ser Lys Val Val Ile Leu
                    1045                   1050                   1055
Asp Glu Pro Thr Ala Gly Val Asp Pro Tyr Ser Arg Arg Gly Ile Trp
                    1060                   1065                   1070
Glu Leu Leu Leu Lys Tyr Arg Gln Gly Arg Thr Ile Ile Leu Ser Thr
        1075                   1080                   1085
His His Met Asp Glu Ala Asp Val Leu Gly Asp Arg Ile Ala Ile Ile
        1090                   1095                   1100
Ser His Gly Lys Leu Cys Cys Val Gly Ser Ser Leu Phe Leu Lys Asn
1105                   1110                   1115                   1120
Gln Leu Gly Thr Gly Tyr Tyr Leu Thr Leu Val Lys Lys Asp Val Glu
                    1125                   1130                   1135
Ser Ser Leu Ser Ser Cys Arg Asn Ser Ser Ser Thr Val Ser Tyr Leu
                    1140                   1145                   1150
Lys Lys Glu Asp Ser Val Ser Gln Ser Ser Ser Asp Ala Gly Leu Gly
        1155                   1160                   1165
Ser Asp His Glu Ser Asp Thr Leu Thr Ile Asp Val Ser Ala Ile Ser
        1170                   1175                   1180
Asn Leu Ile Arg Lys His Val Ser Glu Ala Arg Leu Val Glu Asp Ile
1185                   1190                   1195                   1200
Gly His Glu Leu Thr Tyr Val Leu Pro Tyr Glu Ala Ala Lys Glu Gly
                    1205                   1210                   1215
Ala Phe Val Glu Leu Phe His Glu Ile Asp Asp Arg Leu Ser Asp Leu
                    1220                   1225                   1230
Gly Ile Ser Ser Tyr Gly Ile Ser Glu Thr Thr Leu Glu Glu Ile Phe
        1235                   1240                   1245
Leu Lys Val Ala Glu Glu Ser Gly Val Asp Ala Glu Thr Ser Asp Gly
    1250                   1255                   1260
Thr Leu Pro Ala Arg Arg Asn Arg Arg Ala Phe Gly Asp Lys Gln Ser
1265                   1270                   1275                   1280
Cys Leu Arg Pro Phe Thr Glu Asp Asp Ala Ala Asp Pro Asn Asp Ser
                    1285                   1290                   1295
Asp Ile Asp Pro Glu Ser Arg Glu Thr Asp Leu Leu Ser Gly Met Asp
                    1300                   1305                   1310
Gly Lys Gly Ser Tyr Gln Val Lys Gly Trp Lys Leu Thr Gln Gln Gln
        1315                   1320                   1325
Phe Val Ala Leu Leu Trp Lys Arg Leu Leu Ile Ala Arg Arg Ser Arg
    1330                   1335                   1340
Lys Gly Phe Phe Ala Gln Ile Val Leu Pro Ala Val Phe Val Cys Ile
1345                   1350                   1355                   1360
```

4

```
Ala Leu Val Phe Ser Leu Ile Val Pro Pro Phe Gly Lys Tyr Pro Ser
                1365                1370                1375
Leu Glu Leu Gln Pro Trp Met Tyr Asn Glu Gln Tyr Thr Phe Val Ser
                1380                1385                1390
Asn Asp Ala Pro Glu Asp Thr Gly Thr Leu Glu Leu Leu Asn Ala Leu
            1395                1400                1405
Thr Lys Asp Pro Gly Phe Gly Thr Arg Cys Met Glu Gly Asn Pro Ile
         1410                1415                1420
Pro Asp Thr Pro Cys Gln Ala Gly Glu Glu Glu Trp Thr Thr Ala Pro
1425                1430                1435                1440
Val Pro Gln Thr Ile Met Asp Leu Phe Gln Asn Gly Asn Trp Thr Met
                1445                1450                1455
Gln Asn Pro Ser Pro Ala Cys Gln Cys Ser Ser Asp Lys Ile Lys Lys
            1460                1465                1470
Met Leu Pro Val Cys Pro Pro Gly Ala Gly Gly Leu Pro Pro Pro Gln
         1475                1480                1485
Arg Lys Gln Asn Thr Ala Asp Ile Leu Gln Asp Leu Thr Gly Arg Asn
         1490                1495                1500
Ile Ser Asp Tyr Leu Val Lys Thr Tyr Val Gln Ile Ile Ala Lys Ser
1505                1510                1515                1520
Leu Lys Asn Lys Ile Trp Val Asn Glu Phe Arg Tyr Gly Gly Phe Ser
                1525                1530                1535
Leu Gly Val Ser Asn Thr Gln Ala Leu Pro Pro Ser Gln Glu Val Asn
            1540                1545                1550
Asp Ala Ile Lys Gln Met Lys Lys His Leu Lys Leu Ala Lys Asp Ser
         1555                1560                1565
Ser Ala Asp Arg Phe Leu Asn Ser Leu Gly Arg Phe Met Thr Gly Leu
         1570                1575                1580
Asp Thr Arg Asn Asn Val Lys Val Trp Phe Asn Asn Lys Gly Trp His
1585                1590                1595                1600
Ala Ile Ser Ser Phe Leu Asn Val Ile Asn Asn Ala Ile Leu Arg Ala
                1605                1610                1615
Asn Leu Gln Lys Gly Glu Asn Pro Ser His Tyr Gly Ile Thr Ala Phe
            1620                1625                1630
Asn His Pro Leu Asn Leu Thr Lys Gln Gln Leu Ser Glu Val Ala Leu
         1635                1640                1645
Met Thr Thr Ser Val Asp Val Leu Val Ser Ile Cys Val Ile Phe Ala
      1650                1655                1660
Met Ser Phe Val Pro Ala Ser Phe Val Val Phe Leu Ile Gln Glu Arg
1665                1670                1675                1680
Val Ser Lys Ala Lys His Leu Gln Phe Ile Ser Gly Val Lys Pro Val
                1685                1690                1695
Ile Tyr Trp Leu Ser Asn Phe Val Trp Asp Met Cys Asn Tyr Val Val
            1700                1705                1710
Pro Ala Thr Leu Val Ile Ile Ile Phe Ile Cys Phe Gln Gln Lys Ser
         1715                1720                1725
Tyr Val Ser Ser Thr Asn Leu Pro Val Leu Ala Leu Leu Leu Leu Leu
      1730                1735                1740
Tyr Gly Trp Ser Ile Thr Pro Leu Met Tyr Pro Ala Ser Phe Val Phe
1745                1750                1755                1760
Lys Ile Pro Ser Thr Ala Tyr Val Val Leu Thr Ser Val Asn Leu Phe
```

5

Ile Gly Ile Asn Gly Ser Val Ala Thr Phe Val Leu Glu Leu Phe Thr
                        1780   1785   1790
Asp Asn Lys Leu Asn Asn Ile Asn Asp Ile Leu Lys Ser Val Phe Leu
            1795   1800   1805
Ile Phe Pro His Phe Cys Leu Gly Arg Gly Leu Ile Asp Met Val Lys
            1810   1815   1820
Asn Gln Ala Met Ala Asp Ala Leu Glu Arg Phe Gly Glu Asn Arg Phe
1825   1830   1835   1840
Val Ser Pro Leu Ser Trp Asp Leu Val Gly Arg Asn Leu Phe Ala Met
                        1845   1850   1855
Ala Val Glu Gly Val Val Phe Phe Leu Ile Thr Val Leu Ile Gln Tyr
            1860   1865   1870
Arg Phe Phe Ile Arg Pro Arg Pro Val Asn Ala Lys Leu Ser Pro Leu
            1875   1880   1885
Asn Asp Glu Asp Glu Asp Val Arg Arg Glu Arg Gln Arg Ile Leu Asp
            1890   1895   1900
Gly Gly Gly Gln Asn Asp Ile Leu Glu Ile Lys Glu Leu Thr Lys Ile
1905   1910   1915   1920
Tyr Arg Arg Lys Arg Lys Pro Ala Val Asp Arg Ile Cys Val Gly Ile
                        1925   1930   1935
Pro Pro Gly Glu Cys Phe Gly Leu Leu Gly Val Asn Gly Ala Gly Lys
            1940   1945   1950
Ser Ser Thr Phe Lys Met Leu Thr Gly Asp Thr Thr Val Thr Arg Gly
            1955   1960   1965
Asp Ala Phe Leu Asn Lys Asn Ser Ile Leu Ser Asn Ile His Glu Val
            1970   1975   1980
His Gln Asn Met Gly Tyr Cys Pro Gln Phe Asp Ala Ile Thr Glu Leu
1985   1990   1995   2000
Leu Thr Gly Arg Glu His Val Glu Phe Phe Ala Leu Leu Arg Gly Val
                        2005   2010   2015
Pro Glu Lys Glu Val Gly Lys Val Gly Glu Trp Ala Ile Arg Lys Leu
            2020   2025   2030
Gly Leu Val Lys Tyr Gly Glu Lys Tyr Ala Gly Asn Tyr Ser Gly Gly
            2035   2040   2045
Asn Lys Arg Lys Leu Ser Thr Ala Met Ala Leu Ile Gly Gly Pro Pro
            2050   2055   2060
Val Val Phe Leu Asp Glu Pro Thr Thr Gly Met Asp Pro Lys Ala Arg
2065   2070   2075   2080
Arg Phe Leu Trp Asn Cys Ala Leu Ser Val Val Lys Glu Gly Arg Ser
                        2085   2090   2095
Val Val Leu Thr Ser His Ser Met Glu Glu Cys Glu Ala Leu Cys Thr
            2100   2105   2110
Arg Met Ala Ile Met Val Asn Gly Arg Phe Arg Cys Leu Gly Ser Val
            2115   2120   2125
Gln His Leu Lys Asn Arg Phe Gly Asp Gly Tyr Thr Ile Val Val Arg
            2130   2135   2140
Ile Ala Gly Ser Asn Pro Asp Leu Lys Pro Val Gln Asp Phe Phe Gly
2145   2150   2155   2160
Leu Ala Phe Pro Gly Ser Val Leu Lys Glu Lys His Arg Asn Met Leu
            2165   2170   2175

Gln Tyr Gln Leu Pro Ser Ser Leu Ser Ser Leu Ala Arg Ile Phe Ser
          2180   2185   2190
Ile Leu Ser Gln Ser Lys Lys Arg Leu His Ile Glu Asp Tyr Ser Val
        2195   2200   2205
Ser Gln Thr Thr Leu Asp Gln Val Phe Val Asn Phe Ala Lys Asp Gln
      2210   2215   2220
Ser Asp Asp Asp His Leu Lys Asp Leu Ser Leu His Lys Asn Gln Thr
2225   2230   2235   2240
Val Val Asp Val Ala Val Leu Thr Ser Phe Leu Gln Asp Glu Lys Val
              2245   2250   2255
Lys Glu Ser Tyr Val
          2260

<210> 2
<211> 7864
<212> DNA
<213> Homo sapiens

<400> 2
gtccctgctg tgagctctgg ccgctgcctt ccagggctcc cgagccacac gctggggggtg   60
ctggctgagg gaacatggct tgttggcctc agctgaggtt gctgctgtgg aagaacctca   120
cttttcagaag aagacaaaca tgtcagctgt tactggaagt ggcctggcct ctatttatct   180
tcctgatcct gatctctgtt cggctgagct acccacccta tgaacaacat gaatgccatt   240
ttccaaataa agccatgccc tctgcaggaa cacttccttg ggttcagggg attatctgta   300
atgccaacaa ccctgtttc cgttacccga ctcctgggga ggctcccgga gttgttggaa   360
actttaacaa atccattgtg gctcgcctgt tctcagatgc tcggaggctt cttttataca   420
gccagaaaga caccagcatg aaggacatgc gcaaagttct gagaacatta cagcagatca   480
agaaatccag ctcaaacttg aagcttcaag atttcctggt ggacaatgaa accttctctg   540
ggttcctgta tcacaacctc tctctcccaa agtctactgt ggacaagatg ctgagggctg   600
atgtcattct ccacaaggta ttttttgcaag gctaccagtt acatttgaca agtctgtgca   660
atggatcaaa atcagaagag atgattcaac ttggtgacca agaagtttct gagctttgtg   720
gcctaccaag ggagaaactg gctgcagcag agcgagtact tcgttccaac atggacatcc   780
tgaagccaat cctgagaaca ctaaactcta catctcccctt cccgagcaag gagctggctg   840
aagccacaaa aacattgctg catagtcttg ggactctggc ccaggagctg ttcagcatga   900
gaagctggag tgacatgcga caggaggtga tgtttctgac caatgtgaac agctccagct   960
cctccaccca aatctaccag gctgtgtctc gtattgtctg cgggcatccc gagggagggg   1020
ggctgaagat caagtctctc aactggtatg aggacaacaa ctacaaagcc ctctttggag   1080
gcaatggcac tgaggaagat gctgaaacct tctatgacaa ctctacaact ccttactgca   1140
atgatttgat gaagaatttg gagtctagtc ctctttcccg cattatctgg aaagctctga   1200
agccgctgct cgttgggaag atcctgtata cacctgacac tccagccaca aggcaggtca   1260
tggctgaggt gaacaagacc ttccaggaac tggctgtgtt ccatgatctg aaggcatgt   1320
gggaggaact cagccccaag atctggacct tcatggagaa cagccaagaa atggaccttg   1380
tccggatgct gttggacagc agggacaatg accacttttg ggaacagcag ttggatggct   1440
tagattggac agcccaagac atcgtggcgt ttttggccaa gcacccagag gatgtccagt   1500
ccagtaatgg ttctgtgtac acctggagag aagctttcaa cgagactaac caggcaatcc   1560
ggaccatatc tcgcttcatg gagtgtgtca acctgaacaa gctagaaccc atagcaacag   1620
aagtctggct catcaacaag tccatggagc tgctggatga gaggaagttc tgggctggta   1680
ttgtgttcac tggaattact ccaggcagca ttgagctgcc ccatcatgtc aagtacaaga   1740
tccgaatgga cattgacaat gtggagagga caaataaaat caaggatggg tactgggacc   1800
ctggtcctcg agctgacccc tttgaggaca tgcggtacgt ctggggggggc ttcgcctact   1860
tgcaggatgt ggtggagcag gcaatcatca gggtgctgac gggcaccgag aagaaaactg   1920

7

```
gdgtgtctat atgcaacaga tgccctatcc ctgttacgtt gatgacatct ttctgcgggt      1980
gatgagccgg tcaatgcccc tcttcatgac gctggcctgg atttactcag tggctgtgat      2040
catcaagggc atcgtgtatg agaaggaggc acggctgaaa gagaccatgc ggatcatggg      2100
cctggacaac agcatcctct ggtttagctg gttcattagt agcctcattc ctcttcttgt      2160
gagcgctggc ctgctagtgg tcatcctgaa gttaggaaac ctgctgccct acagtgatcc      2220
cagcgtggtg tttgtcttcc tgtccgtgtt tgctgtggtg acaatcctgc agtgcttcct      2280
gattagcaca ctcttctcca gagccaacct ggcagcagcc tgtgggggca tcatctactt      2340
cacgctgtac ctgccctacg tcctgtgtgt ggcatggcag gactacgtgg gcttcacact      2400
caagatcttc gctagcctgc tgtctcctgt ggcttttggg tttggctgtg agtactttgc      2460
cctttttgag gagcagggca ttggagtgca gtgggacaac ctgtttgaga gtcctgtgga      2520
ggaagatggc ttcaatctca ccacttcggt ctccatgatg ctgtttgaca ccttcctcta      2580
tgggggtgatg acctggtaca ttgaggctgt ctttccaggc cagtacggaa ttcccaggcc      2640
ctggtatttt ccttgcacca agtcctactg gtttggcgag gaaagtgatg agaagagcca      2700
ccctggttcc aaccagaaga gaatatcaga aatctgcatg gaggaggaac ccacccactt      2760
gaagctgggc gtgtccattc agaacctggt aaaagtctac cgagatggga tgaaggtggc      2820
tgtcgatggc ctggcactga attttttatga gggccagatc acctccttcc tgggccacaa      2880
tggagcgggg aagacgacca ccatgtcaat cctgaccggg ttgttccccc cgacctcggg      2940
caccgcctac atcctgggaa aagacattcg ctctgagatg agcaccatcc ggcagaacct      3000
gggggtctgt ccccagcata cgtgctgtt tgacatgctg actgtcgaag aacacatctg      3060
gttctatgcc cgcttgaaag ggctctctga gaagcacgtg aaggcggaga tggagcagat      3120
ggccctggat gttggtttgc catcaagcaa gctgaaaagc aaaacaagcc agctgtcagg      3180
tggaatgcag agaaagctat ctgtggcctt ggcctttgtc gggggatcta aggttgtcat      3240
tctggatgaa cccacagctg gtgtggaccc ttactcccgc aggggaatat gggagctgct      3300
gctgaaatac cgacaaggcc gcaccattat tctctctaca caccacatgg atgaagcgga      3360
cgtcctgggg gacaggattg ccatcatctc ccatgggaag ctgtgctgtg tgggctcctc      3420
cctgtttctg aagaaccagc tgggaacagg ctactacctg accttggtca agaaagatgt      3480
ggaatcctcc ctcagttcct gcagaaacag tagtagcact gtgtcatacc tgaaaaagga      3540
ggacagtgtt tctcagagca gttctgatgc tggcctgggc agcgaccatg agagtgacac      3600
gctgaccatc gatgtctctg ctatctccaa cctcatcagg aagcatgtgt ctgaagcccg      3660
gctggtggaa gacataggcc atgagctgac ctatgtgctg ccatatgaag ctgctaagga      3720
gggagccttt gtggaactct tcatgagat tgatgaccgg ctctcagacc tgggcatttc      3780
tagttatggc atctcagaga cgaccctgga agaaatattc ctcaaggtgg ccgaagagag      3840
tgggggtggat gctgagacct cagatggtac cttgccagca agacgaaaca ggcgggcctt      3900
cggggacaag cagagctgtc ttcgcccgtt cactgaagat gatgctgctg atccaaatga      3960
ttgctgacat agacccagaa tccagagaga cagacttgct cagtgggatg gatggcaaag      4020
ggtcctacca ggtgaaaggc tggaaactta cacagcaaca gtttgtggcc cttttgtgga      4080
agagactgct aattgccaga cggagtcgga aaggattttt tgctcagatt gtcttgccag      4140
ctgtgtttgt ctgcattgcc cttgtgttca gcctgatcgt gccacccttt ggcaagtacc      4200
ccagcctgga acttcagccc tggatgtaca cgaacagta cacatttgtc agcaatgatg      4260
ctcctgagga cacgggaacc ctggaactct taaacgccct caccaaagac cctggcttcg      4320
ggacccgctg tatggaagga aacccaatcc cagacacgcc ctgccaggca ggggaggaag      4380
agtggaccac tgccccagtt ccccagacca tcatggacct cttccagaat gggaactgga      4440
caatgcagaa cccttcacct gcatgccagt gtagcagcga caaaatcaag aagatgctgc      4500
ctgtgtgtcc cccagggca ggggggctgc ctcctccaca aagaaacaa aacactgcag      4560
atatccttca ggacctgaca ggaagaaaca tttcggatta tctggtgaag acgtatgtgc      4620
agatcatagc caaaagctta aagaacaaga tctgggtgaa tgagtttagg tatggcggct      4680
tttccctggg tgtcagtaat actcaagcac ttcctccgag tcaagaagtt aatgatgcca      4740
tcaaacaaat gaagaaacac ctaaagctgg ccaaggacag ttctgcagat cgatttctca      4800
acagcttggg aagatttatg acaggactgg acaccagaaa taatgtcaag gtgtggttca      4860
ataacaaggg ctggcatgca atcagctctt tcctgaatgt catcaacaat gccattctcc      4920
gggccaacct gcaaaaggga gagaaccccta gccattatgg aattactgct ttcaatcatc      4980
```

8

```
ccctgaatct caccaagcag cagctctcag aggtggctct gatgaccaca tcagtggatg     5040
tccttgtgtc catctgtgtc atctttgcaa tgtccttcgt cccagccagc tttgtcgtat     5100
tcctgatcca ggagcgggtc agcaaagcaa aacacctgca gttcatcagt ggagtgaagc     5160
ctgtcatcta ctggctctct aattttgtct gggatatgtg caattacgtt gtccctgcca     5220
cactggtcat tatcatcttc atctgcttcc agcagaagtc ctatgtgtcc tccaccaatc     5280
tgcctgtgct agcccttcta cttttgctgt atgggtggtc aatcacacct ctcatgtacc     5340
cagcctcctt tgtgttcaag atccccagca cagcctatgt ggtgctcacc agcgtgaacc     5400
tcttcattgg cattaatggc agcgtggcca cctttgtgct ggagctgttc accgacaata     5460
agctgaataa tatcaatgat atcctgaagt ccgtgttctt gatcttccca catttttgcc     5520
tgggacgagg gctcatcgac atggtgaaaa accaggcaat ggctgatgcc ctggaaaggt     5580
ttggggagaa tcgctttgtg tcaccattat cttgggactt ggtgggacga aacctcttcg     5640
ccatggccgt ggaagggtg gtgttcttcc tcattactgt tctgatccag tacagattct     5700
tcatcaggcc cagacctgta aatgcaaagc tatctcctct gaatgatgaa gatgaagatg     5760
tgaggcggga aagacagaga attcttgatg gtggaggcca gaatgacatc ttagaaatca     5820
aggagttgac gaagatatat agaaggaagc ggaagcctgc tgttgacagg atttgcgtgg     5880
gcattcctcc tggtgagtgc tttgggctcc tgggagttaa tggggctgga aaatcatcaa     5940
ctttcaagat gttaacagga gataccactg ttaccagagg agatgctttc cttaacaaaa     6000
ataggtatct tatcaaacat ccatgaagta catcagaaca tgggctactg ccctcagttt     6060
gatgccatca cagagctgtt gactgggaga gaacacgtgg agttctttgc cctttttgaga     6120
ggagtcccag agaaagaagt tggcaaggtt ggtgagtggg cgattcggaa actgggcctc     6180
gtgaagtatg gagaaaaata tgctggtaac tatagtggag gcaacaaacg caagctctct     6240
acagccatgg ctttgatcgg cgggcctcct gtggtgtttc tggatgaacc caccacaggc     6300
atggatccca agcccggcg gttcttgtgg aattgtgccc taagtgttgt caaggagggg     6360
agatcagtag tgcttacatc tcatagtatg gaagaatgtg aagctctttg cactaggatg     6420
gcaatcatgg tcaatggaag gttcaggtgc cttggcagtg tccagcatct aaaaaaatagg     6480
tttggagatg gttatacaat agttgtacga atagcagggt ccaacccgga cctgaagcct     6540
gtccaggatt tctttggact tgcatttcct ggaagtgttc taaaagagaa acaccggaac     6600
atgctacaat accagcttcc atcttcatta tcttctctgg ccaggatatt cagcatcctc     6660
tcccagagca aaaagcgact ccacatagaa gactactctg tttctcagac aacacttgac     6720
caagtatttg tgaactttgc caaggaccaa agtgatgatg accacttaaa agacctctca     6780
ttacacaaaa accagacagt agtggacgtt gcagttctca catcttttct acaggatgag     6840
aaagtgaaag aaagctatgt atgaagaatc ctgttcatac ggggtggctg aaagtaaaga     6900
ggaactagac tttcctttgc accatgtgaa gtgttgtgga gaaaagagcc agaagttgat     6960
gtgggaagaa gtaaactgga tactgtactg atactattca atgcaatgca attcaatgca     7020
atgaaaacaa aattccatta caggggcagt gcctttgtag cctatgtctt gtatggctct     7080
caagtgaaag acttgaattt agtttttac ctatacctat gtgaaactct attatggaac     7140
ccaatggaca tatgggtttg aactcacact tttttttttt tttttgttcc tgtgtattct     7200
cattggggtt gcaacaataa ttcatcaagt aatcatggcc agcgattatt gatcaaaatc     7260
aaaaggtaat gcacatcctc attcactaag ccatgccatg cccaggagac tggtttcccg     7320
gtgacacatc cattgctggc aatgagtgtg ccagagttat tagtgccaag tttttcagaa     7380
agtttgaagc accatggtgt gtcatgctca cttttgtgaa agctgctctg ctcagagtct     7440
atcaacattg aatatcagtt gacagaatgg tgccatgcgt ggctaacatc ctgctttgat     7500
tccctctgat aagctgttct ggtggcagta acatgcaaca aaaatgtggg tgtctccagg     7560
cacgggaaac ttggttccat tgttatattg tcctatgctt cgagccatgg gtctacaggg     7620
tcatccttat gagactctta aatatactta gatcctggta agaggcaaag aatcaacagc     7680
caaactgctg gggctgcaac tgctgaagcc agggcatggg attaaagaga ttgtgcgttc     7740
aaacctaggg aagcctgtgc ccatttgtcc tgactgtctg ctaacatggt acactgcatc     7800
tcaagatgtt tatctgacac aagtgtatta tttctggctt tttgaattaa tctagaaaat     7860
gaaa                                                                  7864
```

9

```
<210> 3
<211> 22
<212> DNA
<213> Homo sapiens

<400> 3
gcagagggca tggctttatt tg                                          22

<210> 4
<211> 24
<212> DNA
<213> Homo sapiens

<400> 4
ctgccaggca ggggaggaag agtg                                        24

<210> 5
<211> 23
<212> DNA
<213> Homo sapiens

<400> 5
gaaagtgact cacttgtgga gga                                         23

<210> 6
<211> 20
<212> DNA
<213> Homo sapiens

<400> 6
aaaggggctt ggtaagggta                                            20

<210> 7
<211> 20
<212> DNA
<213> Homo sapiens

<400> 7
catgcacatg cacacacata                                            20

<210> 8
<211> 27
<212> DNA
<213> Homo sapiens

<400> 8
ctttctgcgg gtgatgagcc ggtcaat                                     27

<210> 9
<211> 20
<212> DNA
```

<213> Homo sapiens

<400> 9
ccttagcccg tgttgagcta   20

<210> 10
<211> 26
<212> DNA
<213> Homo sapiens

<400> 10
cctgtaaatg caaagctatc tcctct   26

<210> 11
<211> 26
<212> DNA
<213> Homo sapiens

<400> 11
cgtcaactcc ttgatttcta agatgt   26

<210> 12
<211> 20
<212> DNA
<213> Homo sapiens

<400> 12
gggttcccag ggttcagtat   20

<210> 13
<211> 21
<212> DNA
<213> Homo sapiens

<400> 13
gatcaggaat tcaagcacca a   21

<210> 14
<211> 10545
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(10545)
<223> n = a, t, c, or g

<400> 14
acctcttata gaatgataga attcctctgg aatgattgga taacttcatt tcatccttga   60
cttttacctt ggaggatttc ttaccccttt tggcttctca aatttgacta ttaaaatgtt   120
gcctttaaaa ataggaacac agtttcaggg gggagtacca gcccatgacc cttctgcaag   180

11

```
gcccccctaac tcaaggtagt ttccctggaa ctgtggttta tggaatgttt caggagtgtg      240
aggaggtata atttaaggct gtcctagcaa ggatacccct aaggatagag ggcccagtag      300
catctggagg ccagaaaagt taaactgagg cagtcagatt agcttcaggc tcaattaagc      360
tgatgggtca gcctgggaga aattgcagga tgactctcaa tatcccctcc caccccccaca     420
gcagccacga tctgtctgtc tttaatcatg ggtgcagtga acctgttctt tccaggtgtc      480
ttggccttca gtaaccttgt taggcttgtc cctgaacgtg gctaccgatc caaagacaca      540
tgatcagaga ggcaattaga gaacagacct tttccaaagc aagcatgttc tgttgggctt      600
agaagtttca tgtcctaata ttataggacc ctgtgcatct ctctggagat gaggcacatg      660
agtcatatct gtgattcttg cttttgtgtc aacatctcat gaataggcaa tcagagcttt      720
ggcaccaatg tattttcagt tcatatctga tgtagttaaa tccacctcct gctttgtagt      780
ttactggcaa gctgtttttg atataagaca tctagaacac tgtaaatata taacatttttt     840
atttgtctat tatacctcaa ttacgaaaaa gacatctaga agcaacctca tcaagagaga      900
tactgaggcc gggcatggta gctcacactt gcaatcccat tactttggga ggctgaggca      960
ggtagatcac ttgaggtcaa gagtttgaaa ccagcctggc caacatgttg aaaccctgtc     1020
tctattaaaa atacaaaaaa gttagctggg cttggtggtg ggcacctgta atcccagcta     1080
ctccggaggc tgaggcagga gaatcacttg aacctgggag gcagaggttg cagtgagctg     1140
agatcacacc actgcactcc aacctgggca ccagagtgag attacatcta aaaaataaaa     1200
taaagtaata aaaagagag atattgatag ctgttgttgg aaatttcaac ttccatctca      1260
cttctggtaa cttttttggaa gtttgttgaa caaagtggaa tacacgcaca tacacacaca     1320
cacatactct cttgtttgtt taaggtttaa tgaaatagct gtcatataat cactgttttt     1380
gaaagaggag aattagttgc tatctgtaca ttttgggtat gtgaactatt tggatagaac     1440
tctgagaaat gcattcagaa caacaaacaa aatcatagga gaaatagcta agtgggaagg     1500
ggcatataag agttgttgaa aaagttattt cttgagaaac cagctctaat gctaggcaag     1560
tcacttgctt tggggagggc ctcagcttct ctgtctataa gattgcagca ggggtgtagt     1620
gggaatgagt cttcaacatt ccaagagatt ttatctacta atacgacagt caaatggagc     1680
atgactttgt ggaagcctct cctcttccac ccagaggggc caatttctct gtcccagtga     1740
gatgttgaca cttgtatgat ccctgcttgg agacttccct cttctggaac ctgccctggc     1800
tcaggcatga gggctgactg tcacccttcg ataggagccc agcactaaag ctcatgtgtt     1860
ggcagtgttc ttgcgggaag gaaaaagacc agccagccca tttgttactg cacaagcaaa     1920
cagcttctgg tagctgtaca gatacatgca ctttctttcc tcactgtgtt tccatagaca     1980
gatttagtgc tgtagaagag tagagggcag tcacgggaag gagttcctgt tttctttttg     2040
gctatgccaa atggggaaaa atcctcctat cttgtctttt tagtgtcatc ctctctcccc     2100
ttttcttctt ctttataatt ctcatctctc atctctcctg gaaatgtgca tgtcaagttc     2160
aaaagggcac aatgttttgg tgaggaagag gtgggagaac acgtgccagg tgctaactag     2220
ggtcatcatt tccccttca cagccagctt cctgtgaatg tgtgtgtgtg tgtgtgtgtg     2280
tgtgtgtgtg tgtgtgtgtg tgtgtatttc ttttgccagc atcactgaat ctgtctgctg     2340
tctggtattc caggttttgg tttagggaaa agtaaaagta attttataat cccagctgtc     2400
atttaagcca ccccttttgtg ggtagcatat ggtccactct ctcagttcat tgtcctaaag     2460
atgcttcatc agaaaggaat aacttccacc ccgttactct ctgtccccctt actctgcttt     2520
attttttcttc gtcaatccta ccaccaccac ccactgtttg aacaacccac tattatttgt     2580
ctgtttccca tccctggtag aataggagcc ccatgaatga aggaactttg cttctgttgt     2640
tcaccactga atctctaagg tatggaacac acctggcatg tgataggcac tcgataaata     2700
tttgttgtgg ctcatgggca ccttgcagag ttaaggctgc agttgtttgt ggaatttata     2760
agtggtaatg aatatttatc tactattcct cttccaaggc gatcacacaa taatcaggct     2820
ttacactatc cagttcttag gtcttccaag ttatgacttg tgaggtatgt taattatgat     2880
aatagaaggc agtttatttg gttcagattt attgatgtgt aatttaccac agtaagactt     2940
cccctttaca aaagtatgat gagttttgac aaatggatac acatgtgtat ctaccactgc     3000
catgctcctt ttcagtctgt cgtcccctcc acccatgacc actggtcacc actgcagtga     3060
tttctgtccc cttcatttca ccttttccag aatgtcatat aaatggaatc atgcagtatg     3120
tagttttttg tgtctggctt attttttctta gcattaggct tttgggattc atccaggttg     3180
tcgcatgtaa cagtagctta ttcctttttta tggctgagta agtgtcccag ttttatttat     3240
```

12

```
atatttattt atgaggaggt gtctcactct gtcacccagg ctggagtgcg gtagcgcgat    3300
ctcagctcac tgcaacctcc gcctcccagg ttcaagcaat tctcctgcct cctgagtagc    3360
tgggattaca ggcacccacc gccacgccca actaattttt atatttttag tagagatggg    3420
gtttcaccat gttggccagg ctgatctcaa actcttgacc tcaggtgatc cgcccacctc    3480
tggctcccaa agtgctagga ttacaggcat gagccactgt gcccagcccc agtttttattt   3540
attcaccagt tgatggtctt ttcgacaact aattgtttcc agttttttggc tattctgtat   3600
aaggcttcta taaatattca caaataccta ggatgggatg actgggtcat ataatagtac    3660
tgtataacct tagcagaaac tgtcaaacta ttttccaaag tggctcttcc attttacaat    3720
tccacagtgt attgagtccc agtgtctcca tacacatgct agcactttta atatttaatt    3780
tagtgggtat gtaatgatat ctcattgtgg ttttaatttg catttctctg cagctaatga    3840
tgagtgtttc tgcttatttg ggaaggtttt aatttagcag tctgttgtat tctgtagata    3900
ttaataactt caaaatatca gtggcatttg cagttaaaat ttccttaaaa aattggccaa    3960
aggtttccag cagtcacttc tgccatgccc aaactgtatg aaacaaggct gaggtgtgga    4020
gattgtcaca ttttggcaag gagtgatcca cttgggtgac tgatgagacc cagagagcgt    4080
acgcctcggg cttgagggtg aggacgggcg ggaagtcgac tgcatggccc tgctggcctt    4140
gggaggctgc ccagtcctta gctaaagctg gcagttatgg gaaacagact tagattctat    4200
tacgtttttc aggatgtccc aggagtcacc tgggaagctc agcagtcctt tgtgactttc    4260
aagcatatgg tagaagctgc tgaacacaga gctccctctt tggggataat ttgcccaaat    4320
catttaatca ggcttgagaa atgagttacc acaggtccag gagtgctgcc acccttgaat    4380
tctgacaccc tatttctcct atccgtctct taattaatta agcagacatc cccaagtgct    4440
tacgacaagc caggacccctt ttgcatacta aggaaaacag ggatgaagga aacagaaatg   4500
gtctctgctc tgactcagaa ggtagaaatc ctctttccca gccaagtctt cctagggagc    4560
acgtaggaag ggctctgaac ccacgtgtca gttgcagggg aggatatcag gaaaggacat    4620
tgaagaagtg gagacctaag tttgagacct aggcattagc caggctagca gtgcttgaaa    4680
aagtgtctta ggacaagaga actcaccagt gaagtcccag tggtaggaga gcgtgcagca    4740
tattctgagc ctgtatacac atctccaggg cattgcttag caggtgggga gtggcaagag    4800
agtaggctgg agtcacagaa gggaggccag gtagaccttg gtgagcactg gactctatgt    4860
tcaggtgctg aggagctggc aaaaggtttt aagtcgggga gaggcatgtt cagatatttg    4920
gtctagctga gtaactttgg gtgctctgtg acaaatggtt gggagaccag tgaggtggca    4980
gttgcggtca tctaggagca ggatcagagt ggcctattga ctgggatgac tgtgaagtgg    5040
gatcctttcc agccagtaac tggaaatgtg tatgagggca gaagtgagtg tactgcattt    5100
gaaacattga gaaatctagt acatagtact gtctctttta tatcttttt ttttttttt     5160
ttgattttgg tttgtttgtt cactaacttg gaaaactgat gtggaaatgt ccctttggct    5220
tcagttacct gagcagaagg ggccgggcat tgccaaactc tcctcttagg acagaattgc    5280
tcccagtatt gatcattgtg ttctgagttg ggggagcaaa ttgtgcagga ggccaggtca    5340
gtgccaaggt gggtgggagg aattggagca ggaagcttgc ctaagtgtgc ccagcaaagc    5400
cacggtagaa ctttctactg tggctctatg ctacttctta gcaaccttct ccatgtgctt    5460
cctggagagt ccttggagtc agaaccttt  tcttgaaacc cagacacttt acttccaaga    5520
aaatgctgtc caagaaaact catccttccc ttcttctcat gaacgttgtg tagaggtgtg    5580
tcttctcttc ctttgagctt ttccactcag ggtttagggg aggtgatatt ctatatttgg    5640
gtttggctct gggtactgca acactaggct attaagattt catccttact gctttgcccc    5700
tcctatcttt ccagaaaccc acaatggatt tgctagaaat aatggaacgt cctgtttgga    5760
caggatataa ccatttctca gctagaggat attgttggaa tgaagaaaga taaatgggga    5820
gaagggaact cacattgctt tggcacttaa attaagccat gtactgtgtt gggaaattat    5880
ttatattatc tcgttgaatc cacagtagaa cacagttgaa caccatacaa ggtaagtatt    5940
gtcatcctta ttttaccatg aggaaattga tgcttagaga gcataaagcc ttggccaggg    6000
gcacatagtt gggaagccgg ggctaattca tgcctgggct ctttctgata gttttccttt    6060
tttaattgtc ccctcctcat tgttaccttg gggatttcaa gagattcatg tagcttctaa    6120
atcaacgaac tgattcctgg agagcagctt ctgtatgaga aaaatctagc taattattta    6180
tttcagtgtc tctggaatgc aagctctgtc ctgagccact tagaaaacaa tttgggatga    6240
caagcatgtg tctcacaatg ctgctctggt tgccagtgct gtgctgccag ttgtcatctt    6300
```

13

```
tgaacaaact gatgcagtgc tggtttaact cttcctcttt ttggagtaag aaactttgga    6360
ggcctgtgtc cttctagaag tttgctgagc aaatggtaag gaaaagaaat aggtcctaag    6420
gcttgactat ttcagagaat ttcttgattt attggactgt caatgaatga attggaatac    6480
atagtggtag gctgtctttt cttctcagac actgcaattt cctccaatct cttgactttt    6540
ctagaagttt taatccaagt ccttgttggg tggtagataa aagggtattg ttctactaga    6600
gactgacctt ggcatggaga tctcatttgg actcacagat ttctagtcta gcgcttggtt    6660
ttgtatccat acctcgctac tgcattctta gttccttctg ctccttgttc ctcatgccca    6720
gtgtcccacc ctacccttgc ccctactcct ctagaggcca cagtgattca ctgagccatt    6780
tcataagcac agctaggaga gttcatggct accaagtgcc agcagggccg aattttcacc    6840
tgtgtgtcct cccttccatt tttcatcttc tgccccctcc ccagctttaa ctttaatata    6900
actacttggg actattccag cattaaataa gggtaactgc tggatgggtg gctgggatac    6960
acagaatgta gtatcccttg ttcacgagaa gaccttcttg ccctagcatg gcaaacagtc    7020
ctccaaggag gcacctgtga cacccaacgg agtaggggggg cggtgtgttc aggtgcaggt    7080
ggaacaaggc cagaagtgtg catatgtgct gaccatggga gcttgtttgt cggtttcaca    7140
gttgatgccc tgagcctgcc atagcagact tgtttctcca tgggatgctg ttttctttcc    7200
agagacacag cgctagggtt gtcctcatta cctgagagcc aggtgtcggt agcattttct    7260
tggtgtttac tcacactcat ctaaggcacg ttgtggtttt ccagattagg aaactgcttt    7320
attgatggtg ctttttttt tttttttga dacagagtct cgctctgtcg ccatgctgga    7380
gtgtagtggc acaatcttgg ctcactgcac ctccgcctgc caggttcagc gattctcctg    7440
cctcagcctc ccaagtagct gggactacag gtgcctgcca ccatgcccag ctaatttttg    7500
tatttttagt agagacgggg tttcaccgta ttggctagga tggtctcgat ttcttgacct    7560
cgtgatccgc ctgcctcggc ctcccaaagt gctgggatta taggcttgag ccaccacgcc    7620
tggccgatgg tgctttttat catttgaagg actcagttgt ataacccact gaaaattagt    7680
atgtaaggaa gttcaggggaa tagtataagt cactccaggc ttgaggcaaa atttacaaat    7740
gctgctgact ttgtatgtaa ggggaggcat tttcttagaa aagagaggta ggtctctggg    7800
attccagtat gccatttcca tcctcagtgt ttttggccac ctgagagagg tctattttca    7860
gaaatgcatt cttcattccc agatgataac atctatagaa ctaaaatgat taggaccata    7920
acacgtagct cctagcctgc tgtcggaaca cctcccgagt ccctctttgt gggtgaaccc    7980
agaggctggg agctggtgac tcatgatcca ttgagaagca gtcatgatgc agagctgtgt    8040
gttggaggtc tcagctgaga gggctggatt agcagtcctc attggtgtat ggctttgcag    8100
caataactga tggctgtttc ccctcctgct ttatctttca gttaatgacc agccacggcg    8160
tccctgctgt gagctctggc cgctgccttc cagggctccc gagccacacg ctggggggtgc    8220
tggctgaggg aacatggctt gttggcctca gctgaggttg ctgctgtgga agaacctcac    8280
tttcagaaga agacaaacag taagcttggg ttttttcagca gcgggggggtt ctctcatttt    8340
ttctttgtgg ttttgagttg gggattggag gagggaggga gggaaggaag ctgtgttggt    8400
tttcacacag ggattgatgg aatctggctc ttatggacac agaactgtgt ggtccggata    8460
tggcatgtgg cttatcatag agggcagatt tgcagccagg tagaaatagt agctttggtt    8520
tgtgctactg cccaggcatg agttctgatc cctaggacct ggctccgaat cgcccctgag    8580
cacccactt tttccttttg ctgcagccct gggaccacct ggctctccaa aagcccctaa    8640
tgggcccctg tatttctgga agctgtgggt gaagtgagtt agtggcccca ctcttagaga    8700
tcaatactgg gtatcttggt gtcaatctgg attctttcct tcaggcctgg aggaatataa    8760
taactgagac ttgtttattt tctgcagagg gttctaagcc attcacttcc cagatgggcc    8820
aataatgctt tgagtaatct ggagatcatc tttaatgcgc aggtgaatgg aactcttcca    8880
cagagggatg tgagggctgt agagcagagt gaactccctg aaactcagac gtcagctctt    8940
tgtctctcta tctctgaaca cccttcctta gagatcccat ctctaggatg catttctctg    9000
tagttagttt ctaagtctct tgttcctgtt ctgcctttat ttttttttcc tggattctaa    9060
gccagtatcc ccacttggct gtcttaatgt agcttaacat gtctgtaatc aaaatgatca    9120
tctttctgag attcaaaggg ctataaggga ctttggagag aatttcattc agttttcctc    9180
aaactagaat aatgcttgca ctgtctgtaa aagaacaaaa gtgtcaaagc atccttttgt    9240
tcactaaatt tccttttttta ttatagtgtt acttaaatat taggaagtta aaagtaggta    9300
taaacttctt ataggctgtt attatacaac tatatgaccc atacatattt acaaattaag    9360
```

14

```
tgcagccaaa attgcaaaat caataccatt caaattaata ccttaaatgt ggtgaggcag      9420
ctgttgttca actgaaacca aattataagt tgcatggcag taaatgctat catgctgatc      9480
attttgagtt tggccagtct atattatcat gtgctaatga ttgaattctc cacccatttt      9540
tctacttgta tgaccttaat ttgatggcac ctgttccatc ctcatgagtt tgctacaatt      9600
atactggtgc caacacaatc ataaacacaa atataaactt gggctttgaa atcttgtgcc      9660
agaacttggc tttaaagtaa gcatttaaaa aatccatatg tgtttattag actttgttta      9720
gatgactgtt gaaatgaaaa caaagtgttt aaaatcctct tagagaactt aaatataatc      9780
cctcagcaat atgtatacag atcttccttt gagaaaaact gattgtgttc agcctctcat      9840
gttacaaatg gggaacctga attctgaggt ctctagtgag agaacaggga ctggaatctg      9900
tggatcctat ctgtttttaat aataattgta aagtataata gataatatta tattaaaaag      9960
agagnnnnnn acacttagaa tgagcttcca tgtgtgaggc actaactgat taggcattat     10020
taactagatt tattccttttt aaggccccgc gatgtactgt tatttccaca tgttgtagct     10080
ggggaacgtg ctactcagag aggttaagta acttgtctga ggtccacacc actaacaagg     10140
agcacaggta gggttcaaat ccagataatc tgactttgga gctggcactc taactcaatg     10200
tgcctaatcg cttttcagtg gtgtcattat tttgcctatt ctccatctga gaatattgaa     10260
gtttctgact ccttccttgc ctttctccct gcctcccgtg gttatcccca ggtcttggtg     10320
ttccagtcct ctatgtccgt ccttactctt attcctttgc tacagtgtga tccagggctc     10380
ctgcccttct tatcctggta gagggggccc acttgctggg aaattgtctc cgccatggtt     10440
tatccatgtt gtgtgtccat tagtgagtag tgggaagaat catatcatgt tggcaatgaa     10500
agggggggcta tggctctggg gtagtctagt ctgaactctt atttt            10545




<210> 15
<211> 4736
<212> DNA
<213> Homo sapiens

<400> 15
cttttttttt tttttttttt tttttttttt tgaggtgaag tctcactctg ttgcccaggc       60
tggagtgcaa tggagcgatc ttggctcacc ccaacctctg tctcctgggt tcaaacagtt      120
ctcctgcctc agcctcccga gtagctggga ttacaggctc ccgccaccat gcccagctat      180
tttttgtat tttcagtaga gatgggggtt caccctttttg accaggctgg tcttgaactc      240
ctgacctcat gatcaaccca cctcagcctc ccaaagtgct gggattacag gtgtgagcca      300
ccacgcccgg cctcataagt atttctaaa tttatttaca gtcatgccat ttaaaaggaa      360
agttgtattc ctgtctttgt taatatttat aagtgatttt attcagctac aagcttggaa      420
tggcatataa ttttgtattc tgcttttttc acttaatatt acatggctaa tgatttctgt      480
gtttcataaa cattattctg atgatggcat gatatattgt tgagtacatg taccataatt      540
gaatcatttc cctattgcta tgcaattaag ttgtttccaa tatttttgcaa ttataatgtt      600
tcaatgaatg aataacttta tgcatatagc ttttttgatat cttaagttca gtttcctagg      660
atgaatttcc aggaatagta attgggcaaa tgggataaac atgactcttg aatacgtatt      720
gttaacattg ctttcccaaa gggctcaact gatttatatt tccgtgttca ttatctttta      780
aaccagctca tttactcacc aaacattttt aaagccatta tcatgtggta ggcttagtaa      840
gaagaaagtg accctaaggg agaagcttat atataaatag ggtccctggt gtaccaagtg      900
ctgatacaga cacaaagtac ctggggaaat tgagatgagg gagtcctggc tcagctggga      960
gaaaagttca ttttcataga gtcatggttt tgttctttgg cagaaagaaa attgctttct     1020
tccccacccc cacccccagc tttattgagg tataattgac aaataaaaat tgtatatctt     1080
taagatatgc aatgtgatat atatgtatat ctcaacttaa aaaataagct acagaataaa     1140
aaggtgtttg ctattaaaaa aaaagaaaag gctgaatgtc attcccaagc ttggaaattt     1200
gagtatgttg cctctttggg attatttaca gaaatattag caagaccagc cccatctttg     1260
gtcttgagta ctccactgtc agcatgcttt cttccagaga gggatccatt tgcctttatt     1320
```

15

```
tttcattctg ttgtgccgtc tatgcaaact attcttgata gttttatggt aacagtgttt      1380
ttttgttcca tgagataaat ttatacatgc tcattgtgga aaatttagaa aagacaggaa      1440
agtattaaaa acatcmcytt tttttttttt tttttttttt ttttttttamg cagacagagt      1500
cttgctctgt cgcccaggcc ggagtgcagt ggcgtgatct cagctcacag caacctccgc      1560
ttcccaggtt taagtgattc tcctgcctca gcctcccaag tagctgggag tacaggcatg      1620
caccaccacg cccggctaat tttgtatttt tagtagagat ggggtttcac catgttggcc      1680
aggctggtct caaactcctg acctcaggtg atccgcctgc cttggcctcg caaagttctg      1740
ggattatagg caggagccac tgcgccagcc acctacgt tcttatcatc ctagtacatc      1800
cactgtcatt atcttgctgt atttccttct gcccagtctc actctgatca tgcagtggcg      1860
tgatcatgca gtgatctcgg ctcactgcaa cctaggcctt ctgggttcga gtgattctcc      1920
tgccttagcc tcctgggttc aagtgattct cttgccttgg cctcccaagt agctgggatt      1980
acaggcatac accccccatgc ccatctaatt tttgtatttt tagtagacac agcgtttcac      2040
taaaattttg tattttttagt agagatgggg tttcaccatg ttggccaggc tggtctccaa      2100
ctcctgacct caggtgatcc gcctgccttg cctcacaaa gtgattacag gcatgagcca      2160
ctgcatccat cgccaaaaag attttttaaa agagtttaat gtagaaccat atcaaaggtc      2220
tttggaaata aaaaacagtt ttttaaaaat atcagaaata aaacaacaaa taaataaata      2280
aataaaaaca cccaaaacaa tctgaagcac gagcacctag cagaaaggtt caattatgat      2340
ctattcatag agtggaatat caagtagaca ttacaggaca tgttttaaga ttatatttta      2400
tgtcatggga aatgctctcc cagtatgatg ttaaatgaaa aaacagaata caaaagtata      2460
tatgctgcat agtctcaata ttgtagagaa aaaatattat ttatgtatgc atgaaaaaag      2520
acaaaagatg ttaacagaga tccattgtta cttcagttta ctagggattg tctctgggag      2580
gtaggattaa ggtgatttat atttaccttt ttaaactttt ctgtatttt ttattttcaa      2640
attttccata aaaatataag gacttgaaga tcaagaaaaa atttctgctt tggctcagtg      2700
cagtcgtcac gcctgtaatc ccagcagttt gggagcccta ggggagagga tcacttgaac      2760
ccaagagttt gacgttccag tgagctatga tctccggatc gtaccgcctg gacgatggag      2820
caagaccctg tctcaaaaaa aaaaatcttt gctttttttt tttgtttgtt tttgagacgg      2880
agtctctctc tgttgcccca gctggagtac agtggcacaa tctcagctca ccgcaacctc      2940
tgcctcctgg gttcaagcga ttctcttgcc tcagcctccc aagtacctgg gattccatgc      3000
acccaccact atgcccagct acttttttgt attttcagta gagacaggt ttcaccatgt      3060
tggccaggct ggtctcgaat tcctgacctc agctgatcca ccggccttgg cctcccaaag      3120
tgctgggatt acaggcatga gccactgtgc ccagcccaat cttttgcttt ttttaaaaaa      3180
agaagacaaa aagggatttt ataccagtat tatcttggct gtgtgactct gaagccacag      3240
ttgtaagtta taattactct gaaacacaag gccctgtgac tcttttgggc tctttggtgt      3300
ttatcttgat tacaacgttg gaatatagaa atgaaaggaa tgggagaggt gatagacttc      3360
aggcagtgta actagttgtc tgaacactac tggctcaatt atattgtgtc tagtgatttc      3420
catcttgtcc gtctgctaat ttatcgcctg gtaactcact gaggcagggt tttcctttgg      3480
agaaacctca ttgttttaac cagtgtatca tgcttgttta gaagttcaat gatctttta      3540
actcatcgga gaagatgatg accagacctg gacagatggg gaaggacttt gcactctctc      3600
tttacagtcc tgagtgcaca caggtcaata tggaactatg tgtgaatttt cattgtcttt      3660
gagagccctc ttctctgccc catagggagc agctttgtgt gcaattagag gagcaagggt      3720
tgtgtgtatt tagcacagca ggttggcctg tcctctcct ctcaacatag tcaccacata      3780
cctggcacta tgctaaggct gggaatgcag acagatgggt gcctgctttc agagtgctca      3840
atgtgctgag gaagccagca acagaaacag atgatttcag gagctccagg aaaatgctac      3900
aggaggagtg tgcctgggtt actggagtag cacaggagga gggcttctag ctcaggctga      3960
gattttagta aaggaaatta tgccacgatg aatcctgaag aatgaataga agtgaaccag      4020
ataaagcacg ataggaagca tcttccctta cctaagggaa gacacagagg tatatggaat      4080
ggtatgttaa aaggttggga ctccaaacag ttctgttaaa gcttagagag tggtgggaga      4140
gactggagaa gttgattaat tagtaaatga agttgtctgt ggatttccca gatcccagtg      4200
gcattggata tccatattat ttttaaattt acagtgttct atcttatttc ccactcagtg      4260
tcagctgctg ctggaagtgg cctggcctct atttatcttc ctgatcctga tctctgttcg      4320
gctgagctac ccaccctatg aacaacatga atgtaagtaa ctgtggatgt tgcctgagac      4380
```

16

```
tcaccaatgg cagggaaaat ccaggcaatt aacgtgggct aaattggact tttccaaaga    4440
tgctgtcttt gggaaacatc acacatgctt tggatcagaa aacctaggct tctaatttgt    4500
tgataaggca tgaactcagg agactgtttt cagtcctagt gaatggtgat aattgtaatt    4560
ataacagtag acaacatctc ttttacacat tttaaatcat gaaaatagaa taaccttact    4620
gataatttta gaaagtggtg attaaaagca catttaagat aatgccttaa cacctagtct    4680
tttccatatg catgatgtct taatcacaca ttgcaaatca tggaacacag aatttt       4736


<210> 16
<211> 4768
<212> DNA
<213> Homo sapiens


<400> 16
atcttacaat cacagtcttt ctcttagggc tgggctcagt gggtggattg acactgcaga      60
aatggccaga tctaaaggat caacatttac gtagctggga aatgtagctg ggacttcagt     120
ttcactgccc tagtgatttt tcctaccact aagcagctca gtccataccc ctacgagacc     180
cacaagctta tgagatactg ttcttccagg aaagcagtgg ggccagggcc acctttaat      240
tgtgtttctt ggcctggtcc catctttctc acaatatata gcaacagtta tttacttgct     300
gattttctaa tgcacatcac acatagtcat attaaacaca cacacacaca cacacaca      360
cacacacccc tcaagaaaca ttttctgaga cgtgatttcc tgatttcatc aaaaaagaaa     420
agagcgggcc aggcacagtg ggaagtcaag gtgggtggat cacttgaggt caggagtttg     480
aaaccagcct ggccaacacg gtggaacctc gtctctacta aaaatacaaa aattagccag     540
gcgtggtggc gcacacctgt aatcccagct actggggagg ctgaggcagg agaattgctt     600
caacctgcga ggctgaggtt gcagtgagcc gagattgcgc cattgcactc cagcctgggc     660
aacagagtga gactctgtct caaaaaaaaa aaaaaaaaa aaagcataaa ctgaaattta     720
tatgcaattt atatgcctgt gagataattc tgttttctct tttggaaccc caaagagatt     780
tttttgattg atgagcaaat acattttaga ttttatttaa gcattatgcc aagcaccact     840
gaagtataag tttcaagggc aaactcagtt ttttcatcta ctagacgaat gattttctgg     900
aatgattaca agcaggcaag atggtgtagt ggaaatagca aatgtcttcg gcatcagaca     960
agttgggggtt tgtttgtatc ctgcctctgc ccttcaccga ggttgtgatc ttgggcagat    1020
tgttgagttt taacctagat tcctctgact ccagatcata aattttcaga aaagttctga    1080
aattcttgta tatactgatg gtaaatgaga cttttcctta catctatgca cttctttgtt    1140
tgtttgtttt gagatggtct tgctctgttg cccagactgg agtgcagtag tgcaatctcc    1200
gctcactaca atgtctgcct cccaggttcc agtgagcctc ctgcctcagc ctcccaaata    1260
gctgagacta caggcatgtg ccaccacgtc cggctaattt ttgtattttt agtagagaca    1320
gggttttgcc atgttgacca cactggtctc gaactcctgg cctcaggtga ttcgcccgcc    1380
tcagcctccc aaagtgctgg gattacaggc atgagccacc atgcccggcc atatccatgc    1440
acttcttgca accttacctt cttttctcat caccctccag ggacctagtt ggaagagcag    1500
agttaaaagt taaggtgaaa cttggagagg tgtcttgtcc ctaggaacaa aggactggtt    1560
tgaaattctc tgtaaatctt ccccagttca aaccagagtt atcaaggtct taaaaacttc    1620
cctgggtcct gagagcccat tatattattt acttgtcttc ctgtacaccc actgcctagt    1680
cctgatccta ctttttgtttg caaataggat ggggcacaac gtacaaggaa gggcctttgc    1740
caccctgct aagggataac ctgaaatacc ttcaccatca ctgccctgtg ctgcttttca    1800
cctatgccag tctgtctaca gtgccagtgt ctcctggcat tgaaagggga gaatcttttg    1860
gtcctttgag tatttggttg ggttacataa atctccctga atgaagagca gctgacttag    1920
gcaagggggcc ttgtttggtt ttccttgaac tattaacagg aagatagggca gattaactgt    1980
gtaaatgttc aataggccag agtccctgca gagggtggcc acagtgatca gatcttatca    2040
catccttgct ttgggtgttg cctctctggt tggagtatgg atagaaaaga aagaaagacc    2100
ctatattgaa atgcaaagtg cagcaagtcc tgactttgga ttaacttctc agcccatttg    2160
catgaaaata aaaagatgaa taaaacaagg ttcccacttt ggagggaggt ggtagctgtg    2220
agatggaagg agtgttcctg ctgggcaaca gcagagtaag tgctggggta gattcactcc    2280
```

17

```
cacagtgcct ggaaaatcct cataggctca tttgttgagt ctttgtccta caccaggcac      2340
tctgcaaaaa cgctttgcct gcaaggtctc atgcgatgct caccacagct ctgtgaagtt      2400
aattgtactt ttatcaccat tttacagatg agaaaactga gggtatgggg tcaatgactt      2460
ggctaaagtc actgcttagc aagctgcagg gactggatgt gaattccaat tggtttgact      2520
ccaaagcctg tgaagctact tgttcttcac cacctagagc tgtggttctt gataactgtg      2580
aactctttg gggtcacaaa tagccctgag aatatgatag aagcaggagc tctggccttt      2640
ctgtccatac ctgaacaggt ccttgggtta agagccctc gtccagggcc tattaatctt      2700
gatcctcata agcagcatcc atgtattacg gccgcaaacc aaactgtgcc agaccgaatc      2760
ctaggaccaa gcccaaatat gtcccatcat cctttttggta agaagctcat tgtaagaaag      2820
aaagaggaga gcaagaggat gacctagtgc atggggcctc attgttttaa ttagtgacaa      2880
aacaacaata ataacaacaa aacccccgaa gcttcacaga tgacatcaga ccccaagcct      2940
gtgtgttttt caggtgccct tgaggagctt tgtagctggc agaggaggtg aaactgacaa      3000
atgtttggca gatggaggag agtaccagag gggtttgaga tgagctaaat tccaatctaa      3060
ccgcagtgtt gaggaagagg cttggattgg gaccatggag atgggggttc tactcccagt      3120
cacgccagct gactttgcga gtgttctttg tcagtcactt tatcttattt tatttatttt      3180
tattttttg aaatggagtt tcgctcttgt cgcccaggct ggagtgaaat ggcgcgatct      3240
tggctcactg caacctcccc ctcctgagtt caagcgattc tcctgcctca gcctccagag      3300
tacctgggat tacaggcgcc tgccaccaag cccatcgaat ttttgtatgc ttagtagaga      3360
cagggtttcg ccatgttggc cagggtggtc ttgaactcct gacctcaggt gatccgccca      3420
ccttggcctc ccaaagtgct gggattacag gcgcgagcca ctgtgcccag cccacttcat      3480
cttaccgtag ttacctcctt agagtatgaa aaaataggct tagggcatcc ccaagtcccc      3540
tctatgtctg agagctgagg ctggctgtca aagaggaact aaggatgcca gggactttct      3600
gcttaggacc cctctcatca cttctccaac gctggtatca tgaacccat tctacagatg      3660
atgtccacta gattaagaat ggcatgtgag gccaagtttc cacctgagag tcagttttat      3720
tcagaagaga caggtctctg ggatgtgggg aatgggacgg acagacttgg catgaagcat      3780
tgtataaatg gagcctcaaa atcgcttcag ggaattaatg tttctccctg tgttttttcta      3840
ctcctcgatt tcaacaggcc attttccaaa taaagccatg ccctctgcag gaacacttcc      3900
ttgggttcag gggattatct gtaatgccaa caaccctgt ttccgttacc cgactcctgg      3960
ggaggctccc ggagttgttg gaaactttaa caaatccatg taagtatcag atcaggtttt      4020
ctttccaaac ttgtcagtta atccttttcc ttccttttctt gtcctctgga gaattttgaa      4080
tggctggatt taagtgaagt tgttttttgta aatgcttgtg tgatagagtc tgcagaatga      4140
gggaagggag aattttggag aatttgggt atttggggta tccatcacct cgagtatta      4200
tcatttctgt atgttgtgaa catttcaagt cctgtctgct agctattttg gaatatacta      4260
tatgttgtta atgatatcat gcagcagacg tgcatctgaa tgggctggct ctaggagcta      4320
gagggtaggg gctggcacaa agatgcatgc tggaagggtc cttgcccata agaagcttac      4380
agccaaggct aggggagttc tgtcttctct gcatcaggtc acctctctca cctctgtcac      4440
tgccccatca gactacaatg tctgcaggtc tttctcccct gagtgtgagc tccctgagca      4500
aagcaggatg ctgcccccttc cctttgtatt ccttgctcct tgcttcagtg cctgtacata      4560
agtatgggca taataagtgt cccccaaatg agacattgag gattcttcaa atgcacagga      4620
ccgtgatgtg agttaggacg gagtaaggac gatgggatgt ggctcatgac aatcctgagg      4680
aagctgcagc tgcggcacgc agggccacac tgtcatgttc atggaccta gactggcttt      4740
gtagcctcca tgggcccctt ccatacac                                          4768

<210> 17
<211> 1295
<212> DNA
<213> Homo sapiens

<400> 17
tcatgactgc cattggtata aagatgaata taatccagac cagattcatg attattcata       60
cattttagt gtattaactt ttaattctgc ttttaaaata aattaaaaca ttctaatatg      120
```

18

```
cccttaagag tatcccagcc caggccactg agcctactgt ggttcatgga taagtttgcc      180
cctggggggca tgtgtgtgca tgcatgtgtg tgcacatgca tgatgagccg ggccttgaag      240
ggtggtaaga tttgggtgtg tagaccaatg gagaaaggca tttggggcag tgatgatggg      300
tgggggaggg aacatggtga tgaatggagc tgggtgtggg gagccatggg agtgggttag      360
ggccagcctg tggaggacct gggagccagg ctgagttcta tgcacttggc agtcacttct      420
gtaaagcagc agaggcagtt ggcctagcta aagcctttcg ccttttcttg caccctttac      480
agtgtggctc gcctgttctc agatgctcgg aggcttcttt tatacagcca gaaagacacc      540
agcatgaagg acatgcgcaa agttctgaga acattacagc agatcaagaa atccagctca      600
agtaagtaaa aaccttctct gcatccgttt ataattggaa attgacctgc accagggaaa      660
agagtagccc aggtgtctgg ggcttgttcc cattagatct tccccaaggg gtttttctcc      720
ttggtggctg gcctgtgggg cccctctcca ggaggcattg gtgaagaaac taggggagct      780
ggttgccaca gacagtgatg tactaatctt ctctgggaag acagaagaaa agtccccagg      840
gaagaatact acagacttgg ccttagggac agctaggggt gcagattgct gccaactgca      900
ttttttctga agttggccat atggttgcag tgaatggatt tatagacaga gtatttctgt      960
gcatataaga gcaattacag ttgtaagttg atatggataa gtgaaagtta agcacttctt     1020
tctaaaaaga gaatgcaatt cattttcccc taatcatttc aattagtctg atgggcattt     1080
gaacttgttg tctttaaaaa gtgaaatctt tacctctgat ctggtaagta tccaggcaat     1140
ttcttgtgtg ccacccagga ggtatctggg gagtgggcat tttctgactg aggcattggc     1200
tgccatagca tcagagcagc cttccaggca gtggcctggc aaggggacag aggctggtgg     1260
gagcagctgg ctgagtgcag ccagtaatgg catgt                                1295

<210> 18
<211> 2188
<212> DNA
<213> Homo sapiens

<400> 18
agctctccag gtgattctga tgcatactta agtttgagaa ccattgcttg ttttgcatta       60
aacaggagat tagtctctgc agcttgtggg aataaagctt taaatctctc caattttagc      120
tctgtgaaaa ggcagtgggg agacaggaat gaacggacta gtgccacaaa gctcaggtgg      180
ggtgggtgag atcatttaga agagaaagac cgggcatggt ggctcacgcc tgtactgtca      240
gcactttggg aggccaaggc aggttggatc acaaggtcag gagtttgaga ccagcctgcc      300
tatcatggtg aaaccctgtc tgtactaaag ataaaaaaaa aaaaatttgc cagtcatggt      360
gatgcatacc tgtaatccca gctactcggg aggctgaggc aggagaatct cttgaacccg      420
ggaggcgggg gttgcagtga ctgagattc caccattgca ctccaaccta ggtgacaggg      480
tgagactccg tctcaaaata aaaaaaaaa aagaaaagga aaggctgtgt gtgtgtgtat      540
gtgtgtgtgt gtgtgtgt gtgtgtgtaa cagcaccatc acactgtttg agttgaggag      600
cacatgctga gtgtggctca acatgttacc agaaagcaat attttcatgc ctctcctgat      660
atggcgatgc tccctatct cattcctgtg tgtgtttagc caggcaactg ttgatcatca      720
atattatgat aacgtttctc cactgtccca ttgtgcccac ttttttttt ttttgagtt      780
acttactaaa taaaaataaa acactatttc tcaatagact tgaagcttca agatttcctg      840
gtggacaatg aaaccttctc tgggttcctg tatcacaacc tctctctccc aaagtctact      900
gtggacaaga tgctgagggc tgatgtcatt ctccacaagg taagctgatg cctccagctt      960
cctcagtagg gctgatggca attacgttgt gcagctactg gaaagaaatg aataaaccct     1020
tgtccttgta atggtggtga aggggaggga ggtagtttga atacaacttc acttaatttt     1080
acttccctat tcaggcagga attgccaaac catccaggag tggaatatgc aacctggcgt     1140
catgggccag ctggttaaaa taaaattgat ttctggctta tcacttggca tttgtgatga     1200
tttcctccta caagggatac atttaagtt gagttaaact taaaaatat tcacagttct     1260
gaggcaataa ccgtggttaa gggttattga tctggaggag ctctgtctaa aaaattgagg     1320
acaggagact ttagacaagg gtgtatttgg gactttaa gaatttata aataagggc     1380
tggacgcagt ggcactgagt tgagaactgt tgcttgcttt gcattaaata ggagatcagt     1440
```

19

```
ccctgcagct tgtgggaata aggctttaaa tctctccaat tttagctctg tgagatggca      1500
ctggggaaac agaaatgaac ggactagtgt cacaaagctc aggtgggatg gacgagatca      1560
cttcaaaggt ctgtaatccc acgtctataa tcccagcact ttgggaggcc aaggcgggaa      1620
aatcacttga ggtcaggagt tcgagaccat cctggccaac aatgcaaagc ctgtctctac      1680
taaaaatatg aaaattagct cagcgtggtg gcatgctcct gtagtcccag ctactcgtga      1740
ggctgagaca ggagaatcgt ttgaacctgg gaggcggagg ttgcagtgag ccaatatcac      1800
gccattgcac tccagcctgg ctgacagagt gagactccat ctcaaaaaaa aaaaaaaaaa      1860
aagaatttta taaaatcagg aaataatatt agtgtttatg ttgaatttta actttagaat      1920
catagaaaac ttcctctggc atcattatta gacagctctt gtgcagtggg tagcaccaga      1980
cccagcttgc atggttattg atttttcaga gacacttttt gagcttattc tctggcagaa      2040
aggggaactg cttcctcccc tatctcgtgt ctgcatacta gcttgtcttt acaagaagca      2100
gaagtagtgg aaatgtttat tcttgaaaat aagcttttg cttcacatga tctagaattt      2160
ttaaaattag aaaaatgtgc ttactgcg                                        2188
```

<210> 19
<211> 1183
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(1183)
<223> n = a, t, c, or g

<400> 19
```
agtaaaatgg agaattccaa attctgaaat tgttagaaca tagttctgtg tcttagttaa        60
atatcgacac ttacagataa atagcataaa tgctttctcc ccatatttca gcccagtcct       120
acttaaagac aacataaatt gcaaaatagt gaggatgttg ttcatctaat aaaagtggtt       180
ccaggaattc agactctgga ttcctgtttg ccaaatcatg tgtcccactc ttaagaaaac       240
gagttggact ntggattttt ctttgcaaga gggacaagag tgtgggagat actgagttaa       300
tgcaacttgc aggttttaag tgtcctgtca ttgtgccttg tgctttgata cattctgagt       360
ttcagtaaag agacctgatg cattggactg ttgcaatgga acctgtttta agatcttcaa       420
agctgtattg atatgaagtt ctccaaaaga cttcaaggac ccagcttcca atcttcataa       480
tcctcttgtg cttgtctctc tttgcatgaa atgcttccag gtatttttgc aaggctacca       540
gttacatttg acaagtctgt gcaatggatc aaaatcagaa gagatgattc aacttggtga       600
ccaagaagtt tctgagcttt gtggcctacc aagggagaaa ctggctgcag cagagcgagt       660
acttcgttcc aacatggaca tcctgaagcc aatcctggtg agtagacttg ctcactggag       720
aaacttcaag cactaatgct ttcggaatgt gaggcttttc cttggacagc atgactttgt       780
tttgtagaaa agtacggctg gctgggagtt tgtgatataa tttagttcag tggtattcta       840
agtgttctta gtgttctttc agactttttgg gccatctccc aaagggtgaa tgggaagaat       900
aagctgggtg tggctgagtt taagccaaaa gttttttgtg cttgtttcaa tcagagaaga       960
cctgcttttt catgttttta ctattataat actaagcaag agctcatttg aaaacagagt      1020
tcttcatatt taaaaaaaaa aagtcttgaa accattgatg ggaagatgga tatctattta      1080
tgtttaaaaa cccatcataa agatgacatt gtgggctgtc acagttggaa ggccctggaa      1140
ttagatgaga ccacactatt tagcttactt agtaataaca ttg                        1183
```

<210> 20
<211> 8981
<212> DNA
<213> Homo sapiens

20

<400> 20

```
ccgtttggca aatgctcagt aaaagaaaag ggttagaagg ggagaaaggc attttatccc        60
aagccttcag gaatcaggat gaggatgtct tcaccttgtg gtggggagta attatacaat       120
tagagacagc acattggagt gtggctgata tgctgtgtga tgatagctct agctctctgc       180
ctagcagagg aaggacattt caatagaaga aaaagtttaa gaccttgccg agaaacagag       240
aaaggatgtt tgtctttta agaagttgaa aaccctgttt gcagacaaaa gccctccagt       300
tttggcagta aactttcatg caagggaaga aaaaggcagg ggatgacatt gttgacaatt       360
gtgaggaatt accatgtgcc aggcactgtg cgaggggctt tgtacatatc ctctagtttt       420
agtgcttata aaaactctgt gatatgtgca cagcatttta aactttgctg catagtcgag       480
aaaatggaag gatggggaat ttgagtcatt tgcccagggt tctatagcta ccccaggttc       540
ccatgactgg agaattgggg cacagggtgg cgggggagag tgagtgacaa gaatcctaac       600
aatcttattt ccattgagtc cttataaaag aagtggatta actaccacgt tttaagttt       660
ttcttaaatt taggttatgt ggatctggcg tttcttgttt tgtcctgggt ttgtttgtt       720
tttgctatgc tgtcttgaac atctgtcatc ttgtaggcct aacggtaaac acaaaaacac       780
tttacctcct atagctttca attaagatct ctcagtttgt gtttgtaata gttttccagg       840
caagttctcc ctaggttcgg cttctagtgt gttaaccttt agttataaag tgaacccaaa       900
gagagaaagt agaaacaaaa cacctcacct gttttttgctc atgaattact ctctatggaa       960
ggaacaatca tgaacacctc tgcgtatcac agaggcctat ctgagtctga cgtttaaggg      1020
agaccgcgta ggtccctttg aggactgtga atgtgggagt cctgggactc tggtgaagaa      1080
cccgttccag aagagatgaa tgagctggac aagttctttc atagaacctt taggcaggtt      1140
ttcttagaaa tgcacattga ggattatgct tggatattgt gatgatcaga atgatactca      1200
atcccttctg catttggaat tctctttgaa agaaaacatc ccaggcagct atttctcaga      1260
gatagtgagt cccagccact tctagacatt ttcttgtgta gtctacatta taatttcaca      1320
gcagtctctg atatgacaaa tgtcaaaata gcccaacctt ctctaaactt cagagatgtc      1380
tgatatgata ttgaataaaa caatgctcat agaaacatca agaaaggtgg attttccctg      1440
gatactttt tcctgcttga caaataacag tgaagaaact gatctcacgt ctttttctct      1500
ttggaagcct gaacactcag aacccaactt gaggctcctc agctatagca attctgactt      1560
cacagtctgt aaattattgt tcttttttt ctttagctta tgctttctgc cctaatttat      1620
cttttccctg ttctaatgaa ttattgtcct atatctgctg tgcagttagg tgacatataa      1680
cagcaattaa atatatgaat tggtacatat aaagatttga ctaaaactcg atgtaaaat      1740
aagtgttcta cattcaattt ccagtgttag aaacagtgct gacttgaaca gagtgacaga      1800
attccatctt tccctatttt tgacagcttt aaactttata ttttcttcct ttcttgtgag      1860
ccgtcattaa cttgtttctc aaagccattc ccgtattacc catcttgcag acgcagacag      1920
atttgggaat ttgcggtcag agttgtattg gacacatccc cccagcccac atgagatcct      1980
tttaatctat tgcatattaa ctagttttaa gtacaatatt cctacttcat ttaaaaccat      2040
taatcaaaga atgagtttga aaatgaacaa aatgcaaact tacagttaga aataattgta      2100
gtgtctttag ttttggttag gagtcggttt cttgtttgtt aaactcaaga ttgtgaacag      2160
ttttaattca cttgtttatt tccaatagag atttcaggtt tacatttgaa ttcagaaaca      2220
aagttttctt tctcattaca gagaacacta aactctacat ctcccttccc gagcaaggag      2280
ctggccgaag ccacaaaaac attgctgcat agtcttggga ctctggccca ggaggtaagt      2340
tgtgtctttc cagtaccagg aagcggatca tccactgtat cagtattttc attcctgagt      2400
ctggcaagag gtccttttga gttgaatatc acatgggatg taatatcaat tttcaaagta      2460
taagtgatgt aaacaataat gttttgattt ccttatttta gaaatgaaga aacctaaaac      2520
tcatagatgt ctcagagcta attggttagt ggctaacagc tggatatcta gtttagaacc      2580
ttctccattt tttcttttg cccctaggta atcatacatt gtaaagagg agaattatct      2640
ctgccactgc ccatgcactg cttttgtctg accagcaatt tctccatatt gcttcttcag      2700
tagcaaggcc aatcatttta ccaacacaca tgcttgctaa ctaacaggaa taacgtggta      2760
cccctaattc agccctttcc cttgaaagca tctggcttct gaggttcaac tatgggaata      2820
tggtctctta atgaacatta agttgagttt gccttttagg tccacatgtt gacaaatgta      2880
tcagagtaat ctctgtccta ggatcagagg gcctgtaggc acttgcaaaa gcagttagct      2940
ctgactccca gccagtgcac actccacctt tctgactccc agccttgtct caaattaggc      3000
```

21

```
ttggaagcga ggaactgtct ggtgtccccc agcataggaa gctgagccag ggggcagtgc    3060
tcacaaacaa tacagacttt aacgtgtagg atattggaaa ataataattt gtggggaaat    3120
tgtctcagac ttggtccacc cttattttta gctgcttctc taatccgttt ttctttttttt  3180
ggtgcttgta tctaacctac ccattttttg gtgcttgcat catttttttca aatatcaaaa    3240
acgaacttta tgttttctaa caatgaaagt attgcatgtt cattgtggaa aatgctgaag    3300
acttggaaaa tacaaaaatg ctgagatcaa acactattga tacgttagtg tatttcttcc    3360
tgtcctgttc tactttctttt cttttgaattc tgctcacgtg tttctgactg atgaggtctg   3420
acttttgggt tccttttcca gaggagaagc cttctttcag cttgccattt gttaccctgg    3480
ttatgaaggc tggtaacctt ttttactagg tagagaagct ggaccaactg gggttcttcc    3540
agggggagaa tgagaaagag aaactgtttt gcaagtccgt agctatttct ctagggccct    3600
gttagctgac attgacatgc cttgcattgc tctgcagatc ccctcgcagc cctctgtccc    3660
ttgttcattt ctggccttag agaaagcaaa gcagggtctg taacagggga ggctgcctct    3720
aaactcaggg tttggttaca gctgttttca cttacatcac tggccctggt tttttttttt    3780
tttctggcat taaaaaaaaa aattggaagc aggtgatgtt cccattgctg atgtggtgga    3840
aactctccaa gtgaacaata tacgtttttc ttggcagctg tttcttgtgc cctgcttgct    3900
cctggtccag gacaagcaag gaccatctgc ctctttcaat agaacacctc cagatccctt    3960
tgatcaaaag ttactcattg tctgacttgc tatttctgtg agataaatgg gagaagatca    4020
ataaatgcac ttgtttgtcc agtcagcgtg tggaaagttg ataattttga ccaaagcaca    4080
accctgaaag gaaaagaaaa agggagtgaa tgtcttctga gaagctgcct aggttcagac    4140
agtgtcaccc atttccctgt atgctccaca tgacaaacct gagtgggtct catcatgtcc    4200
attttgcaga tggcaccaag gctcagaaag gttaggcaac ttttccagtc acccaatgag    4260
ttaattgaca aaactgggat tcaaacccag aactgttgga ttccaaagcc tgtgttgttg    4320
cctgcttcgt gaaaaactcc agtagcgact ggaatagaaa ggagaacctt ccaagaaaga    4380
aaatacgcac tagcagaacc tggaaattgg gaggaaatga ggacttgagg aataagatga    4440
atgaaagctg acctgagttt cacatctggg tgatgggaag ggaggacagg gaggcagcat    4500
ctcagatgtc cacccagcac cgaccagctg cctggcattg ctaggtgttg aggactcagc    4560
agtgaacacg ctaacttctc tgctttcttg gggcacgtat agggtgagag acagaaacaa    4620
acaggtcagt gtacaatgcc acaggaggga tatatgcagt gaagaaaaag cagggtaagg    4680
ggcatagagc atgagaaggt gcttttttta aaggggktga ttaggaaagc tctctctaag    4740
gtgacagttg gacctgaagg agatgatagc atgtctgtgg tgagggaagg aaactccgaa    4800
caggaagaat ggcagataca aagacattga tgctagagca tgcctaagga atgtgtttaa    4860
ggaccaggga aagtgagcaa gtggtggggg gaggagagga gctcagagca ggaggaggtg    4920
agtgccatac aggcctggca agactttgga ttcctgctgg gtgagatgag aatccagcgg    4980
agggcttgag ggaggggaca tgatgtgatc tagagtttag actgtttaca ctctggttgt    5040
tgggttgaga agagactggg atgggggaaa gggaggacaa aggacattgt gctggattga    5100
gaaagcagta agtcagtttc attcattcac tcaaccgatg atgttcaaat accaccatca    5160
tccgtgggct aaaggatgaa gagccatccc tccctgagag tcaggaagca cttcccagat    5220
aaagtttgga gtgtgagctg aggtgtagga gaaagagtaa gagtttaccc ctgaaacggg    5280
tgctgggaag agtcaatagt ttggaataac tcaataattt atggtgcttc tttagaaaga    5340
tttgctggct ttatgtggga agaaatttkt tttttttgatt ggggagtggt gggttggtgg    5400
tgaggctgcc tgtggaaaga gaagtgagtg ttttgactca ctgttatttta aaaatctcta    5460
gggctgttcc aataagcaac aaaaggcaaa atggcctggt tctctgtccc ctttctgtct    5520
gtatgcctcg tacaggttat gaaaagaaaa agttgggaaa agctgtccac ctcacctaat    5580
tgtgttcttg tggagtgtgc tagatgcccc ctctctggag aaaaaaaatc cttgtggcct    5640
ctgacccacc tctggagagc ctagttccct tctggaggca gaaggcaaag cttaggacct    5700
agagagtgct ggaccacgcc actcacagga accagcaggc tgtgaggttg aaagctaggc    5760
atatggagct ttccaggctg ggtgcagggc ctcgtggccc ttcccctccc ctctgtgctc    5820
tatagctcag tcttcccagg cggtgtgaac acgcagtgac atttccagga atacagggat    5880
ttattaatga tttcttgtga aatgtttgga aatacaaagt actctataaa tatttcataa    5940
tagcattggg gctgagaact ccacaaagtg ccggaataca tttgcatgta agacagaacg    6000
ctgcctgggt cattgatgcc tgttgagtgg cagtcacaga cactgcctag ggtttctgac    6060
```

22

```
tcacgctgtt gggactgttc tatgcagggc accctcttgt gtggcatagg atttgtgcct    6120
caccacacac tgttgtagct ttgctgtctt gatgatgagt agagggcagt gtccaggcca    6180
tggtataagc atctactgcc ccccagggtt accaaaacca agccaagttg tgtctcagcg    6240
agctccgtga agcatggaga agttgagtac tcagagacat gacgtgactt ttcaaaggct    6300
gtaagctgac gagggacata gctagggttc agacttgagt tttctttttt cttttttttt    6360
ttcttttttt tttaagactg agtcttgctt ttgtcgccca ggctggattg cagtggtgct    6420
tggctcactg caacctctgc ctcccgggtt caagcaattc tcctgcctca gcctccccag    6480
tagctgggat tacaggcacc tgccaccatg cctggccaac attttttgtat ttttttagta    6540
gagatggggt ttcaccatgt tggccaggct ggtcttgaac tcctgacctc aggtgatcca    6600
cccgcctcga cctcccaaag tactgggatt acaggtgtga gccactgcac ccggcccaga    6660
ctcgagtttt tcatcttaat gcttttcat tgcctgacac tttactgaga ccaagatagg    6720
gaacttcaca tacagtacct tttctcccaa ggcggaagag ggctgttcaa tttctacact    6780
agagttcggg gagtttaga aatgagtcag ttatcgagga tgagagcagt tcctgatagg    6840
ctcaaccaca atgagatgta gctgttcaga gaaagcattc ttttatctat aaactggaag    6900
ataatcccgg tgaaacgaag cccagcccca ggggcttcac taactccagg ctgtgcttct    6960
caaactttag tgagcatagg aatcacctgg gcatcttgtg aagctgtaga tttgaattct    7020
gcaggtcggc agaggggtct cagaatccgc atttccaaca atgtctccag taatgctgat    7080
gctgctcgtc cctggaccac agattgggta gccaggttct ggcaagctca tcccaaggct    7140
ttgagatgac atcagacaaa atatgttctg ggacatggct tttgagaggt caagaaaata    7200
agatgtttct ttctcttctc atccccaacc cttgcactgc cctttctcc cttcccctac    7260
cctccttttct gtccccatcc ctgacgccag ctgttcagca tgagaagctg gagtgacatg    7320
cgacaggagg tgatgtttct gaccaatgtg aacagctcca gctcctccac ccaaatctac    7380
caggctgtgt ctcgtattgt ctgcgggcat cccgagggag gggggctgaa gatcaagtct    7440
ctcaactggt atgaggacaa caactacaaa gccctctttg gaggcaatgg cactgaggaa    7500
gatgctgaaa ccttctatga caactctaca agtgagtgtc catgcagacc ccagccctgt    7560
ccccaacccc atccctccct tagttctggc cttggcctgt gtcatctcct ccctctgtag    7620
cagcgttaga tgtctacatg cccatttgcc caccagactg agctcttcct agaggagaga    7680
ggcttctctt gaatagctac ctgtccccag ttctctgaat gcagcctggc acatctcagg    7740
tgcacagtag tgtttatcaa tggaatgaat gattgacagc caaccttctg gttttctggg    7800
ggatgtggaa gggtggcttc cagggtgatc aagaatgaga taatggcaga aggacaaatc    7860
ctgcaagatc tcacttatat atggaatata tgtaaggtag aaagtgtcag tttcacatga    7920
tgaataagtt cctgggatct tgatgtacat cgtgatgact atagttagta acactgtata    7980
gtatacttga aatttgctaa gagagtagat ccgaagtgtt cacactacac aaaaaaggca    8040
actatgaggt gatggattta ttaacagctt gattgtggtg atccttttac aaagtataca    8100
tatattaaaa catcacattg tataccttaa atatatacaa ttttttatttg tcagttgtaa    8160
ctcaaaaaag ctagaaaagc atttttaaaa aggatgatgt actggtctta atattaccat    8220
tgagataagc tttataataa cataaaaaga aataacagta atgataatag caacaacaac    8280
aacaacaaag aactaacatt taagtagaat ttcttgtgca ctgtgcattc tgtttaagtt    8340
atctcatttt accctcatga taacctgcag ggaagattct ttaaccccac atttcatagg    8400
ctcagagagg ttaagtgcct tggttagagc cacatcagag ttaatccaca agagccagga    8460
ttcaagccca aatctgcctg gatctgtgct ctctaagata actgttagtg gtggcgtgtg    8520
tgttctcaca ctcagacatt tgatctgccc tttgtttccc attcttagct gcaaggcagt    8580
gttaaagaac cctgtgtctc catatccact ccccacactt aagcactttt gtgggcccgt    8640
gtgccgtatg cctcgtggca gcagggatcc aatgtcacag ttttaggcag tggcatcctt    8700
ttccttgaaa acttgatgca ggggaacctt tctccatttc caaccacagg tgtgtctttc    8760
agacactgag tgaggcaggt tttgtacttt attgtaacac aagaacctttt cttctctgg    8820
agtaaagcac tccagacatt cgcaagttgc tttacaagcc ttaaaaggat ggtattgtag    8880
gcaactttaa ttaaatccca tctcctcctc tcccccagct tgcaagttga cccaaggaag    8940
ccttcatttc catgacagac ttaattgtga gggcatcctc a                        8981
```

23

<210> 21
<211> 20284
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(20284)
<223> n = a, t, c, or g

<400> 21
```
actgtgttag caaggatggt ctcgatctcc tgacctcgtg atccgcctgt atcggcctcc        60
caaagtgctg ggattacagg cgtgaaccac tgcgccctgt tgagaatttt tttttttttt       120
tttgggagaa agagtttcgc tcttgttgcc cgggctagag tgcagtgaca caatctcggc       180
tcactgcaac ctctgcctcc tgggttcaag caattctcct gcctcagcct catgcgtcac       240
cacgcccagc taattttgta tttttagtag agacagggtt tctccatgtt ggtcaggctg       300
gtctcgaact cccaacctca ggtggttcgc ccgccttggc ctcccaaagt gctgggattg       360
caggcatgag ccactgcgcc cagccccaaa ttttggtttt tgcttgaaaa ctgaggtctg       420
aattcagcct tctggttgcc cctcaagagt cagtttaaat gttggtcatg ttagttgtca       480
gtgaaaacaa tggtgaggct ggcatgagag tgtgaatctg gatgggaggg cttgtgcttc       540
atgaaaacat ttttccagat cagctcagtc gtgagttatc cgtcattgac gttataataa       600
gctctgatta tttatcaagc atcattcttt atagatatct cagtttaatc tgagataatc       660
ttctccacat ctctccacat agatgttatg aattttactt ttacagagga gccaactgag       720
gctcagataa gttacttatt atatgactag tagtggtaga ctggggtttt caactaagaa       780
ctctctggct ccaaagccct tgtaagtttc tatcagtata tgaccatgca tatgagcatt       840
tgtctctcct cttcttcata gctccttact gcaatgattt gatgaagaat ttggagtcta       900
gtcctctttc ccgcattatc tggaaagctc tgaagccgct gctcgttggg aagatcctgt       960
atacacctga cactccagcc acaaggcagg tcatggctga ggtaagctgc ccccagccca      1020
agactccctc cccagaatct ccccagaact ggggggcaaaa aactcaaggt agcttcagag      1080
gtgtgcgcta agtatactca cggctcttct ggaattccca gagtgaaaac ctcaagtctg      1140
atgcagacca gagctgggcc agctccccag tcgtgggtat agaatcatag ttacaagcag      1200
gcatttcttg gggatgggga ggactggcac agggctgctg tgatggggta tcttttcagg      1260
gaggagccaa acgctcattg tctgtgcttc tcctcctttt tctgcggtcc ctggctcccc      1320
acctgactcc aggtgaacaa gaccttccag gaactggctg tgttccatga tctggaaggc      1380
atgtgggagg aactcagccc caagatctgg accttcatgg agaacagcca agaaatggac      1440
cttgtccggg tgagtgtccc tcccattatt accatgtgcc tgcttgatac tggagaggtg      1500
agtttctggt cactttccca ggtgtgagtg aggtgagaat tctttcagtt tatctagctg      1560
ggggaatgta gtgagcatag ctaaagtcac agggcaccac ctctccagaa gtacaggcca      1620
tggtgcagag ataacgctgt gcatatcagc atccatgcca ctcacggtca aatagcagtt      1680
ttctgcaaaa cttagtgagg ctggtgtttt ggaagtggag ttgagtaatt gcagtaccct      1740
attttccttt ttgctgcagc ctctcagcca gccacagcat ctccctgtgt cttggtaggt      1800
tttggaaaga agtgtgggag caaaagcatg atgttacatg tagactggcc tgagatactc      1860
attctcaggg cactgtgtga atgatgagct gctgttactg tgtggagggg aaatgcactt      1920
agtgcttcag agccacttga aagggataag tgctctagag acaattgggt tcaaatgtgg      1980
agcaggctga gcaagaacag aatgtctcct ttgcctgagc ctgagtgctg ttaatcacat      2040
cttcctgcct tgggctgagt tagagaatca ttagactatt tcctgtttcc atggtgaggg      2100
aggcctcttc ctttgtctc tgctcccctt aagaagcagg tgaggatttt gccaggtttc      2160
ttgtttgaa ccttattgac tttaagggcg ctgggttttt agagactgta cctacctagg      2220
gggaacactt ccgaagttta ggactattcc ctgatccgct gggaggcagg ttactgagga      2280
agtcccttta aaaacaaagg agtttatact gagaaaagca taaacagtga tttgtatgga      2340
ttcacactga ctaatatagc tcatgccatt aaagtggggt ctcttctcta aaggagggtt      2400
```

24

```
atatgatcta gccccgtaga cctaagtgtg gtttcagacc tgttcttcct ggtcctctcc    2460
ttggaatcca tatttctact agttggactt tttctgtttg tctggctctc agaggattat    2520
aggaggccct gtgaagtgac tcagtgaatt ttgatttgtg ggcaagtaga tggttcccta    2580
gtctgaaatt gactttgcct taggtgcttc aattcttcat aagctcccag ttcttaaagg    2640
acaagatcct tgtaaacatg gcaatggcat tcattaggaa tctagctggg aaaatccagt    2700
gtgtatgctt ggaaatgagg gatctggggc tggagagaaa ggcatgggca tgccttggag    2760
ggacttgtgt gtcaagctga ggacctttac tttaagctct aggggaccag gcaaggggag    2820
atgtagatac gttactctga tggggtggat gaattgaaga aggatgaggc aagaatgaag    2880
gcagagacca gggaggaggc tctccaagtg gccaaggcat aaagcaagaa atgaggcctg    2940
gtgactgctt agtggcagag cagtgaaaga gagggaggca tcaaagtgag tctcgatttc    3000
tagctgggtg ggtggtagcg atgtccagta ggccagtggc tactgaggtc tgcagtggag    3060
gagggtggtt gggctggaga cagatgatga gggagtcatc agcctgtggg tggaagaaaa    3120
gggaacctct tccaactgtt ttctttgctt cttccctctc tttctctttt tttttttttt    3180
tggacagagt cttgctctgt cacccaggct gaaatgcagt ggcatgatct tggctcacca    3240
cagcctccgc ctcctgggtt caagcaattc tcctgtctca gcctccagag tagctgggat    3300
tacaggcaca tatcactgtg cccggctaat ttttgtattt tcagtggaga tgggatttca    3360
ccatgttggt cgggctggaa tgaactcctg acctcaagtg atccacctgc ctcagcctcc    3420
caaagtgttg ggattacagg catgagccac cgcgcccggc ctttcttccc tctcttaaag    3480
agtgtttatt taattccaca aacatgagct tgtcaccccc tgtagcctgg catctcctac    3540
acgaggtgat ggctgaggct tctgcttctg ctggggtagc tctgatcttt ctgctttctc    3600
tggcactgtc tacccatgtt gcctcacccc acaggtccca gggcacctct ctcgggcaag    3660
tcttggaacc ctctgacact gatttgctct cttttctgag ctgcttttag ccacccatcc    3720
tcgggacctg ttttctctct gcctccaccc ctgcgggcag tcttaggtct cctgcccctc    3780
acgagcaccc cagagaggcc acgtgctcag tgatctcagt gggcgcatct ttctagtctt    3840
gctattcttt ttggccatgt tgttcagaaa ccatactggg cagggccgac ttcaccctaa    3900
aggctgcgtc tcttcactct gcttttgttt gttccaaata aagtggcttc agaattgcta    3960
accctagcct ctgtgaactt gtgaggtaca attttgtgtc tgttatgtta acaaaaatac    4020
atacatacct tcctggtgat ggtataaatt gctattctct attggaaagc aatttggaat    4080
gaaaatttaa agaaccattt taaaatatgc tatcctgcgt acctccattc cacccacccc    4140
cagggatgta gcctactgaa ataattttaa agaagtcacc atatgagaga aaatgttatt    4200
gctatattgt tattgtgaga aattggaaat agactaaatg ttcagcacta taggaataat    4260
taatgaaatt acatatactc tatacaatca ttatgctgcc attgaaataa taaatacaaa    4320
ggcgcaaggg gggaaaagct tataatgtta gtgaaactaa gactgatttt tttataaagc    4380
agcagttttc agacccttgg agactccaat tcggtagaac cagagcttca tcttctctgt    4440
cgaagctgtg acaggagttg caaatgcctc tccttttgc tgagtttgca gctgctgttt     4500
ttccggcagc acatctgtgc aggcctctgc ctcggcccct ctggatctgc tgattgagca    4560
gcggattgat ctgtccttct ctttcgtgtt gacccatgtg aggaaccaac tggcaaggga    4620
acaagaaatg gaaataggcc tcctttgcat catgacctgt acatcctgca attggaaaag    4680
attgtacttt agttggttta accagcagca ttattttct aaactaagca gtaagaagga     4740
attaggtttt atgtgggatc aacagactgg gtctcaaaag aggaaggtga tagaacacag    4800
tggggagggg gaggtgcact agaaacagag ggcctatgct ttcattctgg ctttgctact    4860
taatagctgt gtgacccaat cttagagact taacctctct gaacttccat tttctcatgt    4920
ataaaatggg aaatattaaa ggatactcac tgggctggtg gcttgtgcct gtaatcccag    4980
cacttgggga ggttgaggtg ggaggatcac ttgagcccag gtgttcaaga ccagcccagg    5040
caacatggca agactctgtc tctatgaaaa aattaaaaat tagccaggtg tggtggtgtg    5100
cacctgtagt cttagctact tggtaggctg agatgggagg atcacttggg cttgggaggt    5160
caaggctgcg gtgagctgtg attccatcac tgcactccag cccgggcggc agagcgagac    5220
actgaatcca aacgacaaca acaacaaaag gcaaaaaaat aaaagtgccc tctttatgga    5280
gttgtgtaag gtgaagcata tacactattc aacatagtaa ctatataaag gaagtattgt    5340
tgttgttact gtagttaata ccattaagtg agatgtttcg tatagtggaa agcacatgga    5400
ctctgaattc agactggtct gactttgagt ctcagctcca catctagtaa tactatgacc    5460
```

25

```
aagccctggt taaaatcatg tttttttttc ttcagcctca gtcttctcac atataaaata    5520
gggacactgt catttacctc agttttctgt gaggataaaa caacgacagt gtatatgcaa    5580
gtattttgta aattttgtag tgctcctcaa gatttagttg gtgtttacta cttgtacttt    5640
ctcactggaa tggcagatgc tgttggacag cagggacaat gaccactttt gggaacagca    5700
gttggatggc ttagattgga cagcccaaga catcgtggcg tttttggcca agcacccaga    5760
ggatgtccag tccagtaatg gttctgtgta cacctggaga gaagctttca acgagactaa    5820
ccaggcaatc cggaccatat ctcgcttcat ggaggtgaat ctgttgctgg gatcatttag    5880
aaaagactta acggcttctt tctctgagac gttacaataa ggttcaggca ggaggcaagt    5940
ttagaaataa tgtatagtct catttacaaa actatccctc aagcctaaca caggatttga    6000
taacaaaagg cacttaataa atgttagttg agtggttgaa tgagtaaata aactctagct    6060
ttagtaaatt aactctagct tattctatat aggctcaaga gaatatttct acccattttc    6120
ttctaggttt tcctatctca gtgactaatg gtagcaaagc attcccttaa aaaggcatta    6180
tttgtgaaac ttayctaaaa tcgaattcgg gtccaattaa attttttgaaa ttttatatta    6240
aaaattatat tagtagggat gggtaagagg tgttttggtc tggttggttg gttagttgct    6300
atgactcaga attgctaaga aaacagaaaa gtaagataag atcattgttt taacctcttt    6360
tcctccacaa aatcaataaa taacatatcc ctaaattact cttagaattt ctcttaaatt    6420
gcagtgaaaa accaaaatcc ttcattcttg gttgaaggtt ggaaaactac gttagagagg    6480
attagagaga gaggatgagc aatcgtgtag tcagcccttg cctcctagtg taggatttgt    6540
ctcagccact gcttgttgtc ctggctgcca acgttctcat gaaggctgtt cttctatcag    6600
tgtgtcaacc tgaacaagct agaacccata gcaacagaag tctggctcat caacaagtcc    6660
atggagctgc tggatgagag gaagttctgg gctggtattg tgttcactgg aattactccm    6720
rgcagcattg agctgcccca tcatgtcaag tacaagatcc gaatggacat tgacaatgtg    6780
gagaggacaa ataaaatcaa ggatgggtaa gtggaatccc atcacaccag cctggtcttg    6840
gggaggtcca gagcacctat tatattagga caagaggtac tttattttaa ctaaaaattt    6900
ggtagaaatt tcaacaacaa caaaaaaact caacttggtg tcatgatttt ggtgaaattg    6960
gtacatgact tgctggaagg tttttcatag gtcataaaat aacagtatct tttgatttag    7020
catttctact caagggaatt aattccagga attttggtgg caggcacctg taatcccagc    7080
tactcgggag gctgaggcag gagaattgct tgaacccagg aggcagaggt tgcagtgagc    7140
taagatcgca tcattgcact cccgcctggg caataagagt gaaactccat ctcaaaaaaa    7200
aaaaagatac aaaaatagaa aaaggggctt ggtaagggta gtagggtttt gggcaatttt    7260
ttttttttttt tttttttta ttgtatggtt ctaaaggaat ggttgattac ctgtggtttg    7320
gttttaggta ctgggaccct ggtcctcgag ctgacccctt tgaggacatg cggtacgtct    7380
gggggggctt cgcctacttg caggatgtgg tggagcaggc aatcatcagg gtgctgacgg    7440
gcaccgagaa gaaaactggt gtctatatgc aacagatgcc ctatccctgt tacgttgatg    7500
acatgtaagt tacctgcaag ccactgtttt taaccagttt atactgtgcc agatgggggt    7560
gtatatatgt gtgtgcatgt gcatgcatgt gtgaatgatc tggaaataag atgccagatg    7620
taagttgtca acagttgcag ccacatgaca gacatagata tatgtgcaca cactagtaaa    7680
cctctttcct tctcatccat ggttgccact tttatctttt tatttttatt ttttttttg    7740
agatggagtc tcgctctgac gcccaggctg gagtgcagtg gctcgatctc ggctcactgc    7800
aacctttgcc tcccgggttc aagctattct cctgcctcag cctccacagt agctgggact    7860
acaggctcat gctgccacgc ccggctgact ttttgtattt tagtagagac gaggtttcac    7920
catgttaccc aggctagact tcaactcctg agctcaggca atccaccctc cttggcctcc    7980
caaagtgctg ggattacagg tgtgagccac tgcacccagc ccaccacttt aattttttac    8040
actctaccct tttggtcaaa atttgctcaa tctgcaagct taaaatgtgt catgacaaac    8100
acatgcaagc acatactcac acatagatgc agaaacagcg tctaaactta taaaagcaca    8160
gtttatgtaa atgtgtgcac ttcttctccc taggtggtaa accacatttc aaaacaaccc    8220
aaataaaact gaacaaagct tcttcctctt agactttta gaaaatcttt cagtgctgag    8280
tcactaagct gccaagttct cattgtggga actatgcctt tggatgtaat gatttcttct    8340
aagacaatgg gcggaggtgt agttattgca gacatctgaa atatgtaatg tttcttccag    8400
attctggaaa ttctcttatt ctctgtggtt ggtggtggtg gtgggatgtg tgtgtgtgtg    8460
tgtgtgtgtg tgtgtgtgtg tgtgtaggga tcaggatgcg ggaggagctg ggttctgctt    8520
```

26

```
gtattggttc tctgtttttgc attgaatagt gtgtttcctt gtatggctat ctatagcttt    8580
tcaaggtcac cagaaattat cctgtttttc accttctaaa caattagctg gaattttttca    8640
aaggaagact tttacaaaga cccctaagct aaggtttact ctagaaagga tgtcttaaga    8700
cagggcacag gagttcagag gcattaagag ctggtgcctg ttgtcatgta gtgagtatgt    8760
gcctacatgg taaagctttg acgtgaacct caagttcagg gtccaaaatc tgtgtgcctt    8820
tttactttgc acatctgcat tttctattct agcttggaat ctgaaacatt gacaagagct    8880
gcctgaaatg tatgtctgtg gtgtgattag agttacgata agcaagtcaa tagtgagatg    8940
accttggaga tgttgaactt ttgtgagaga atgagttgtt tttttgtttt ggttttttagt    9000
actttaacat aatctacctt tagtttaagt atcgctcaca gttacctagt tactgaagca    9060
agcccccaaa gaaatttggt ttggcaacac tttgttagcc tcgttttttct ctctacattg    9120
cattgctcgt gaagcattgg atcatacgta catttcagag tctagagggc ctgtccttct    9180
gtggcccaga tgtggtgctc cctctagcat gcaggctcag aggccttggc ccatcaccct    9240
ggctcacgtg tgtctttctt tctccccttg tccttccttg gggcctccag ctttctgcgg    9300
gtgatgagcc ggtcaatgcc cctcttcatg acgctggcct ggatttactc agtggctgtg    9360
atcatcaagg gcatcgtgta tgagaaggag gcacggctga aagagaccat gcggatcatg    9420
ggcctggaca acagcatcct ctggtttagc tggttcatta gtagcctcat tcctcttctt    9480
gtgagcgctg cctgctagt ggtcatcctg aaggtaaggc agcctcactc gctcttccct    9540
gccaggaaac tccgaaatag ctcaacacgg gctaagggag gagaagaaga aaaaaaatcc    9600
aagcctctgg tagagaaggg gtcatacctg tcatttcctg caatttcatc catttatagt    9660
tggggaaagt gaggcccaga gaggggcagt gacttgccca aggtcaaccc agccgggtag    9720
cagctaagta ggatgagagt gcagggttca tgctttccag ataaccacat gctcaactgt    9780
gccatgctgt ctcattggta gtggttcatg gcagcatctg aaagctattt attttcttag    9840
atatattggg tggcgattct tcctaagttt ctaagaacaa taatcagaag gatatatatt    9900
gttgcaggtt agactgtctg gaagcagagg ctgaaataga gtttgatgta tgggtattta    9960
tgagggctca ataccttatgg aagagatatg gaagatgcag gattgggcag agggaggagt   10020
tgaactgtga tatagggcca accccgtggg gcactctaga gaatatgcag cttgttggag   10080
ttgttcttca tcgagctgaa acatccagcc ctttgtgctc ccccaaggcc tccctcctga   10140
caccacctac ctcagccctc tcaatcaatc actggatgtg ggctgccctg ggaaggtcgt   10200
gccccagggc ctacatggct ctctgctgct gtgacaaacc cagagttgct gatgcctgag   10260
gccgtctact gacagctggg caacaaggct tccctgaatg gggactctgg gcagtgcagt   10320
tttgtgtctg aaccatacat taatatattt atatccgaat tttcttttctc tgcaagcatt   10380
tcatataaag acacatcagg taaaaataaa tgttttttgaa gcaaaggag tacaaagaga   10440
taagaactaa ctaatttaat actagttacc atctgttaca aatagttcct actgattgcc   10500
aaggactgtt taaacacatc acatgggctt cttcttctat cctcactaac ccttttaaca   10560
gacaaggaaa tgaggctcag gaaggtcaag gactttattg aggttccaca gtaggataca   10620
gttcttgcta aaagcaaccc ctccctcatg ctctgttatc taactgcaag gggaaggtca   10680
gtggcagagg tagtggtccc atggttggtg cataagagct gctctgagac aactgcatgc   10740
tggtgggtcc tgcagacatg tacccatcag ccggagatag gctcaaaata tccacaagag   10800
tttggatgat tgtgggaatg cagaatccat ggtgatcaag agggaaagtc aagttgcctg   10860
gccatttttcc ttggctttta gacagaaaag ttacgtggga tattatctcc cacagctctt   10920
ctgtggtgcc accagtcata gtccttatat aaggagaaac cagttgaaat tacctattga   10980
agaaacaaag agcaaactcg cccactgaaa tgcgtagaaa gccctggact ctgttgtatt   11040
cataactctg ccattatttt tctgcgtagt tttgggtaag tcacttatct tctttaggat   11100
ggtaatgatc agttgcctca tcagaaagat gaacagcatt acgcctctgc attgtctcta   11160
acatgagtag gaataaaccc tgtctttttt ctgtagatca tacaagtgag tgcttgggat   11220
tgttgaggca gcacatttga tgtgtctctt ccttcccagt taggaaacct gctgccctac   11280
agtgatccca gcgtggtgtt tgtcttcctg tccgtgtttg ctgtggtgac aatcctgcag   11340
tgcttcctga ttagcacact cttctccaga gccaacctgg cagcagcctg tggggcatc   11400
atctacttca cgctgtaccct gccctacgtc ctgtgtgtgg catggcagga ctacgtgggc   11460
ttcacactca agatcttcgc tgtgagtacc tctggccttt cttcagtggc tgtaggcatt   11520
tgaccttcct ttggagtccc tgaataaaag cagcaagttg agaacagaag atgattgtct   11580
```

27

```
tttccaatgg gacatgaacc ttagctctag attctaagct cttttaagggt aagggcaagc   11640
attgtgtttt attaaattgt ttacctttag tcttctcagt gaatcctggt tgaattgaat   11700
tgaatggaat ttttccgaga gccagactgc atcttgaact gggctgggga taaatggcat   11760
tgaggaatgg cttcaggcaa cagatgccat ctctgccctt tatctcccag ctctgttggc   11820
tatgttaagc tcatgacaaa ccaaggccac aaatagaact gaaaactctt gatgtcagag   11880
atgacctctc ttgtcttcct tgtgtccagt atggtgtttt gcttgagtaa tgttttctga   11940
actaagcaca actgaggagc aggtgcctca tcccacaaat tcctgacttg gacacttcct   12000
tccctcgtac agagcagggg gatatcttgg agagtgtgtg agcccctaca agtgcaagtt   12060
gtcagatgtc cccaggtcac ttatcaggaa agctaagagt gactcatagg atgctcctgt   12120
tgcctcagtc tgggcttcat aggcatcagc agccccaaac aggcacctct gatcctgagc   12180
catccttggc tgagcaggga gcctcagaag actgtgggta tgcgcatgtg tgtgggggaa   12240
caggattgct gagccttggg gcatctttgg aaacataaag ttttaaaagt tttatgcttc   12300
actgtatatg catttctgaa atgtttgtat ataatgagtg gttacaaatg gaatcatttt   12360
atatgttact tggtagccca ccactcccta aagggactct ataggtaaat actacttctg   12420
caccttatga ttgatccatt ttgcaaattc aaatttctcc aggtataatt tacactagaa   12480
gagatagaaa aatgagactg accaggaaat ggataggtga ctttgcctgt ttctcacaga   12540
gcctgctgtc tcctgtggct tttgggtttg gctgtgagta ctttgcccctt tttgaggagc   12600
agggcattgg agtgcagtgg gacaacctgt ttgagagtcc tgtggaggaa gatggcttca   12660
atctcaccac ttcggtctcc atgatgctgt ttgacacctt cctctatggg gtgatgacct   12720
ggtacattga ggctgtcttt ccaggtacac tgctttgggc atctgtttgg aaaatatgac   12780
ttctagctga tgtccttttct ttgtgctaga atctctgcag tgcatgggct tccctgggaa   12840
gtggtttggg ctatagatct atagtaaaca gatagtccaa ggacaggcag ctgatgctga   12900
aagtacaatt gtcactactt gtacagcact tgtttcttga aaactgtgtg ccaggcagca   12960
tgcaaaatgt tttatacaca ttgcttcatt taattctcac aaggctactc tgaagtagtt   13020
actataataa ccagcaattt tcaaatgaga gaactgtgac tcaaagacgt taagtaacca   13080
gctttggtca cacaactgtt aaatgttggt acgtggaggt gaatccactt cggttacact   13140
gggtcaataa gcccaggcga atcctcccaa tgctcaccca attctgtatt tctgtgtcct   13200
cagaggggggt acaactagga gaggttctgt ttcctgagta caggttgtta ataattaaat   13260
atactagctc taaggcctgc ctgtgattta attagcattc aataaaaatt catgttgaat   13320
ttttcttttag tacttctttc ttaatataat acatcttctt gaccaagtcc aagaggaacc   13380
tgcgttggac agttttcata tgagatcaaa ttctgagaga gcaagattta accctttttg   13440
gttcaccttc tgatcctccc ctaaggaggt atacatgaaa tatttattac tcctgcctga   13500
acttctttca ttgaatatgc aatttttgcag catgcagatt ctggatttaa attctgagtc   13560
ttaacttact ggctgaggga ccttggatag gctccttatc cctcagtttc ctcatctcta   13620
aaatggggat ggcacctgcc ccgtgggttg ttggaaggac ttacagaggt gcagaatgta   13680
cgttgtacat agcaggtttc agcaaatgtt agctccctct ttccccacat ccattcaaat   13740
ctgttccttc tccaaaggat gtgtcaagga ggaaatggac ctggctggga aaccctcaga   13800
atactgggat gatgctgagc ttggctcata cctgtgcttt gctttcaggc cagtacggaa   13860
ttcccaggcc ctggtatttt ccttgcacca agtcctactg gtttggcgag gaaagtgatg   13920
agaagagcca ccctggttcc aaccagaaga gaatgtcaga aagtaagtgc tgttgacctc   13980
ctgctctttc tttaacctag tgctgctgcc tctgctaact gttggggca agcgatgtct   14040
cctgcctttc taaaagactg tgaaccact ccaggggcag agaaatcaca tgcagtgtcc   14100
ctttccaaat cctcccatgc catttatgtc caatgctgtt gacctattgg gagttcacgg   14160
tctcgatccc tgagggacat tttctttgtt gtcttggctt ctagaagagt atcttttact   14220
tgccccctcc caaacacaca tttcatggtc tcctaacaag ctagaagaaa gaggtaaaga   14280
caagcgtgat tgtggaacca tagcctcgct gcctgcctgt gacatggtga cctgtgtatc   14340
agcctgtgtg ggctgagacc aagtggctac cacagagctc agcctatgct tcataatgta   14400
atcattaccc agatccctaa tcctctcttg gctcttaact gcagacagag atgtccacag   14460
ctcatcaaag gctctgcttc tgggttcttt gtgcttagag tggcttccta aatatttaat   14520
aggtcccttt tctgccagtc tcttctgtgc ccatcccctg attgcccttg gtaaaagtat   14580
gatgcccctt agtgtagcac gcttgcctgc tgttcctaat catcttctcc tacctcctct   14640
```

28

```
ttacacctag ctcctgtttc agtcacctag aaatgctcac agtcgctgga atatgtcatg   14700
ttcttccaca cctccatgcc tttgtaggta ctgtttgctc tcacaggaga actttctctc   14760
taacttgcct atcttctcaa ctcctccttt ctctccaaga tctagttccg gatccctcc    14820
cctgagcatc cctccttggt tctcaggtag tcagtcactc tctgccctga acttccatgg   14880
cacgtgaaag aaaatctttt tattttaaaa caattacaga ctcacaagaa gtaatacaaa   14940
ttacatgagg gggttccctt aaacctttca tccagtttcc ccaatggtag cagcatgtgt   15000
aactgtagaa tagtatcaaa accatgaaat tgacataggt acaattcaca aaccttcttc   15060
agatttcact agctttatgt gcgctcattt gtgtgtgtgt gtgcgtattt agttctatgc   15120
aattttatca tgtgtgaatt catgtaatta ctagctcagt caagctgcag aaatatctca   15180
ttgtcacaaa gctccttcat gctacccctt aatggccaca gccacctccc ttcttcctca   15240
gttcctgaca cctgtcaacc actaatgcgt tcctcgtttt tacagtttta ttatttctag   15300
aatgttacat aaatggaacc atacagtagg tatccttttg atactggctt tttttttttt   15360
ttcactcagc agtattccct tagatctatc caagttgtgt gtgtcaacag ttcattcctc   15420
ttcactgctg agtagtgttc cctgggaggg gtgtatcaca gttccatggc atttttagat   15480
gtatttttta aacagctttc agcatcctct attttaattg ttcatcaagt ccttttttccc   15540
aatagactct gaatgctcct ttatcatcgt attcccatca ccaacatcag tacccaaata   15600
ggccctaaat aaacatttat agcctcctgc ctgcctgaga aaccagggtg gacatggaga   15660
gaaggcactt ctgaaagttc aagcgcagtg csctgtgtcc ttacactcca ctcctcagtg   15720
ctttctgtgg gttcatttct gtcttctctc ctgtcacagt ctgcatggag gaggaaccca   15780
cccacttgaa gctgggcgtg tccattcaga acctggtaaa agtctaccga gatgggatga   15840
aggtggctgt cgatggcctg gcactgaatt tttatgaggg ccagatcacc tccttcctgg   15900
gccacaatgg agcggggaag acgaccacca tgtaagaaga gggtgtggtt cccgcagaat   15960
cagccacagg agggttctgc agtagagtta gaaatttata ccttaggaaa ccatgctgat   16020
ccctgggcca agggaaggag cacatgagga gttgccgaat gtgaacatgt tatctaatca   16080
tgagtgtctt tccacgtgct agtttgctag atgttatttc ttcagcctaa aacaagctgg   16140
ggcctcagat gacctttccc atgtagttca cagaattctg cagtggtctt ggaacctgca   16200
gccacgaaaa gatagattac atatgttgga gggagttggt aattcccagg aactctgtct   16260
ctaagcagat gtgagaagca cctgtgagac gcaatcaagc tgggcagctg gcttgattgc   16320
cttccctgcg acctcaagga ccttacagtg ggtagtatca ggaggggtca ggggctgtaa   16380
agcaccagcg ttagcctcag tggcttccag cacgattcct caaccattct aaccattcca   16440
aagggtatat cttttggggg tgacattctt ttcctgtttt cttttttaatc ttttttttaaa  16500
acatagaatt aatatattat gagcttttca gaagattttt aaaaggcagt cagaaatcct   16560
actacctaac acaaaaattg tttttatctt tgaataatat gttcttgttt gtccatttttc   16620
catgcatgcg atgttaggca tacaaaatac attttttaaa gaatactttc attgcaaatt   16680
ggaaacttcg tttaaaaaat gctcatacta aaattggcat ttctaaccca taggcccact   16740
tgtagttatt taccgaagca aaaggacagc tttgctttgt gtgggtctgg tagggttcat   16800
tagaaaggaa tgggggcggt gggagggttg gtgttctgtt ctctctgcag actgaatgga   16860
gcatctagag ttaagggtag gtcaaccctg acttctgtac ttctaaattt ttgtcctcag   16920
gtcaatcctg accgggttgt tccccccgac ctcgggcacc gcctacatcc tgggaaaaga   16980
cattcgctct gagatgagca ccatccggca gaacctgggg gtctgtcccc agcataacgt   17040
gctgtttgac atgtgagtac cagcagcacg ttaagaatag gccttttctg gatgtgtgtg   17100
tgtcatgcca tcatgggagg agtgggactt aagcatttta ctttgctgtg tttttgtttt   17160
ttctttttt ctttttt att tttttgagat ggagtctcgc tctgtagcca ggctggactg   17220
tagtggcgcg atctcggctc actgcaacct tggcctccca ggttcaagcg attctcctgc   17280
ctcagcctcc cgagtagctg ggactctagg cacacaccac catgcccagc taatttttgt   17340
gtttttagta gagacggggt ttcaccatgt tggccaggat ggtctcaatg tcttgacctc   17400
gtgatccgcc cacctcggtc tcccaaagtg ctgggaacac aggcatgagc cactgtgtct   17460
ggccacattt tactttcttt gaatatggca ggctcacctc cgtgaacacc ttgagaccta   17520
gttgttcttt gattttagga gaagtgggag gtgaatggtt gagctgtaga ggtgacatca   17580
gcccagccag tggatggggg cttgggaaac attgcttccc attattgtca tgctggaggg   17640
cccttttagcc catcctctcc ccccgccacc ctccttattg aggcctggag cagacttccc   17700
```

29

```
agacctggta gtgcttcagg gccctggtat gatggaccta tatttgctgc ttaagacatt    17760
tgctcccact caggttgtcc catcagccat aaggccccca gggagcccgt gtgatggagc    17820
agagagagac ctgagctctg caatcttggg caaggctttt cccttatgtt tcttcttatc    17880
taaagtgaac agctggggct catgtgctcc ctcctcatct aaagtgaaca catggggctc    17940
atgtgcaggg tcctccccgc tttcagagcc tgaggtcccc tgaggctcag gaaggctgct    18000
ccaggtgagt gccgagctga cttcttggtg gacgtgctgt ggggacagcc cattaaagac    18060
cacatcttgg ggccctgaaa ttgaaagttg taactgcctg gtgcatggtg gccaggcctg    18120
ctggaaacag gttggaagcg atctgtcacc tttcactttg atttcctgag cagctcatgt    18180
ggttgctcac tgttgttcta ccttgaatct tgaagattat ttttcagaaa ttgataaagt    18240
tattttaaaa agcacgggga gagaaaaata tgcccattct catctgttct gggccagggg    18300
acactgtatt ctggggtatc cagtagggcc cagagctgac ctgcctccct gtccccaggc    18360
tgactgtcga agaacacatc tggttctatg cccgcttgaa agggctctct gagaagcacg    18420
tgaaggcgga gatggagcag atggccctgg atgttggttt gccatcaagc aagctgaaaa    18480
gcaaaacaag ccagctgtca ggtgcggccc agagctacct tccctatccc tctcccctcc    18540
tcctccggct acacacatgc ggaggaaaat cagcactgcc ccagggtccc aggctgggtg    18600
cggttggtaa cagaaacttg tccctggctg tgcccctagg tcctctgcct tcactcactg    18660
tctggggctg gtcctggagt ttgtcttgct ctgttttttt gtaggtggaa tgcagagaaa    18720
gctatctgtg gccttggcct ttgtcggggg atctaaggtt gtcattctgg atgaacccac    18780
agctggtgtg gacccttact cccgcagggg aatatgggag ctgctgctga ataccgaca    18840
aggtgcctga tgtgtattta ttctgagtaa atggactgag agagagcggg gggctttga    18900
gaagtgtggc tgtatctcat ggctaggctt ctgtgaagcc atgggatact cttctgttak    18960
cacagaagag ataaagggca ttgagactga gattcctgag aggagatgct gtgtctttat    19020
tcatcttttt gtccccaaca tggtgcacta aatttatggt tagttgaaag ggtggatgct    19080
taaatgaatg gaagcggaga ggggcaggaa gacgattggg ctctctggtt agagatctga    19140
tgtggtacag tatgaggagc acaggcaggc ttggagccaa ctctggcttg gccctgagac    19200
attgggaaag tcacaacttg cctcaccttc tttgccgata ataatagtgg tgcgttacct    19260
catagaggat taaattaaat gagaatgcac acaaaccacc tagcacaatg cctggcatat    19320
agcaagttcc caaataaaat gcgtactgtt cttacctctg tgaggatgtg gtacctatat    19380
atacaaagct ttgccattct aggggtcata gccatacagg gtgaaaggtg gcttccaggt    19440
ctcttccagt gcttacccct gctaatatct ctctagtccc tgtcactgtg acaaatcaga    19500
actgagaggc ctcacctgtc ccacatcctt gtgtttgtgc ctggcaggcc gcaccattat    19560
tctctctaca caccacatgg atgaagcgga cgtcctgggg gacaggattg ccatcatctc    19620
ccatgggaag ctgtgctgtg tgggctcctc cctgtttctg aagaaccagc tgggaacagg    19680
ctactacctg accttggtca agaaagatgt ggaatcctcc ctcagttcct gcagaaacag    19740
tagtagcact gtgtcatacc tgaaaaaggt gagctgcagt cttggagctg gctggtgtt    19800
gggtctgggc agccaggact tgctggctgt gaatgatttc tccatctcca cccctttgc    19860
catgttgaaa ccaccatctc cctgctctgt tgcccctttg aaatcatatc atacttaagg    19920
catggaaagc taaggggccc tctgctccca ttgtgctagt tctgttgaat cccgttttcc    19980
ttttcctatg aggcacanag agtgatggag aaggtcctta gaggacatta ttatgtcaaa    20040
gaaaagagac ttgtcaagag gtaagagcct ggctacaaa tgacctggtc gttcctgctc    20100
attacttttc aatctcattg accttaactt ttaaactata aaacagccaa tatttattag    20160
gcactgattt catgccagag acactctggg cattgaaaga aagtaatgat aatagttaat    20220
tttatatagc gttgttacca tttcaacctt ttttttttt taacctctat catctcaatt    20280
aaag                                                                 20284


<210> 22
<211> 7052
<212> DNA
<213> Homo sapiens
```

<400> 22

```
gtgaacacac attaaagcat gagaagcatg aactagacat gtagccaggt aaaggccttg         60
ctgagatggt tggcaaaggc ctcattgcag cattcattgg caggccacag ttcttttggc        120
agctctgctt cctgaccttt caccctcagg aagcgaggct gttcacacgg cacacacatg        180
ccagacaggg tcctctgaag ccacggctgc cagtgcatgt gtcccaggga aagcttttc        240
ctttagttct cacacaacag agcttcttgg aagccctccc cggcgaaggt gctggtggct        300
ctgccttgct ccgtccctga cccgttctca cctccttctt tgccatcagg aggacagtgt        360
ttctcagagc agttctgatg ctggcctggg cagcgaccat gagagtgaca cgctgaccat        420
cggtaaggac tctggggttt cttattcagg tggtgcctga gcttcccccca gctgggcaga       480
gtggaggcag aggaggagag gtgcagaggc tggtggcgct gactcaaggt ttgctgctgg        540
gctggggctg ggtggctgcg ggggtgggag cagcttggtg gcgggttggc ctaatgcttg        600
ctggggtgcc tggggctcgg tttgggagct agcagggcag tgtcccagag agctgagatg        660
attggggttt ggggaatccc ttaggggagt ggacactgaa taccagggat gaggagctga        720
gggccaagcc aggagggtgg gatttgagct tagtacataa gaagagtgag agcccaggag        780
atgaggaaca gccttccaga ttttttcttgg gtagcgtgtg taggaggcca gtgtcaccag       840
tagcatatgt ggaacagaag tcttgaccct tgctatctct gcctagtcct aatggctggc        900
ttttcccagg aaggcttctg cttccatgga ctgttagatt aacccttttat ttaggtaaat      960
gagggaacct actttataag cataggaaag ggtgaagaat cttttaagat tcctttactc       1020
aagtttctt ttgaagaatc ccagagctta ggcaatagac accagacttt gagcctcagt        1080
tatccattca cccatccacc cacccacccca cccatccttc catcctccca tcctcccatt      1140
cacccatcca cccatccagc tgtccaccca ttctacactg agtacctata atgtgcctgg       1200
ctttggtgat acaaaggtga ataagacata gtcctttcct ttgcccccaa ccctcagacc       1260
agagatgaac atgtggaatg acctaaacac ctggaacagg tgtggtgtat gagcggcagg       1320
cctctgatga gagggtgggg gatggccagc cctcactccg aagcccctct gagttgattg       1380
agccatcttt gcattctggt cctgcagatg tctctgctat ctccaacctc atcaggaagc       1440
atgtgtctga agcccggctg gtggaagaca tagggcatga gctgacctat gtgctgccat       1500
atgaagctgc taaggaggga gcctttgtgg aactcttttca tgagattgat gaccggctct       1560
cagacctggg catttctagt tatggcatct cagagacgac cctggaagaa gtaagttaag      1620
tggctgactg tcggaatata tagcaaggcc aaatgtccta aggccagacc agtagcctgc       1680
attgggagca ggattatcat ggagttagtc attgagtttt taggtcatcg acatctgatt      1740
aatgttggcc ccagtgagcc atttaagatg gtagtgggag atagcaggaa agaagtgttt      1800
tcctctgtac cacagtacat gcctgagatt tgtgtgttga aaccagtggt acctaacaca       1860
tttacatccc aaccttaaac tcctatgcac ttatttaccc tttaatgagc ctctttactt       1920
aagtacagtg kgaggaacag cggcatcagg atcacttggg aacttgttag aaattcagca      1980
acttgggccc agctcagacc tactgaatca gaatcaggag caattctctg gtgtgactgt       2040
gtcacagcca ggtatcaact ggattctcat acataggaaa tgacaaacgt ttatggatgg       2100
atagtctact tgtgccaggt gctgagattt gttttttgtt ttttgatttt tttttaatca       2160
ctgtgacctc atttaattct caaaaaaaga tgaaaaaatg aacactcagg aatgctgaca       2220
tgagattcag aatcaggggt ttggggcttc aaagtccatc ctctctttat ccatgtaatg       2280
cctcccctta gagatacaac atcacagacc ttgaaggctg aaggggatat aaaagctgtc       2340
tggccaagtg gtctccaagc ttgacagtgc agcagaatca cctggggata ttattaaaaa       2400
taaacatact aaggtttggc ttcagggcct gtgaatcaga atttctggag gtgaggcctt       2460
gaagtctgta tttctattgc atactttgga cacagtggtc tatagactag agtttggaaa       2520
tgattgcgct cattcagatt ctcttctgat gtttgaattg ctgccatcat atttctagtg       2580
ctctatttcc tcctgctcat tctgtcttgg ataacttatc atagtactag cctactcaaa       2640
gatttagagc cacagtcctg aaagaagcca cttgactcat tccctgtagg ttcagaataa       2700
atttcttctg cgcagtgtct gtcatagctt ttttttaaatt tttttttatt tttgatgaga       2760
ctggagtttt gctcttattg cccaagctgg agtgcagtgg tgcgattttg gctcactgca       2820
acctccacct cccaggttca agcgattctc ctgcctcagc ctcccaagta gctgagatta       2880
caagcatgtg ctaccacgcc cagctaattt tgtattttta gtagagatgg gttttatcca       2940
tgttggtcag gctggtctcg agctccagac ctcaggtgat ctgcccgcct cggcctccca       3000
```

31

```
aagtgctggg attataggcc tgagccacag cgctcagcca taactttaat ttgaaaatga    3060
ttgtctagct tgatagctct caccactgag gaaatgttct ctggcaaaaa cggcttctct    3120
cccaggtaac tctgagaaag tgttattaag aaatgtggct tctactttct ctgtcttacg    3180
gggctaacat gccactcagt aatataataa tcgtggcagt ggtgactact ctcgtaatgt    3240
tggtgcttat aatgttctca tctctctcat tttccagata ttcctcaagg tggccgaaga    3300
gagtggggtg gatgctgaga cctcaggtaa ctgccttgag ggagaatggc acacttaaga    3360
tagtgccttc tgctggcttt ctcagtgcac gagtattgtt cctttccctt tgaattgttc    3420
tattgcattc tcatttgtag agtgtaggtt tgttgcagat ggggaaggtt tgttttgttg    3480
taaataaaat aaagtatggg attctttcct tgtgccttca gatggtacct tgccagcaag    3540
acgaaacagg cgggccttcg gggacaagca gagctgtctt cgcccgttca ctgaagatga    3600
tgctgctgat ccaaatgatt ctgacataga cccaggtctg ttagggcaag atcaaacagt    3660
gtcctactgt ttgaatgtga aattctctct catgctctca cctgttttct ttggatggcc    3720
tttagccaag gtgatagatc cctacagagt ccaaagagaa gtgaggaaat ggtaaaagcc    3780
acttgttctt tgcagcatcg tgcatgtgat caaacctgaa agagcctatc catatcactt    3840
cctttaaaga cataaagatg gtgcctcaat cctctgaacc catgtattta ttatcttttc    3900
tgcggggtcc tagtttcttg tatacattag gtgtttaatt gttgaacaaa tattcattcg    3960
agtagatgag tgattttgaa agagtcagaa aggggaattt gctgttagag ttaattgtac    4020
cctaagactt agatatttga ggctgggcat ggtggctcat gccagtaatc ccagcgcttt    4080
gagaggctga ggtgggtaga tcacctgagg tcaggagttt gagaccagtc tgaccaacaa    4140
ggtgaaaccc cgtctctact aaatacaaaa aattagccga gtgtggtggc acatgcctgt    4200
catcccagct acttgggagg ctgaggcagg agaatcgctt gaacccagga ggcagaggtt    4260
gcagtcagcc acggttgcgc cattgcactc cagactgggc aacaagagtg aaaactccat    4320
ctcaaaaaag aaaaaaaaag aattagatat tttggatgag tgtgtctttg tgtgtttaac    4380
tgagatggag aggagagcta agacatcaaa caaatattgt taagatgtaa aagcacatca    4440
gttaggtatc attagtttag gacaaggatt tctagaaaat ttttaggaac agaaaacttt    4500
ccagttctct cacccctgct caaagagtgt atggctctta cattatatat aactgcctga    4560
cttcatacag tatcagtact tagatcattt gaaatgtgtc cacgtttac caaaatataa    4620
tagggtgaga agctgagatg ctaattgcca ttgtgtattc tcaaatatgt caagctacgt    4680
acatggcctg tttcatagag tagtctataa gaaattgatg acttgattca tccgaatggc    4740
tggctgtaac acctggttac gcatgaacac ctcttttcag ttgtctcaag acacctttct    4800
tttctgtact tatcagacaa ggactgaaag gcagagactg ctactgttag acattttgag    4860
tcaagctttt ccttggacat agctttgtca tgaaagccct ttacttctga gaaacttcta    4920
gcttcagaca catgccttca agatagttgt tgaagacacc agaagaagga gcatggcaat    4980
gccgaaaaca cctaagataa taggtgacct tcagtgttgg cttcttgcag aatccagaga    5040
gacagacttg ctcagtggga tggatggcaa agggtcctac caggtgaaag gctggaaact    5100
tacacagcaa cagtttgtgg ccctttttgtg gaagagactg ctaattgcca gacggagtcg    5160
gaaaggattt tttgctcagg tgagacgtgc tgttttcgcc agagactctg gcttcatggg    5220
tgggctgcag gctctgtgac cagtgaaggc aggatagcat cctggtcaag atatggatgc    5280
cggagccaga tttatctgta tttcaatccc agttctattc cttgccagtt gtgtatccgc    5340
tggcaagtta cttctctatg cctcaatctc ctcatctgta aaatggggat aataatatta    5400
cctgcaatac agggttgtta cgaaaataaa aatgaatagg tgcttagaat ggggcctgac    5460
attagtaagt gcttagtttt gtgtgtgtat atgttatttt tattttggag gagaacataa    5520
aaaggacaaa gtgtagaaaa actggttggg tgtattcagc tgtcataaca tgagagttgt    5580
tatgcccaga tgcacttgac atgtgaattt attagaaaca tgattttct ctgagttgat    5640
gtttaactca aactgataga aaagataggt cagaatatag ttggccaaca gagaagactt    5700
gttagactat tgtctgcatg tcagtgtttg catgctaact tgcttagtta gaaaggttaa    5760
attttttcac tctataaaat caagaaatat agagaaaagg tctgcagaga gtctttcatt    5820
tgatgatgtg gatattgtta agagcgggag tttggagcat acagagctca agttgaatcc    5880
tgactttgct acttattggc tatatgacct tgggcaagct gcttagtctc tctgatcctc    5940
agttaccttt gtttgttgat gatgaccatt gataacacaa ccataaataa tgacaacata    6000
gagatagttc tcattatagt agttgttata cagaattatt cactcaatgt taattttctg    6060
```

32

```
cattgaaatc ccagaacatt agaattgggg gcattatttg aatctttaag gttataagga    6120
atacatttct cagcaataaa tggaaggagt tttgggttaa cttataaagt atacccaagt    6180
catttttttt cagagaagat atggtagaaa gtcttaggag gttgaagaag gaattggata    6240
tttattcttt ctgagactat catgggagat aatgactatg gttgtccatg attggagccg    6300
ttgctgtaga gttggtttta ttatagtgta ggatttgaat gggccatgtg ttctcagacc    6360
tcagaataaa aagagaaaac tgaggccagt ggggagcgtg acttcacatg ggtacacttg    6420
tgctagagac agaaccagga ttcaggactt ctggctcctg gtcctgggtt catggcccaa    6480
tgtagtcttt ctcagtcttc aggaggagga agggcaggac ccagtgttct gagtcaccct    6540
gaatgtgagc actatttact tcgtgaactt cttggcttag tgcctctgcc aggtggccat    6600
aacctctggc cttgtgttgc cagagaaaag gtttagtttt caggctccat tgcttcccag    6660
ctgccaagaa tgccttggtg cagcacagtc ataggccctg cattcctcat tgccgtgctg    6720
gttggtcggg gaggtgggct ggactcgtag ggatttgccc cttggccttg tttctaacac    6780
ttgccgtttc ctgctgtccc cctgcccct ccactgcctg ggtaaagatt gtcttgccag    6840
ctgtgtttgt ctgcattgcc cttgtgttca gcctgatcgt gccacccttt ggcaagtacc    6900
ccagcctgga acttcagccc tggatgtaca acgaacagta cacatttgtc aggtatgttt    6960
gtcttctaca tcccaggagg gggtaagatt cgagcagacc aaagatgttt acgagggcca    7020
agggaatgga cttcagaatt acacggtgga at    7052



<210> 23
<211> 2534
<212> DNA
<213> Homo sapiens

<400> 23
gggaagcatt taaaaaaaaa aaagtatata tatatatata tatatatata tgtaatgtga      60
attggcctct ttttctctaa gcccacattt tcttcttaca tagttcaggt ttactttatt     120
ttttcctttc cggctgctga ccctgtattg cccgtagttg tggaacatag catgtgtttg     180
tgacctgtgc ctgttatttt tgtgctttct agttgtgcat gcaaagagta caaagttttc     240
ttgccctttc ttggaaaatc ctgcttgtct gtgccaaagg gataattgtg aaagcacttt     300
tgaaatactt aatgagttga ttttcttcaa attaaaaaaa atatataaat gtatatgtgt     360
atgtacatgt gtgtacacat acacaccttt atacatacag cccatttaaa acaagctcca     420
ctttggagtg ctctacgtca ccctgatgcc gaatacaggg ccagagtctg agatccttct     480
gggtggtttc tgtgttttgt tcatttctgt tttaagagcc tgtcacagag aaatgcttcc     540
taaaatgttt aatttataaa aacatttta tctctcgatt actggtttta atgaattact     600
aagctggctg cctctcatgt acccacagca atgatgctcc tgaggacacg ggaaccctgg     660
aactcttaaa cgccctcacc aaagaccctg gcttcgggac ccgctgtatg gaaggaaacc     720
caatcccgtg agtgccactt tagccataag cagggcttct tgtgcttgtt gcctggtttg     780
atttctaata tgctgcattt atcaactgca tgccacattg tgaccgccag catttgccct     840
ttgaattatt attatgtttt atttacaaaa agcgaaggta gtaaccgaac taaattatct     900
aggaacaaac gtttggagag tcttctaaca ccgyscaaag cacgtcatta cagacatttg     960
tttactgatt tagaacctta atatttaatt taaatacgca ctttacactt actgatgaaa    1020
tgcttttcct ttctttctct cccagcccct gtacttaagt gcttcaatag gctctcatta    1080
tatatgattt ttaggttttg cttatcagct tcttcgcttt tataatctga aaagatggca    1140
tatgaatttt tataaaaagg gacactttct tcttctcaaa ttgtatattt ttattgtact    1200
ttccttcaaa accccctttt aaaaagtaag cagtggataa ataaattcag tgaagcatcc    1260
atatgaccct taagtgagtg taggggaagg gaggtcacca gatcactgtg agtgaagatg    1320
gtggagaggt gaggatctta tgaggccgtg ctcaaggctg gtagaggtgg gttagtgttt    1380
ccaggtttag gcagaatctc agctgaggtc atgaaacaac agtgatctct gaaaaattat    1440
ggcaaggtgg gaaggtgctg gagaattgga gaggggcaa acttgacttt caagtttcaa    1500
```

33

```
tgggaagata ggtgactctg cacaccacag aacagtgagc atgataacct gtttatacaa      1560
ggttctagag cagatttcta aatggatagc tactgtgtgc ttgtttgttc ttaattagta      1620
ttggatagtt actaaatact tgttagtact tagtacataa tgggtggtaa atcctagcag      1680
ctaatattgg ttcccaaata accagatgac aaggatagag aaggacacag acacggccta      1740
tctggatttc atggtgcctt tgattttcca catgaaggtt gtgtagggaa gatagaagca      1800
tgagatgaga tgataatata gttatctgga ttcatcactg gccagctgaa ccatatgaac      1860
tcatggattg atgctagctt aggaaggctc tgtaggagcc agaactgggc tgagagccag      1920
cccatagaga caaaagaggc ccggccctga catcagaggg ttcaaacatg atgtctgagc      1980
cccacctaca gtctgccgga ggtggttgga aggaagagcc tttatcctta caattcttac      2040
tgaaattcaa attttttaggt tttgcaaaaa aatggtggac ctgaaggaaa tttgacagga      2100
gcatgtctca gctgtattta aatttgtctc agccaatccc cttttgaatg ttcagagtgt      2160
aagcttcagg agggcagcgc gtcttagtgt gacttttctg gtcagttcag gtgctttaag      2220
gagacaatta gagatcaatc tggaaaactt catttgaatt tttaatacat aagaaaacaa      2280
taagaaatag ttaaaaatat atatttatat aatatatata tgtgtgtgtg tgtgtgtgtg      2340
tgtgtgtgtg tatatatata tatattttat ttatttattt tttttttgaga tggagtctcg      2400
ctctgttgcc caggctggag tgcagtggct caatcttggc tcactgccac ctctgcctcc      2460
caggttcaag tgattctcct acctcagcct cctgagtagc tgggattaca agcatgtgcc      2520
accacactgg ctaa                                                        2534
```

```
<400> 24
tcttgccagt ctctactcat ttttcagcac atcgagcata agatccagac tctttcccag        60
gcctctctca tctggctcct ctcctcctcc tttatcatta ctcttcttcg tagcttatcc       120
tactccagcc atgctgtctt cctattattc ctaaaaarta gaaatgcatt tcttcctagg       180
gcctttgtac ctgcacttgc catcgctttt gctcagaatg ttcttttttgc caagcttttg       240
cccagcttgt tctccatcat tgttatgttt tggctgaaat gtcttctctt agtaggttca       300
ttctccccag tcactgtctt tttattttgc tttattttgg ccatctaag gttatcttat       360
tagtgtattt gttgttcgtc tcctccatgg gcatacacct ccatgaaggc aggtattttc       420
accttaggcc ctcgaatata ctggacagca tctggcacgt agtagatgct caacgaatgt       480
ttgttgtgtg agcaaatggt tggttgattg gattgaactg agttcagtat gtaaatattt       540
agggcctctt tgcattctat tttacttatg tataaaatga tacataatga tgatataaat       600
gatgtcacag tgtacaaggc tgttgtggga tcaagcaatc aaatgagatc atgcttgtct       660
tttccaaatg gtgagggaat agatgcatgt ttgtggttgt tacggaatga tcctgtgctc       720
ctgaggcaac agaaaggcca ggccatctct ggtaatccta ctcttgctgt cttcccttttg      780
cagagacacg ccctgccagg caggggagga agagtggacc actgccccag ttccccagac       840
catcatggac ctcttccaga atgggaactg gacaatgcag aacccttcac ctgcatgcca       900
gtgtagcagc gacaaaatca agaagatgct gcctgtgtgt cccccagggg cagggggct        960
gcctcctcca caagtgagtc actttcaggg ggtgattggg cagaaggggt gcaggatggg      1020
ctggtagctt ccgcttggaa gcaggaatga gtgagatatc atgttgggag ggtctgtttc      1080
agtctttttt gtttttttgtt tttttttctg aggcggagtc ttgctctgtc gcccaggctg     1140
gagtgctgtg gcatgatctt gcctcactgc aacctccacc tcccaggttc aagcgattct      1200
cctgcctcag cctcctgagt agctgggatt acaggcacgc accaccatgt ctggctaatt      1260
tttgtgtttt tagtagagat agggtttcgc cgtgttggct aggctggtct ggaattcctg      1320
acctcaggtg atccacccgc ctcggcctcc caaagtgctg gattacagg cgtgagccac      1380
tacgcccagc cctgtttcag tctttaactc gcttcttgtc ataagaaaaa gcatgtgagt      1440
tttgagggga gaaggtttgg accacactgt gcccatgcct gtcccacagc agtaaagtca      1500
caggacagac tgtggcaggc ctggcttcca atcttggctc tgcaacaaat gagctggtag      1560
```

```
cctttgacag gcctgggcct gtttcttcac ctctgaatta gggaggctgg accagaaaac    1620
tcctgtggat cttgtcaact ctggtattct tagagactct gtttgggaag gagtcctgag    1680
ccattttttt tttcttgaga atttcaggaa gaggagtgct tatgatagct ctctgctgct    1740
tttatcagca accaaattgc aggatgagga caagcaattc taaatgagta caggaactaa    1800
aagaaggctt ggttaccact cttgaaaata atagctagtc caggtgcggg gtggctcaca    1860
cctgtaatct cagtattttg ggatgccgag gtggactgat cacctaaggt caggagttcg    1920
aaaccagctt ggccaatgtg gcgaaaccct gtctctacta aaaattcaaa aattagccag    1980
gcatggtggc acatgcctgt aatcccagtt acttgggagg ctgaagcagg agaattgctt    2040
gaacctggga ggtggaggtc gcagggagcc aaaattgcgc cactgtactc cagcctgagc    2100
aacacagcaa aactccatat caaaaaataa aatgaataaa ataacagcta atctagtcat    2160
cagtataact ccagtgaaca gaagatttat taggcatagt gaatgatggt gcttcctaaa    2220
aatctcttga ctacaaagaa tctcatttca atgtttattg tttagatgtt cagaataaat    2280
tcttgggaaa gaccttggct tggtgtaagt gaattaccag tgccgagggc agggtgaacc    2340
aagtctcagt gctggttgac tgagggcagt gtctgggacc tgtagtcagg tttccggtca    2400
cactgtggac atggtcactg ttgtccttga tttgtttctc gtttcaattc ttgtctataa    2460
agacccgtat gcttggtttt catgtgatga cagagaaaac aaaacactgc agatatcctt    2520
caggacctga caggaagaaa catttcggat tatctggtga agacgtatgt gcagatcata    2580
gccaaaaggt gacttttac  taaacttggc ccctgcctta ttattactaa ttagaggaat    2640
taaagaccta caaataacag actgaaacag tgggggaaat gccagattat ggcctgattc    2700
tgtctattgg aagtttagga tattatccca aactagaaaa gatgacgaga gggactgtga    2760
acattcagtt gtcagcttca aggctgaggc agcctggtct agaatgaaaa tagaaatgga    2820
ttcaacgtca aattttgcca c                                              2841

<210> 25
<211> 852
<212> DNA
<213> Homo sapiens

<400> 25
gcatgctgga gtgatagtga ccatgagttt ctaagaaaga agcataattt ctccatatgt      60
catccacaat tgaaatatta ttgttaattg aaaaagcttc taggccaggc acggtggctc     120
atgcctgtaa tcccagcact ttaggagcca aggcgggtgg atcacttgag gtcaggagtt     180
tgagaccagc ctggccaaca tggggaaacc ctgtctctac taaaaataca aaataagctg     240
ggcgtggtgg tgcgtgcctg taatcccagc tacttgggag gctgaggcag gagaactgct     300
tgaatctggg aggcggaggt tgcagtgagc tgagttcatg ccattgcatt ccagcctggg     360
caacaagagc gaaaccatct cccaaaagaa aaaaaaaga  aagaaaaagc ttctagtttg     420
gttacatctt ggtctataag gtggtttgta aattggttta acccaaggcc tggttctcat     480
ataagtaata gggtatttat gatggagaga aggctggaag aggcctgaac acaggcttct     540
tttctctagc acaaccctac aaggccagct gattctaggg ttatttctgt ccgttcctta     600
tatcctcagg tggatattta ctcctttttgc atcattagga ataggctcag tgctttcttt     660
gaactgattt tttgtttctt tgtctctgca gcttaaagaa caagatctgg gtgaatgagt     720
ttaggtaagt tgctgtcttt ctggcacgtt tagctcaggg ggaggatggt gttgtaggtg     780
tgcttggatt gaagaaagcc ttggggattg tttgtcactc acacacttgt gggtgccatc     840
tcactgtgag ga                                                         852

<210> 26
<211> 6289
<212> DNA
<213> Homo sapiens

<400> 26
```

35

```
gctttataga gtttctgcct agagcatcat ggctcagtgc ccagcagccc ctccagaggc         60
ctctgaatat ttgatatact gatttccttg aggagaatca gaaatctcct gcaggtgtct        120
agggatttca agtaagtagt gttgtgaggg gaatacctac ttgtactttc cccccaaacc        180
agattcccga ggcttcttaa ggactcaagg acaatttcta ggcatttagc acgggactaa        240
aaaggtctta gaggaaataa gaagcgccaa aaccatctct ttgcactgta tttcaaccca        300
tttgtccttc tgggttttga aggaacaggt gggactgggg acagaagagt tcttgaagcc        360
agtttgtcca tcatggaaaa tgagataggt gatgtggcta cgtcaggggg cccgaaggct        420
ccttgttact gatttccgtc ttttctctct gccttttccc caagggccag gacccctgga        480
tctctgggca gagcagacgc aggcccctat aatagccctc atgctagaaa ggagccggag        540
cctgtgtata aggccagcgc agcctactct ggacagtgca gggttcccac tctcccaact        600
ccccatctgc ttgcctccag acccacattc acacgagc cactgggttg gaggagcatc        660
tgtgagatga aacaccattc tttcctcaat gtctcagcta tctaactgtg tgtgtaatca        720
ggccaggtcc tccctgctgg gcagaaacca tgggagttaa gagattgcca acatttatta        780
gaggaagctg acgtgtaact tctgaggcaa aatttagccc tcctttgaac aggaatttga        840
ctcagtgaac cttgtacaca ctcgcactga gtctgctgct gatgatactg tgcaccccac        900
tgtctgggtt ttaatgtcag gctgttcttt taggtatggc ggcttttccc tgggtgtcag        960
taatactcaa gcacttcctc cgagtcaaga agttaatgat gccatcaaac aaatgaagaa       1020
acacctaaag ctggccaagg taaaatatct atcgtaagat gtatcagaaa aatgggcatg       1080
tagctgctgg gatataggag tagttggcag gttaaacgga tcacctggca gctcattgtt       1140
ctgaatatgt tggcatacag agccgtcttt ggcatttagc gatttgagcc agacaaaact       1200
gaattactta gttgtacgtt taaaagtgta ggtcaaaaac aaatccagag gccaggagct       1260
gtggctcatg cctgtaatcc tagcactttg ggaggctgaa gcgggtggat cacttgaggt       1320
caggagttcg agaccagcct ggcctacatg acaaaacccc gtatctacta aaaatacaaa       1380
aaaattagct gggcttggtg gcacacacct gtaatcccag ctacttggga ggctgaggca       1440
ggagaattgc ttgaaccctg taggaagagg ttgtagtgag ccaagatcgc accgttgcac       1500
tccagcctgg gcaacaagag caaaactcca tctcaaaaaa caaattaaat ccagagattt       1560
aaaagctctc agaggctggg cgcggtggct tacacctgtt atcccagcat tttgggatgc       1620
cgaggcgggc aaagcacaag gtcaggagtt tgagaccagc ctggccaaca tagtgaaacc       1680
ctgtctctgc taaaaacata gaaaaattag ccgggcatgg tggcgtgcgc ctgtaatccc       1740
agctactcgg gaggctgagg tgagagaatt rcttgaaccc gggaggcgga ggttgcagtg       1800
agcccagatt gcaccactgc actccagcct gggcgacaga gcaagactcc atctcaaaaa       1860
aagctctcag aacaaccagg tttacaaatt tggtcagttg gtaaataaac tgggtttcaa       1920
acatactttg ctgaaayaat cactgactaa ataggaaatg aatctttttt tttttttttt       1980
taagctggca agctggtctg taggacctga taagtactca cttcatttct ctgtgtctca       2040
ggtttcccat ttttaggtga gaattaaggg gctctgataa aacagaccct aggattgtgg       2100
acagcagtga tagtcctaga gtccacaagt ctgcttttga gtgatgggcc catgtatctg       2160
gcacatctgc aggcagagcg tggttctggc tcttcagatg atgccggtgg agcactttga       2220
ggagtcctca ccccaccgtg ataaccagac attaaaatct tggggctttg catcccagga       2280
tttctctgtg attccttcta gacttgtggc atcatggcag catcactgct gtagatttct       2340
agtcacttgg ttctcaggag ccgtttattt aatggcttca catttaattt cagtgaacaa       2400
ggtagtggca ttgctcttca cagggccgtc ctgttgtcca caggttccag attgactgtt       2460
gccccttatc tatgtgaaca gtcacaactg aggcaggttt ctgttgttta caggacagtt       2520
ctgcagatcg atttctcaac agcttgggaa gatttatgac aggactggac accagaaata       2580
atgtcaaggt aaaccgctgt ctttgttcta gtagcttttt gatgaacaat aatccttatg       2640
tttcctggag tactttcaac tcatggtaaa gttggcaggg gcattcacaa cagaaaagag       2700
caaactatta actttaccag tgaggcagta cggtgtagtg tagtgattca gagaatttgc       2760
tttgccacca gacataccag gtaaccttga ctaagttact taacctatct aaacctcagt       2820
tycctcatct gtgaaatgga gacagtaatc atagctattt ccaaactgtt gtgagaattc       2880
aatgagttaa aggtataagg tcctcaccac agcgcctgcc cacatagtca gtgatcacta       2940
tgtcctgaac actgtaatta cttcgccata ttctctgatc atagtgtttt gccttggtat       3000
gtgactagaa tttctttctg aggtttatgg gcatggttgg tgggtatgca cctgcctgca       3060
```

```
ggagcccggt ttgggggcat taccttgtac ctggtatgtt ttctttcagg tgtggttcaa    3120
taacaagggc tggcatgcaa tcagctcttt cctgaatgtc atcaacaatg ccattctccg    3180
ggccaacctg caaaagggag agaaccctag ccattatgga attactgctt tcaatcatcc    3240
cctgaatctc accaagcagc agctctcaga ggtggctctg taagtgtggc tgtgtctgta    3300
tagatggagt ggggcaaggg agagggttat ggagaagggg agaaaaatgt gaatctcatt    3360
gtaggggaac agctgcagag accgttatat tatgataaat ctggattgat ccaggctctg    3420
ggcagaagtg ataagtttac gaattggctg gttgggcttc ttgaactgca gaagagaaaa    3480
tgacactgat atgtaaaaat cgtaacattt agtgaattca tataaagtga gttcaaaaat    3540
tgttaattaa attataattt aattataagt gtttaatcag tttgatttgt ttaaaaacca    3600
ctgttttaaa tttggtggaa tatgttttta ttagcttgta tctttaattc ctaaattaag    3660
ctgtgtgtgt gtgtgtgtgt gtgtgtgtgt gtgtgtgtgt gtgtgtgtgt gaagtttaaa    3720
gccaggatga gctagtttaa agtatgcagc ctttggagtc atacagatct gggtttgaat    3780
ctggtctcta aactttatag atgtatgata ttaaatgagg cagttcatgt aaattgccaa    3840
gcccagcact cagcacagag ttgatatttc acacacatta gatacctttc ctgtatgtgg    3900
agcatggcag ttcctgtttc tgctttactc ctacaggata ctaatatagg acactaggat    3960
ctttatacca agaccccatg taatgggctt atgagaccat tcttcttata aaaatctgac    4020
agaattttttg tatgtgttag atcaataggc tgcatactgt tattttcaag ttgatttaca    4080
gccagaaata ttaatttatt tgagtagtta cagagtaata tttctgctct catttagttt    4140
tcaagcccca ctagtccttt gtgtgtgaaa atttacaact tactgctctt acaaggtcat    4200
gaacagtgga ccaaagtgaa tgccattaac cactctgact tccttcatta gtttttattgt    4260
gacagtggac tcttttgacc tcagtaatac cagtttggca tttacattgt catatttttta    4320
gacttaaaaa tgatcatctt aaccctgaat aaaatgtgtc tggtgaacag atgtttttcc    4380
ttggctgtgc ctcagatatc tctgtgtgtg tgtacgtgtg tgtttgtctg tgtgtccatg    4440
tcctcactga ttgagcccta actgcatcaa agacccctca gattttcaca cgcttttttct    4500
ctccaggatg accacatcag tggatgtcct tgtgtccatc tgtgtcatct ttgcaatgtc    4560
cttcgtccca gccagctttg tcgtattcct gatccaggag cgggtcagca aagcaaaaca    4620
cctgcagttc atcagtggag tgaagcctgt catctactgg ctctctaatt ttgtctggga    4680
tatggtaagg acacaggcct gctgtatctt tctgatgtct gtcagggcca tggattgata    4740
tggataagaa agaaagagct ctggctatca tcaggaaatg ttccagctac tctaaagatg    4800
tatgaaaaag aaatagccag aggcaggtga tcactttcat gacaccaaac acagcattgg    4860
gtaccagagt tcatgtcaca ccagagggaa aattctgtac acaatgatga aaattaatac    4920
cactaccact taagttccta tgtgacaact ttcccaagaa tcagagagat acaagtcaaa    4980
actccaagtc aatgcctcta acttctctga tgggtttttaa cctccagagt cagaatgttc    5040
tttgccttac taggaaagcc atctgtcatt tagaaaactc tgtacatttt atcagcagct    5100
tatccatcca ttgcaaatat tgtttttgtg ccasccacaa tatattgctt ctatttggac    5160
caatatgggg gatttgaagg aattctgaag ttctaattat atttcaactc tactttacaa    5220
tatctccctg aaatatatct ccctgtaact tctattaatt ataagctaca cagagcaaat    5280
ctaattcttc tcccaccgaa caagtccctg gatatttaaa aataactctc atactctcat    5340
ttaacctgag tattacccag ataagatgat atatgagaat acaccttgta acctccgaag    5400
cactgtacaa atgtgagcaa tgatggtgga gatgatgatg agatctttgc tgtttatacc    5460
aagcccctta gactgtgtca ctcttctgat ccggttgtcc ttgtatggcc atgctgtata    5520
ttgtgaatgt cccgttttca aaagcaaagc caagaattaa ccttgtgttc aggctgtggt    5580
ctgaatggtt atgggtccag agggagttga tctttagctc acacttctat tactgcagca    5640
caaagatttt gcattttgga aggagcaccg tcttactggc aacttagtgg taaaccaaaa    5700
cctccatttc acacaaatga ttgtgaaatt cgggtctcct tcattctata caaattcatt    5760
tgattttttt gaaactaaac tttatattta tccatattaa attacatggg ttttattttt    5820
gttttatctt gattcagtaa ttactccttt cagtaaacac agactgagtg ctgtgtgtct    5880
gacttatgcc aggcataggt gattcagaga tgaaaggtca agtccctgaa cccatctctt    5940
gtcttcctgg gtattatctg tccctccctg ctttagagct cctgaaattt gctagaagca    6000
tgtcttcatc taagttgttg ataaacacat caagtaggat tggactgagg cagagccctg    6060
tagtctgaag ctgcagttct tctagcggct gacaagcccc actatcactt ccctgctggt    6120
```

37

```
gctttgctct gccagctgtg aattctcata attgtcctat cgtcaagtct ttatttctgc      6180
attttactgc ttgatacact gtcaggacag actttaaaat tattctcagt gcgatgaaac      6240
aattctgaca ttcatgttat gagcagttac ctcataaata gattacatg                 6289


<210> 27
<211> 4244
<212> DNA
<213> Homo sapiens

<400> 27
aaattactct gactgggaat ccatcgttca gtaagtttac tgagtgtgac accttggctt        60
gactgttgga aagacagaaa gggcatgtag tttataaaat cagccaaggg gaaaatgctt       120
gtcaaaatgt attgtcgggt attttgatta atagtttatg tggcttcatt aattcagagt       180
tactctccaa tatgtttatc tgccctttct tgtctgataa tggtgaaaac ttgtgtgatg       240
cattgtatat ttgatttagg ggtgaactgg atgtctttgt tttcactttt agtgcaatta       300
cgttgtccct gccacactgg tcattatcat cttcatctgc ttccagcaga agtcctatgt       360
gtcctccacc aatctgcctg tgctagccct tctacttttg ctgtatgggt aagtcacctc       420
tgagtgaggg agctgcacag tggataaggc atttggtgcc cagtgtcaga aggagggcag       480
ggactctcag tagacactta tcttttgtg tctcaacagg tggtcaatca cacctctcat        540
gtacccagcc tcctttgtgt tcaagatccc cagcacagcc tatgtggtgc tcaccagcgt       600
gaacctcttc attggcatta atggcagcgt ggccaccttt gtgctggagc tgttcaccga       660
caatgtgagt catgcagaga gaacactcct gctgggatga gcatctctgg gagccagagg       720
acagtgttta attgtgatct tattccactt gtcagtggta ttgacactgc tgactgcctt       780
gtcctgtctt cagagtctgt cttccctgag aaggcaaagc acctttcttt cttgctgtgc       840
cttacatttt gctggtcaag cctttcagtt tcttttgaca gtttttttta cttctttctt       900
ttttcaatgt tgctcttacc aagagtagct cctctgcctt ccactttaca catgagagct       960
gggcgacgca ttcagtccta aggcttttac catcacctct cttggtgttt ttattgtcat      1020
ctctaagatc aatgccttta gccttgatca taaccttgaa ctctaatctc aaattctcac      1080
ttgcctagtg gattgctcca tttagatagt atatagatac cccaacctgg atatgtccta      1140
gttttctttc cccttggaac ttaatgcttt tcttgccatc cctgtcacac tcagtggcac      1200
taccatccac tcggttgccc aagctggctc ttagagttat cctagatgct tgctttgctg      1260
ttgcagattt cccacattca actggttatg ttgtcagttc ttccaggtat ggacctctaa      1320
aataaggctt cctctccatt ccggttgtca ttgcctttgt ccaaacacag cacacaaggc      1380
cttttacagt tgcacaactc ttcctgtcca tacccaccac acccttccc agctgtaagc       1440
ttcagatgag ttgcctccaa ccaccatgct cctgtaggcc tggcttgaaa tgcccttctt      1500
ctgtcacagg gtctggtagt atatcccttg cccttcaaga tttagctaaa atgtgaagct      1560
ttccttacct gctgggaggt gttctctctt ttctctgtgc tctcagagtc cttagtccat      1620
gcctccagta caacgtacat ccacttacat ggtaatttcc tgtttacata cttttcctac      1680
tcggagtgga gtctgtttct taataatttt gcctctccca tgccctagca cagtgcatcc      1740
agcgtatagc cccttattca gttggtagat atttggccac tgttgccttg tgggatcata      1800
agttctgatg tatttgagaa gaatttctaa aattctgaca aaatcctgaa actcaaatat      1860
tgacccagac atgagcaatt gcttttcaa atgctaaggg attttaatg gatttgcttt        1920
aattaaatct agcctgtttc taagctttat tcattatttc tccatactca gagcatttct      1980
ccagattttc taaagaatag aatttattg ctacatatca tcagctatgc ctgctgctat       2040
ttaattggta tctgaattaa aaggtctggt ttgtccctag agaatcaaat tttttcttca      2100
ctcccatatt tcagaacttg atacattttt aggataaacc atgaatgaca cccgtttctt      2160
ctccctcacc ctcccttccc tcccattttt tttttttttt tttttagaa gctgaataat       2220
atcaatgata tcctgaagtc cgtgttcttg atcttcccac atttttgcct gggacgaggg      2280
ctcatcgaca tggtgaaaaa ccaggcaatg gctgatgccc tggaaaggtt tggtgagtga      2340
```

38

```
agcagtggct gtaggatgct ttaatggaga tggcactctg cataggcctt ggtaccctga    2400
actttgtttt ggaaagaagc aggtgactaa gcacaggatg ttcccccacc cccatgccca    2460
gtgacagggc tcatgccaac acagctggtt gtggcatggg ttttgtgaca caaccatttg    2520
tctgtgtctc tgatagcatt gagaaaagtg aaagggcagt tttgaaggta aggaaaatag    2580
tgttatttgc ttggatccac tggctcatgc cactgtctgg gttggttaga agcactggaa    2640
aagtcaaacc ataactttga gaattaggtg atcagggaat cagaaggaaa gatgcaaact    2700
ttggctcttt taggcgaatc atgtgcctgc agatgaggtc atttattatc ttttacacag    2760
tctataaaat tataatgtat tacatctttt tctaccttta gaatggttaa aaatatttct    2820
ccggtagcca tatgattatt attcatccat tagataatat agtcaaatgg gccatgttat    2880
ttactgttca tagaagaggg gcttttttgca acttgggcta caaaggagat atgtaaggaa    2940
tttaaggaat ggttacatgg aactagattt aattgaatct agtggtttaa ttgattcact    3000
aggatatatg ctactgaaag gggaatctgc ttaaagtgct ttctgatatt tattattact    3060
aaaacttaga atttattaaa aatactgact gtgaaaatta cttgggtcgt ttgcctttt    3120
aaaaggattt ttggcatgtc tcattaaaaa aagaaatact agatatcttc agtgaagtta    3180
caaatcgaat acacattggc tctgaaattc tgattgatac tgggtcataa aaagttttcc    3240
caaatcagac ttggaaagtg atcactctct tgttactctt ttttccttgt catgggtgat    3300
agccatttgt gtttattgga agatcggtga attttaagga acataggccc aaatttgagg    3360
aagggccatg gttttttgatc cctccattct gaccggatct ctgcattgtg tctactaggg    3420
gagaatcgct ttgtgtcacc attatcttgg gacttggtgg gacgaaacct cttcgccatg    3480
gccgtggaag gggtggtgtt cttcctcatt actgttctga tccagtacag attcttcatc    3540
aggcccaggt gagcttttttc ttagaacccg tggagcacct ggttgagggt cacagaggag    3600
gcgcacaggg aaacactcac caatggggggt tgcattgaac tgaactcaaa atatgtgata    3660
aaactgattt tcctgatgtg ggcatcccgc agccccctcc ctgcccatcc tggagactgt    3720
ggcaagtagg ttttataata ctacgttaga gactgaatct ttgtcctgaa aaatagtttg    3780
aaaggttcat ttttcttgtt ttttccccca agacctgtaa atgcaaagct atctcctctg    3840
aatgatgaag atgaagatgt gaggcgggaa agacagagaa ttcttgatgg tggaggccag    3900
aatgacatct tagaaatcaa ggagttgacg aaggtgagag agtacaggtt acaatagctc    3960
atcttcagtt tttttcagct ttatgtgctg taacccagca gtttgctgac ttgcttaata    4020
aaagggcatg tgttcccaaa atgtacatct ataccaaggt tctgtcaatt ttattttaaa    4080
aacaccatgg agacttctta aagaattctt actgagaatt cttttgtgat atgaattccc    4140
attctcgaat actttggttt tatatgctta catttatgtg ttagttatta aaacatacta    4200
atattgtata tctagtcaaa ctgagtagag agataatggt gatt               4244

<210> 28
<211> 5023
<212> DNA
<213> Homo sapiens

<400> 28
ttttaaaata cctgcaatac atatatatgt tgaatagatg aaaaattatg tagatgataa      60
tgaatgatac ggttctaaaa agacaggtta aaaagtaagt tcacttttat tttgagcttc     120
agaatcattc agaagccagt cgccacaaac gcagaccaag gctcttggca catcaaatat     180
gcctatggct tagggttatt gacaagtctt atgttgcagt gtatgtggtt tatagtcctg     240
ccttccacag ttgcttggga gagctgtgag tcactgaggc ttatgaatgt ttacattttg     300
tttgttgcag atatatagaa ggaagcggaa gcctgctgtt gacaggattt gcgtgggcat     360
tcctcctggt gaggtaaaga cactttgtct atattgcgtt tgtccctatt agttcagact     420
atctctaccc aatcaagcaa cgatgctcgt taagaggtaa aagtggattt taaaggcttc     480
tgtatttatg ccaggatgga gcaattagtc atcgagaaga gagggaccct gtatgtcaag     540
agaatgattt cagagaatcc aatacaattt aagaaaaagc atggggctgg cgcagtgat     600
tcactcctgt aatcccagca ctttgggagg ccgaggtggg cggactcacg aggtcaggag     660
attgagacca tcctggccaa catggtgaaa ccccatctct actataaata caaaaattag     720
```

                                      39

```
ctgggcatag tagtgcattc ctgtagtccc agctactcgg gaggctgagg caggagaatt      780
gcttgaacct aggaggggga ggttgcccag attgcgctgc tgcactccag cctggtgaca      840
gagtgagact catgtcaaca acaaaaacag aaaaagcacg cacatctaaa acatgctttt      900
gtgatccatt tgggatggtg atgacattca aatagttttt taaaaataga ttttctcctt      960
tctggtttcc gtttgtgttc ttttatgccc ttttgccaga gtaggtggtg caatttggct     1020
agctggcttt cattactgtt tttcacacat taactttggc ctcaacttga caactcaaat     1080
aatatttata aatacagcca cacttaaaat ggtcccatta tgaaatacat atttaaatat     1140
ctatacgatg tgttaaaacc aagaaaatat ttgattcttc tctgatattt aagaattgaa     1200
ggtttgaggt agttacgtgt taggggcatt tatattcatg tttttagagt ttgcttatac     1260
aacttaatct ttccttttca gtgctttggg ctcctgggag ttaatggggc tggaaaatca     1320
tcaactttca agatgttaac aggagatacc actgttacca gaggagatgc tttccttaac     1380
aaaaataggt gagaaaagaa gtggcttgta ttttgctgca aagactttgt ttttaattta     1440
tttaaagaaa taggttgtta tttttgatta cagtggtatt tttagagttc ataaaaatgt     1500
tgaaatatag taaagggtaa agaagcacat aaaatcatcc atgatttcaa tatctagaga     1560
taatcacaat ttacatttcc tttcagtctc attctcttct tttaacagct ttattcaggt     1620
ataatttaca tacaatataa tttgcttgtt ttttaagagt ataatttagt gattttggt      1680
aaattgagag ttttgcaacc atcaccacaa tccagtttta gaacttttcc atcaccccac     1740
atctgtctta tatacacata taaatgtgcc atacaattga gatcatactg tatgtagaat     1800
ttaaaattag tttttattgt taatgagtgt attatgaata tttcccagtg ggttacattt     1860
cctaagatgt ggaattttac attgctacat aaaatccccc tatgtacatg tacctataat     1920
ttatttaata aattccttat aaatgttgga cacattagtt tccatttttc actatgtaaa     1980
tatgtccctg tatacatctt ttattatttc ctcaggaaca attcctacaa agtaaattgc     2040
cctctctaaa gagcatacaa attgactgag ccaccgttag gccattttct gagactgcac     2100
aggtcacaaa gcaatctgat cttgggaat acagctacat tttataggct cttagataa      2160
tgttactcta agtactttaa atatgtgggg cttctctggg cttttttttt tttgagacgg     2220
agtttcactc ttactgccca ggctggagag caatggcgcg accttggctc actgcaacct     2280
ccgcctccca ggttcaagcg attctcctgc ctcagcctcc tgagtagctg agattacagg     2340
tgcccgccac aatgcctgcc taatttttt gtattttcag tagagatggg gtttcaccat      2400
gttggccaga ctggtctcga gctcctgacc tcaggtgatc cacctgcctc agcctcccaa     2460
agttctggga ttacaggcat gagccactgc gcccggcttc tctggactta ttatgtggag     2520
agatagtaca aggcagtggc tttcagagtt ttttgaccat gaccgttgtg ggaaatacat     2580
tttatatctc aacctagtat gtacacacag acatgtagac acatgtataa cctaaagttt     2640
cataaagcag tacctactgt tactaattgt agtgcactct gctatttctt attctacctt     2700
atactgcgtc attaaaaaag tgctggtcat gacccactaa atttatttcc caaaccacta     2760
atgaacaatg actcacaatt tgaacacact ggacagggg atagccaata aaattgaaaa      2820
gagcaaggaa attaatgtat tcatgatctc ctctcctgtc tcttacattt ttgcagtagc     2880
aatgtaaagg aatcctaaga aacagacat tctgggaata gcaggcctag cgctgcacaa      2940
ctgctttcct aggcttgctc ctagtaccaa gctcctgacg catatagcag tggcagtaat     3000
aaccagccca tagtaaggtt tgtcacaggg actggttgta agaactgatt tgrttggtat     3060
agctgtgagg gcctggcacg gtgtccacgt gtgcctcaat cctaattctg aaaaaggctg     3120
accctggggg tgctaattag atacacagag aggaatgaat gctgccagaa ggccaagttc     3180
atggcaatgc cgctgtggct gaggtgcagt catcagtctg gaacgtgaac actgaacttc     3240
tctcacatgt gattcttcac ttgactggct tcatagaacc ccaaagccac cccaccacca     3300
cataaattgt gtctctaggt tctgtgttgc tcacactcaa aatttctggg ccttctcatt     3360
tggtgcatgt gaatggtgca tatgagtgaa gtctaggatg gggccttagc gttaaagccc     3420
tggggtagtg tgactgagat tgttggtaaa gaatgtgcag tggttggcat gacctcagaa     3480
attctgaaat gggactgcac ctgcagactg aagtgttcag agagccaggg aggtgcaagg     3540
actggggagg gtagaggcag gaaccctgcc tgccaggaag agctagcatc ctgggggcag     3600
aaaggctgtg ctttcaagta gcagcagatg tattggtatc tttgtaatgg agaagcatac     3660
tttacaggaa cattaggcca gattgtctaa ccagagtatc tctacctgct taaaatctaa     3720
gtagttttct tgtcctttgc agtatcttat caaacatcca tgaagtacat cagaacatgg     3780
```

40

```
gctactgccc tcagtttgat gccatcacag agctgttgac tgggagagaa cacgtggagt    3840
tctttgccct tttgagagga gtcccagaga aagaagttgg caaggtactg tgggcacctg    3900
aaagccagcc tgtctccttt ggcatcctga caatatatac cttatggctt ttccacacgc    3960
attgacttca ggctgttttt cctcatgaat gcagcagcac aaaatgctgg ttctttgtat    4020
ctgctttcag ggtggaaacc tgtaacggtg gtggggcagg ctgggtggg cagagaggga     4080
gtgctgctcc caccacacga gtcccttctc cctgctttgg ctcctcacca gttgtcaggt    4140
tatgattata gaatctagtc ctactcagtg aaagaacttt catacatgta tgtgtaggac    4200
agcatgataa aattcccaag ccagaccaaa gtcaaggtgc ttttttatcac tgtaggttgg   4260
tgagtgggcg attcggaaac tgggcctcgt gaagtatgga gaaaaatatg ctggtaacta    4320
tagtggaggc aacaaacgca agctctctac agccatggct ttgatcggcg ggcctcctgt    4380
ggtgtttctg gtgagtataa ctgtggatgg aaaactgttg ttctggcctg agtggaaaac    4440
atgactgttc aaaagtccta tatgtccagg gctgttgtat gattggcttg tcttcccca     4500
gggacagcag agcaaccttg gaaaagcaga gggaagcttc tcccttggca cacactgggg    4560
tggctgtacc atgcctgcag atgctcccaa atagaggcac tccaagcact ttgtttctta    4620
gcgtgattga ggctggatat gtgatttgat ctttctctgg aacattcttt ctaatcatct    4680
ttgtgttcat tccctgaaaa tgaagagtgt ggacacagct ttaaaatccc caaggtagca    4740
actaggtcat agttccttac acacggatag atgaaaaaca gatcagactg ggaagtggcc    4800
cttgaccttt tttcttctgt agataagagc attgatgtta ttacgggaag aagcctttga    4860
ggcttttatg tattccacct cggtctggaa tttgtttctg taaggctaac agttgcaata    4920
tactagggta atctgagtga gctggaatta aaaaaaaaa ggaatttcac cccaatctta     4980
tactgacttc aatagaggtt tcagacaaaa agttgttttg tat                      5023


<210> 29
<211> 5138
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(5138)
<223> n = a, t, c, or g

<400> 29
ngccnngttn aaaangaaaa tttnnnnnaa attnaanntt anngngnnn tttccccaga      60
aaaaacnaaa angatttccn cccngggggg nccccnant cnaaaaggcc ccncttnttt     120
gnggngaggg aaagnttttt ttggaatttt taatttttgg tcccccaaaa cctattattg    180
agaatttaat tacataaaaa agtactcaga atatttgagt ttcctgcatc aataagacat    240
ttataataat gaccttgttt acaaatgaat ttgaaagtta ctctaattct ttgattcatc    300
aagaaataac tagaatggca agttaaaatt taagctgttt caaagatgct tctgcattta    360
aaaacaaatt tatctttgat tttttttccc cccagcaaat aagacttatt ttattctaat    420
tacaggatga acccaccaca ggcatggatc ccaaagcccg gcggttcttg tggaattgtg    480
ccctaagtgt tgtcaaggag gggagatcag tagtgcttac atctcatagg tccgtagtaa    540
agtcttgggt tcctcactgt gggatgtttt aactttccaa gtagaatatg cgatcatttt    600
gtaaaaatta gaaaatacag aaaagcaaag agtaaaacaa ttattacctg aaattatata    660
tgcatattct tacaaaaatg caagcccagt ataaatactg ctcttttca cttaatatat     720
tgtaaacatt attccaagtc agtgcattta ggtgtcattt cttatagctg gatagtattc    780
cattaggata tactcttatt taactattcc ccctttgta gacatttgga ttatttccaa     840
cttgttcaca attgtaaaca ccactacact gaacagcatc atccctatat ccacatgtac    900
ttgtaacaga atacaattcc ctaggaagct ggaatgctgg aagtcatggt gatgttctca    960
```

41

```
tggttacaga gaatctctct aaaactaaaa cctctttctg ttttaccgca gtatggaaga       1020
atgtgaagct ctttgcacta ggatggcaat catggtcaat ggaaggttca ggtgccttgg       1080
cagtgtccag catctaaaaa ataggtaata aagataattt ctttgggata gtgcctagtg       1140
agaaggcttg atatttattc ttttgtgagt atataaatgg tgcctctaaa ataaagggaa       1200
ataaaactga gcaaaacagt atagtggaaa gaatgagggc tttgaagtcc gaactgcatt       1260
caaattctgt ctttaccatt tactggttct gtgactcttg ggcaagttac ttaactactg       1320
taagagttag tttccctgga agatctacct cctagctttg tgctatagat gaaatgaaaa       1380
aaatttacat gtgccagtac tggtgagagc gcaagctttg gagtcaaaca caaatgggtt       1440
tgcatcctgg ccctaccaat tatgagctct gagccatggg caagtgacta actccctggg       1500
cctcagtttc tctgtaacat ctgtcagact tcatgggtcc aggtgaggat taaaggagat       1560
catgtattta cagcacatgg catggtgctt cacataaaat aagtatttag taaatgataa       1620
ctggttcctt ctctcagaaa cttatttctg ggcctgccag gggccgccct ttttcatggc       1680
acaagttggg ttcccaggt tcagtattct tttaaatagt tttctggaga tcctccattt       1740
gggtatttt tcctgctttc aggtttggag atggttatac aatagttgta cgaatagcag       1800
ggtccaaccc ggacctgaag cctgtccagg atttctttgg acttgcattt cctggaagtg       1860
ttcyaaaaga gaaacaccgg aacatgctac aataccagct tccatcttca ttatcttctc       1920
tggccaggat attcagcatc ctctcccaga gcaaaaagcg actccacata gaagactact       1980
ctgtttctca gacaacactt gaccaagtaa gctttgagtg tcaaaacaga tttacttctc       2040
agggtgtgga ttcctgcccc gacactcccg cccataggtc caagagcagt ttgtatcttg       2100
aattggtgct tgaattcctg atctactatt cctagctatg cttttctacta aacctctctg       2160
aacctgaaaa gggagatgat gcctatgtac tctataggat tattgtgaga atttactgta       2220
ataataacca taaaaactac catttagtga gcacctacca tgggccaggc attttacttg       2280
gtgcctaatc ctatttaaat tagataaaaa agtaccaaat aggtcctgac acttaagaag       2340
tactcagtaa atattttctt ccctcttccc tttaatcaag accgtatgtg ccaaagtaaa       2400
tggatgactg agcagttggt gatgtagggg tgggggcga tatagaaagt cagttttggg       2460
ccgggcgtgg tggctcatgc ctgtaatccc agcactttgg gaggctgagg agcaggcaga       2520
tcatgaggtc aggagatcca gataatcctg gccaacaggg tgaaaccccg tctctactaa       2580
aaatacaaaa attagctggg catggtggtg cgcacttgta gtcccagcta cttgcgaggc       2640
tgaggcagga gaattgctcg aacccaggag gtggaggtta cagtgagcca aggtctcgcc       2700
actgcactcc agcctgggga cagagcaaga ccccatttca aggggggaaa aaaagtctat       2760
ttttaagttg ttattgcttt tttcaagtat tcttccctcc ttcacacaca gttttctagt       2820
taatccattt atgtaattct gtatgctcct acttgaccta atttcaacat ctggaaaaat       2880
agaactagaa taaagaatga gcaagttgag tggtatttat aaaggtccat cttaatcttt       2940
taacaggtat ttgtgaactt tgccaaggac caaagtgatg atgaccactt aaaagacctc       3000
tcattacaca aaaaccagac agtagtggac gttgcagttc tcacatcttt tctacaggat       3060
gagaaagtga agaaagcta tgtatgaaga atcctgttca tacggggtgg ctgaaagtaa       3120
agaggaacta gactttcctt tgcaccatgt gaagtgttgt ggagaaaaga gccagaagtt       3180
gatgtgggaa gaagtaaact ggatactgta ctgatactat tcaatgcaat gcaattcaat       3240
gcaatgaaaa caaaattcca ttacaggggc agtgcctttg tagcctatgt cttgtatggc       3300
tctcaagtga aagacttgaa tttagttttt tacctatacc tatgtgaaac tctattatgg       3360
aacccaatgg acatatgggt ttgaactcac actttttttt tttttttgt cctgtgtat       3420
tctcattggg gttgcaacaa taattcatca agtaatcatg gccagcgatt attgatcaaa       3480
atcaaaaggt aatgcacatc ctcattcact aagccatgcc atgcccagga gactggtttc       3540
ccggtgacac atccattgct ggcaatgagt gtgccagagt tattagtgcc aagttttca       3600
gaaagtttga agcaccatgg tgtgtcatgc tcacttttgt gaaagctgct ctgctcagag       3660
tctatcaaca ttgaatatca gttgacagaa tggtgccatg cgtggctaac atcctgcttt       3720
gattccctct gataagctgt tctggtggca gtaacatgca acaaaaatgt gggtgtctcc       3780
aggcacggga aacttggttc cattgttata ttgtcctatg cttcgagcca tgggtctaca       3840
gggtcatcct tatgagactc ttaaatatac ttagatcctg gtaagaggca aagaatcaac       3900
agccaaactg ctggggctgc aactgctgaa gccagggcat gggattaaag agattgtgcg       3960
ttcaaaccta gggaagcctg tgcccatttg tcctgactgt ctgctaacat ggtacactgc       4020
```

42

```
atctcaagat gtttatctga cacaagtgta ttatttctgg cttttttgaat taatctagaa    4080
aatgaaaaga tggagttgta ttttgacaaa aatgtttgta cttttttaatg ttatttggaa    4140
ttttaagttc tatcagtgac ttctgaatcc ttagaatggc ctctttgtag aaccctgtgg    4200
tatagaggag tatggccact gcccactatt tttattttct tatgtaagtt tgcatatcag    4260
tcatgactag tgcctagaaa gcaatgtgat ggtcaggatc tcatgacatt atatttgagt    4320
ttctttcaga tcatttagga tactcttaat ctcacttcat caatcaaata tttttttgagt    4380
gtatgctgta gctgaaagag tatgtacgta cgtataagac tagagagata ttaagtctca    4440
gtacacttcc tgtgccatgt tattcagctc actggtttac aaatataggt tgtcttgtgg    4500
ttgtaggagc ccactgtaac aatactgggc agcctttttt ttttttttttt taattgcaac    4560
aatgcaaaag ccaagaaagt ttaagggtca caagtctaaa caatgaattc ttcaacaggg    4620
aaaacagcta gcttgaaaac ttgctgaaaa acacaacttg tgtttatggc atttagtacc    4680
ttcaaataat tggctttgca gatattggat accccattaa atctgacagt ctcaaatttt    4740
tcatctcttc aatcactagt caagaaaaaa tataaaaaca acaaatactt ccatatggag    4800
cattttcag agtttttctaa cccagtctta ttttctagt cagtaaacat ttgtaaaaat    4860
actgtttcac taatacttac tgttaactgt cttgagagaa aagaaaaata tgagagaact    4920
attgtttggg gaagttcaag tgatctttca atatcattac taacttcttc cactttttcc    4980
agaatttgaa tattaacgct aaaggtgtaa gacttcagat ttcaaattaa tctttctata    5040
ttttttaaat ttacagaata ttatataacc cactgctgaa aaagaaacaa atgattgttt    5100
tagaagttaa aggtcaatat tgattttaaa atattaag                            5138
```

<210> 30
<211> 20
<212> DNA
<213> Homo sapiens

<400> 30
gtgttcctgc agagggcatg   20

<210> 31
<211> 20
<212> DNA
<213> Homo sapiens

<400> 31
cacttccagt aacagctgac   20

<210> 32
<211> 21
<212> DNA
<213> Homo sapiens

<400> 32
ctttgcgcat gtccttcatg c   21

<210> 33
<211> 21
<212> DNA
<213> Homo sapiens

43

<400> 33
gacatcagcc ctcagcatct t   21

<210> 34
<211> 19
<212> DNA
<213> Homo sapiens

<400> 34
caacaagcca tgttccctc   19

<210> 35
<211> 18
<212> DNA
<213> Homo sapiens

<400> 35
catgttccct cagccagc   18

<210> 36
<211> 19
<212> DNA
<213> Homo sapiens

<400> 36
cagagctcac agcagggac   19

<210> 37
<211> 21
<212> PRT
<213> Homo sapiens

<400> 37
Cys Ser Val Arg Leu Ser Tyr Pro Pro Tyr Glu Gln His Glu Cys His
 1   5   10   15
Phe Pro Asn Lys Ala
            20

<210> 38
<211> 14
<212> DNA
<213> Homo sapiens

<400> 38
gcctgtgtgt cccc   14

<210> 39
<211> 14
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(14)
<223> n = t or c

<400> 39
gcctgtgngt cccc   14

<210> 40
<211> 45
<212> DNA
<213> Homo sapiens

<400> 40
aagaagatgc tgcctgtgtg tcccccaggg gcagggggc tgcct   45

<210> 41
<211> 15
<212> PRT
<213> Homo sapiens

<400> 41
Lys Lys Met Leu Pro Val Cys Pro Pro Gly Ala Gly Gly Leu Pro
1   5   10   15

<210> 42
<211> 15
<212> PRT
<213> Mus musculus

<400> 42
Lys Lys Met Leu Pro Val Cys Pro Pro Gly Ala Gly Gly Leu Pro
1   5   10   15

<210> 43
<211> 15
<212> PRT
<213> Homo sapiens

<400> 43
Lys Lys Met Leu Pro Val Arg Pro Pro Gly Ala Gly Gly Leu Pro
1   5   10   15

<210> 44
<211> 5
<212> PRT
<213> Caenorhabditis elegans

<400> 44
Leu Leu Gly Gly Ser
1   5

45

<210> 45
<211> 45
<212> DNA
<213> Homo sapiens

<400> 45
aagaagatgc tgcctgtgcg tcccccaggg gcaggggggc tgcct   45

<210> 46
<211> 14
<212> DNA
<213> Homo sapiens

<400> 46
gcctacttgc agga   14

<210> 47
<211> 14
<212> DNA
<213> Homo sapiens

<400> 47
gcctacttgc ggga   14

<210> 48
<211> 45
<212> DNA
<213> Homo sapiens

<400> 48
tggggggggct cgcctactt gcaggatgtg gtggagcagg caatc   45

<210> 49
<211> 15
<212> PRT
<213> Homo sapiens

<400> 49
Trp Gly Gly Phe Ala Tyr Leu Gln Asp Val Val Glu Gln Ala Ile
 1   5   10   15

<210> 50
<211> 15
<212> PRT
<213> Mus musculus

<400> 50
Trp Gly Gly Phe Ala Tyr Leu Gln Asp Val Val Glu Gln Ala Ile
 1   5   10   15

<210> 51

```
<211> 15
<212> PRT
<213> Homo sapiens

<400> 51
Trp Gly Gly Phe Ala Tyr Leu Arg Asp Val Val Glu Gln Ala Ile
 1               5                   10                  15

<210> 52
<211> 12
<212> PRT
<213> Caenorhabditis elegans

<400> 52
Phe Met Thr Val Gln Arg Ala Val Asp Val Ala Ile
 1               5                   10

<210> 53
<211> 45
<212> DNA
<213> Homo sapiens

<400> 53
tgggggggct tcgcctactt gcgggatgtg gtggagcagg caatc                45

<210> 54
<211> 25
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(25)
<223> n is a, t, c, or g.

<400> 54
tcattcctct tgtnngcncn gnncn                                       25

<210> 55
<211> 45
<212> DNA
<213> Homo sapiens

<400> 55
agtagcctca ttcctcttct tgtgagcgct ggcctgctag tggtc                45

<210> 56
<211> 15
<212> PRT
<213> Homo sapiens
```

47

<400> 56
Ser Ser Leu Ile Pro Leu Leu Val Ser Ala Gly Leu Leu Val Val
1   5   10   15

<210> 57
<211> 15
<212> PRT
<213> Mus musculus

<400> 57
Ser Ser Leu Ile Pro Leu Leu Val Ser Ala Gly Leu Leu Val Val
1   5   10   15

<210> 58
<211> 14
<212> PRT
<213> Homo sapiens

<400> 58
Ser Ser Leu Ile Pro Leu Val Ser Ala Gly Leu Leu Val Val
1   5   10

<210> 59
<211> 15
<212> PRT
<213> Caenorhabditis elegans

<400> 59
Ile Asn Tyr Ala Lys Leu Thr Phe Ala Val Ile Val Leu Thr Ile
1   5   10   15

<210> 60
<211> 42
<212> DNA
<213> Homo sapiens

<400> 60
agtagcctca ttcctcttgt gagcgctggc ctgctagtgg tc   42

<210> 61
<211> 25
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(25)
<223> n is a, t, c, or g.

<400> 61
tgatgaagat gananncngn ngcga   25

```
<210> 62
<211> 36
<212> DNA
<213> Homo sapiens

<400> 62
aatgatgaag atgaagatgt gaggcgggaa agacag                              36

<210> 63
<211> 12
<212> PRT
<213> Homo sapiens

<400> 63
Asn Asp Glu Asp Glu Asp Val Arg Arg Glu Arg Gln
 1               5                  10

<210> 64
<211> 12
<212> PRT
<213> Mus musculus

<400> 64
Asn Asp Glu Asp Glu Asp Val Arg Arg Glu Arg Gln
 1               5                  10

<210> 65
<211> 10
<212> PRT
<213> Homo sapiens

<400> 65
Asn Asp Glu Asp Val Arg Arg Glu Arg Gln
 1               5                  10

<210> 66
<211> 15
<212> PRT
<213> Caenorhabditis elegans

<400> 66
Asp Glu Arg Asp Val Glu Asp Ser Asp Val Ile Ala Glu Lys Ser
 1               5                  10                  15

<210> 67
<211> 30
<212> DNA
<213> Homo sapiens

<400> 67
aatgatgaag atgtgaggcg ggaaagacag                                     30
```

<210> 68
<211> 14
<212> DNA
<213> Homo sapiens

<400> 68
agttgtacga atag   14

<210> 69
<211> 14
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<222> (1)...(14)
<223> n is t or c.

<400> 69
agttgtanga atag   14

<210> 70
<211> 20
<212> DNA
<213> Homo sapiens

<400> 70
ggctggatta gcagtcctca   20

<210> 71
<211> 20
<212> DNA
<213> Homo sapiens

<400> 71
ggatttccca gatcccagtg   20

<210> 72
<211> 20
<212> DNA
<213> Homo sapiens

<400> 72
gacagacttg gcatgaagca   20

<210> 73
<211> 20
<212> DNA
<213> Homo sapiens

<400> 73

```
gcacttggca gtcacttctg                                           20


<210> 74
<211> 20
<212> DNA
<213> Homo sapiens


<400> 74
cgtttctcca ctgtcccatt                                           20


<210> 75
<211> 20
<212> DNA
<213> Homo sapiens


<400> 75
acttcaagga cccagcttcc                                           20


<210> 76
<211> 24
<212> DNA
<213> Homo sapiens


<400> 76
tcggtttctt gtttgttaaa ctca                                      24


<210> 77
<211> 20
<212> DNA
<213> Homo sapiens


<400> 77
tcccaaggct ttgagatgac                                           20


<210> 78
<211> 19
<212> DNA
<213> Homo sapiens


<400> 78
ggctccaaag cccttgtaa                                            19


<210> 79
<211> 20
<212> DNA
<213> Homo sapiens


<400> 79
gctgctgtga tggggtatct                                           20


<210> 80
```

```
<211> 25
<212> DNA
<213> Homo sapiens

<400> 80
tttgtaaatt ttgtagtgct cctca                                               25


<210> 81
<211> 20
<212> DNA
<213> Homo sapiens

<400> 81
tagtcagccc ttgcctccta                                                     20


<210> 82
<211> 20
<212> DNA
<213> Homo sapiens

<400> 82
aaaggggctt ggtaagggta                                                     20


<210> 83
<211> 20
<212> DNA
<213> Homo sapiens

<400> 83
gatgtggtgc tccctctagc                                                     20


<210> 84
<211> 20
<212> DNA
<213> Homo sapiens

<400> 84
caagtgagtg cttgggattg                                                     20


<210> 85
<211> 21
<212> DNA
<213> Homo sapiens

<400> 85
gcaaattcaa atttctccag g                                                   21


<210> 86
<211> 20
<212> DNA
<213> Homo sapiens
```

<400> 86
tcaaggagga aatggacctg   20

<210> 87
<211> 20
<212> DNA
<213> Homo sapiens

<400> 87
ctgaaagttc aagcgcagtg   20

<210> 88
<211> 20
<212> DNA
<213> Homo sapiens

<400> 88
tgcagactga atggagcatc   20

<210> 89
<211> 20
<212> DNA
<213> Homo sapiens

<400> 89
gccaggggac actgtattct   20

<210> 90
<211> 20
<212> DNA
<213> Homo sapiens

<400> 90
aggtcctctg ccttcactca   20

<210> 91
<211> 20
<212> DNA
<213> Homo sapiens

<400> 91
ccagtgctta cccctgctaa   20

<210> 92
<211> 21
<212> DNA
<213> Homo sapiens

<400> 92
cacacaacag agcttcttgg a   21

<210> 93
<211> 20
<212> DNA
<213> Homo sapiens

<400> 93
acctggaaca ggtgtggtgt   20

<210> 94
<211> 21
<212> DNA
<213> Homo sapiens

<400> 94
gggctaacat gccactcagt a   21

<210> 95
<211> 20
<212> DNA
<213> Homo sapiens

<400> 95
gtttgttgca gatggggaag   20

<210> 96
<211> 20
<212> DNA
<213> Homo sapiens

<400> 96
caccagaaga aggagcatgg   20

<210> 97
<211> 20
<212> DNA
<213> Homo sapiens

<400> 97
ctggactcgt agggatttgc   20

<210> 98
<211> 21
<212> DNA
<213> Homo sapiens

<400> 98
gcctgtcaca gagaaatgct t   21

<210> 99
<211> 21
<212> DNA

<213> Homo sapiens

<400> 99
ttacggaatg atcctgtgct c   21

<210> 100
<211> 20
<212> DNA
<213> Homo sapiens

<400> 100
agtcaggttt ccggtcacac   20

<210> 101
<211> 22
<212> DNA
<213> Homo sapiens

<400> 101
ccgttcctta tatcctcagg tg   22

<210> 102
<211> 21
<212> DNA
<213> Homo sapiens

<400> 102
ccttgtacac actcgcactg a   21

<210> 103
<211> 20
<212> DNA
<213> Homo sapiens

<400> 103
tgttgtccac aggttccaga   20

<210> 104
<211> 20
<212> DNA
<213> Homo sapiens

<400> 104
tgaggtttat gggcatggtt   20

<210> 105
<211> 20
<212> DNA
<213> Homo sapiens

<400> 105

```
atgttttttcc ttggctgtgc                                                    20


<210> 106
<211> 20
<212> DNA
<213> Homo sapiens


<400> 106
atctgccctt tcttgtctga                                                     20


<210> 107
<211> 20
<212> DNA
<213> Homo sapiens


<400> 107
agggagctgc acagtggata                                                     20


<210> 108
<211> 24
<212> DNA
<213> Homo sapiens


<400> 108
tcactcccat atttcagaac ttga                                                24


<210> 109
<211> 22
<212> DNA
<213> Homo sapiens


<400> 109
tgtttattgg aagatcggtg aa                                                  22


<210> 110
<211> 25
<212> DNA
<213> Homo sapiens


<400> 110
cgttagagac tgaatctttg tcctg                                               25


<210> 111
<211> 20
<212> DNA
<213> Homo sapiens


<400> 111
agtcctgcct tccacagttg                                                     20


<210> 112
```

```
<211> 21
<212> DNA
<213> Homo sapiens

<400> 112
ggtagttacg tgttaggggc a                                                    21

<210> 113
<211> 21
<212> DNA
<213> Homo sapiens

<400> 113
caggaacatt aggccagatt g                                                    21

<210> 114
<211> 23
<212> DNA
<213> Homo sapiens

<400> 114
catgtatgtg taggacagca tga                                                  23

<210> 115
<211> 21
<212> DNA
<213> Homo sapiens

<400> 115
ctgtttcaaa gatgcttctg c                                                    21

<210> 116
<211> 20
<212> DNA
<213> Homo sapiens

<400> 116
cctaggaagc tggaatgctg                                                      20

<210> 117
<211> 20
<212> DNA
<213> Homo sapiens

<400> 117
gggttcccag ggttcagtat                                                      20

<210> 118
<211> 23
<212> DNA
<213> Homo sapiens
```

<400> 118
cttgacctaa tttcaacatc tgg   23

<210> 119
<211> 20
<212> DNA
<213> Homo sapiens

<400> 119
atccccaact caaaaccaca   20

<210> 120
<211> 21
<212> DNA
<213> Homo sapiens

<400> 120
aagtccaatt tagcccacgt t   21

<210> 121
<211> 20
<212> DNA
<213> Homo sapiens

<400> 121
ccagccattc aaaattctcc   20

<210> 122
<211> 20
<212> DNA
<213> Homo sapiens

<400> 122
ggtgcaggtc aatttccaat   20

<210> 123
<211> 20
<212> DNA
<213> Homo sapiens

<400> 123
ccccttcacc accattacaa   20

<210> 124
<211> 20
<212> DNA
<213> Homo sapiens

<400> 124
tgtccaagga aaagcctcac   20

<210> 125
<211> 20
<212> DNA
<213> Homo sapiens

<400> 125
aggacctctt gccagactca   20

<210> 126
<211> 20
<212> DNA
<213> Homo sapiens

<400> 126
aggagatgac acaggccaag   20

<210> 127
<211> 20
<212> DNA
<213> Homo sapiens

<400> 127
cgcacacctc tgaagctacc   20

<210> 128
<211> 20
<212> DNA
<213> Homo sapiens

<400> 128
acctcactca cacctgggaa   20

<210> 129
<211> 20
<212> DNA
<213> Homo sapiens

<400> 129
gcctcctgcc tgaaccttat   20

<210> 130
<211> 23
<212> DNA
<213> Homo sapiens

<400> 130
caaaatcatg acaccaagtt gag   23

<210> 131
<211> 20
<212> DNA

<213> Homo sapiens

<400> 131
catgcacatg cacacacata   20

<210> 132
<211> 20
<212> DNA
<213> Homo sapiens

<400> 132
ccttagcccg tgttgagcta   20

<210> 133
<211> 21
<212> DNA
<213> Homo sapiens

<400> 133
tgcttttatt cagggactcc a   21

<210> 134
<211> 20
<212> DNA
<213> Homo sapiens

<400> 134
cccatgcact gcagagattc   20

<210> 135
<211> 19
<212> DNA
<213> Homo sapiens

<400> 135
aaggcaggag acatcgctt   19

<210> 136
<211> 20
<212> DNA
<213> Homo sapiens

<400> 136
gggatcagca tggtttccta   20

<210> 137
<211> 20
<212> DNA
<213> Homo sapiens

<400> 137

gcttaagtcc cactcctccc   20

<210> 138
<211> 20
<212> DNA
<213> Homo sapiens

<400> 138
attttcctcc gcatgtgtgt   20

<210> 139
<211> 20
<212> DNA
<213> Homo sapiens

<400> 139
tcacagaagc ctagccatga   20

<210> 140
<211> 20
<212> DNA
<213> Homo sapiens

<400> 140
aacagagcag ggagatggtg   20

<210> 141
<211> 20
<212> DNA
<213> Homo sapiens

<400> 141
tctgcacctc tcctcctctg   20

<210> 142
<211> 20
<212> DNA
<213> Homo sapiens

<400> 142
actggggcca acattaatca   20

<210> 143
<211> 20
<212> DNA
<213> Homo sapiens

<400> 143
cttccccatc tgcaacaaac   20

<210> 144

<211> 20
<212> DNA
<213> Homo sapiens

<400> 144
gctaaaggcc atccaaagaa   20

<210> 145
<211> 20
<212> DNA
<213> Homo sapiens

<400> 145
tcaagtgcat ctgggcataa   20

<210> 146
<211> 20
<212> DNA
<213> Homo sapiens

<400> 146
tctgaagtcc attcccttgg   20

<210> 147
<211> 20
<212> DNA
<213> Homo sapiens

<400> 147
caatgtggca tgcagttgat   20

<210> 148
<211> 19
<212> DNA
<213> Homo sapiens

<400> 148
gaagctacca gcccatcct   19

<210> 149
<211> 20
<212> DNA
<213> Homo sapiens

<400> 149
catttccccc actgtttcag   20

<210> 150
<211> 20
<212> DNA
<213> Homo sapiens

```
<400> 150
ccaaggcttt cttcaatcca                                                    20


<210> 151
<211> 20
<212> DNA
<213> Homo sapiens


<400> 151
gatccgttta acctgccaac                                                    20


<210> 152
<211> 19
<212> DNA
<213> Homo sapiens


<400> 152
atgcccctgc caactttac                                                     19


<210> 153
<211> 20
<212> DNA
<213> Homo sapiens


<400> 153
ctctgcagct gttcccctac                                                    20


<210> 154
<211> 20
<212> DNA
<213> Homo sapiens


<400> 154
tatcaatcca tggccctgac                                                    20


<210> 155
<211> 20
<212> DNA
<213> Homo sapiens


<400> 155
agagtccctg ccctccttct                                                    20


<210> 156
<211> 20
<212> DNA
<213> Homo sapiens


<400> 156
aaggcagtca gcagtgtcaa                                                    20
```

<210> 157
<211> 20
<212> DNA
<213> Homo sapiens

<400> 157
ggggaacatc ctgtgcttag   20

<210> 158
<211> 20
<212> DNA
<213> Homo sapiens

<400> 158
ccattggtga gtgtttccct   20

<210> 159
<211> 20
<212> DNA
<213> Homo sapiens

<400> 159
agtcagcaaa ctgctgggtt   20

<210> 160
<211> 20
<212> DNA
<213> Homo sapiens

<400> 160
attgctccat cctggcataa   20

<210> 161
<211> 23
<212> DNA
<213> Homo sapiens

<400> 161
tcatggatga ttttatgtgc ttc   23

<210> 162
<211> 20
<212> DNA
<213> Homo sapiens

<400> 162
gcgtgtggaa aagccataag   20

<210> 163
<211> 20
<212> DNA

<213> Homo sapiens

<400> 163
gccaatcata caacagccct   20

<210> 164
<211> 23
<212> DNA
<213> Homo sapiens

<400> 164
tgatcgcata ttctacttgg aaa   23

<210> 165
<211> 22
<212> DNA
<213> Homo sapiens

<400> 165
tccctttatt ttagaggcac ca   22

<210> 166
<211> 21
<212> DNA
<213> Homo sapiens

<400> 166
gatcaggaat tcaagcacca a   21

<210> 167
<211> 24
<212> DNA
<213> Homo sapiens

<400> 167
tgggttccat aatagagttt caca   24

<210> 168
<211> 22
<212> DNA
<213> Homo sapiens

<400> 168
tgtcagctgt tactggaagt gg   22

<210> 169
<211> 22
<212> DNA
<213> Homo sapiens

<400> 169

tgtcagctgc tgctggaagt gg 22

<210> 170
<211> 21
<212> DNA
<213> Homo sapiens

<400> 170
aggagctggc cgaagccaca a 21

<210> 171
<211> 21
<212> DNA
<213> Homo sapiens

<400> 171
aggagctggc tgaagccaca a 21

<210> 172
<211> 21
<212> DNA
<213> Homo sapiens

<400> 172
aatgatgcca ccaaacaaat g 21

<210> 173
<211> 21
<212> DNA
<213> Homo sapiens

<400> 173
aatgatgcca tcaaacaaat g 21

<210> 174
<211> 21
<212> DNA
<213> Homo sapiens

<400> 174
gaggtggctc cgatgaccac a 21

<210> 175
<211> 21
<212> DNA
<213> Homo sapiens

<400> 175
gaggtggctc tgatgaccac a 21

<210> 176

```
<211> 21
<212> DNA
<213> Homo sapiens

<400> 176
ttccttaaca gaaatagtat c                                                    21


<210> 177
<211> 21
<212> DNA
<213> Homo sapiens

<400> 177
ttccttaaca aaaatagtat c                                                    21


<210> 178
<211> 21
<212> DNA
<213> Homo sapiens

<400> 178
ggaagtgttc caaaagagaa a                                                    21


<210> 179
<211> 21
<212> DNA
<213> Homo sapiens

<400> 179
ggaagtgttc taaaagagaa a                                                    21


<210> 180
<211> 21
<212> DNA
<213> Homo sapiens

<400> 180
agtaaagagg gactagactt t                                                    21


<210> 181
<211> 21
<212> DNA
<213> Homo sapiens

<400> 181
agtaaagagg aactagactt t                                                    21


<210> 182
<211> 21
<212> DNA
<213> Homo sapiens
```

<400> 182
gcctacttgc aggatgtggt g   21

<210> 183
<211> 21
<212> DNA
<213> Homo sapiens

<400> 183
gcctacttgc gggatgtggt g   21

<210> 184
<211> 23
<212> DNA
<213> Homo sapiens

<400> 184
cctcattcct cttcttgtga gcg   23

<210> 185
<211> 20
<212> DNA
<213> Homo sapiens

<400> 185
cctcattcct cttgtgagcg   20

<210> 186
<211> 21
<212> DNA
<213> Homo sapiens

<400> 186
gcaggactac gtgggcttca c   21

<210> 187
<211> 21
<212> DNA
<213> Homo sapiens

<400> 187
gcaggactac atgggcttca c   21

<210> 188
<211> 21
<212> DNA
<213> Homo sapiens

<400> 188
aaaagtctac cgagatggga t   21

<210> 189
<211> 21
<212> DNA
<213> Homo sapiens

<400> 189
aaaagtctac tgagatggga t   21

<210> 190
<211> 21
<212> DNA
<213> Homo sapiens

<400> 190
ggccagatca cctccttcct g   21

<210> 191
<211> 21
<212> DNA
<213> Homo sapiens

<400> 191
ggccagatca tctccttcct g   21

<210> 192
<211> 21
<212> DNA
<213> Homo sapiens

<400> 192
acacaccaca tggatgaagc g   21

<210> 193
<211> 21
<212> DNA
<213> Homo sapiens

<400> 193
acacaccaca cggatgaagc g   21

<210> 194
<211> 21
<212> DNA
<213> Homo sapiens

<400> 194
cctggaagaa gtaagttaag t   21

<210> 195
<211> 21
<212> DNA

<213> Homo sapiens

<400> 195
cctggaagaa ctaagttaag t   21

<210> 196
<211> 21
<212> DNA
<213> Homo sapiens

<400> 196
gctgcctgtg tgtcccccag g   21

<210> 197
<211> 21
<212> DNA
<213> Homo sapiens

<400> 197
gctgcctgtg cgtcccccag g   21

<210> 198
<211> 22
<212> DNA
<213> Homo sapiens

<400> 198
tagccattat ggaattactg ct   22

<210> 199
<211> 21
<212> DNA
<213> Homo sapiens

<400> 199
tagccattat caattactgc t   21

<210> 200
<211> 26
<212> DNA
<213> Homo sapiens

<400> 200
gatgaagatg aagatgtgag gcggga   26

<210> 201
<211> 20
<212> DNA
<213> Homo sapiens

<400> 201

```
gatgaagatg tgaggcggga                                          20


<210> 202
<211> 21
<212> DNA
<213> Homo sapiens


<400> 202
aatagttgta cgaatagcag g                                        21


<210> 203
<211> 21
<212> DNA
<213> Homo sapiens


<400> 203
aatagttgta tgaatagcag g                                        21


<210> 204
<211> 21
<212> DNA
<213> Homo sapiens


<400> 204
acacgctggg ggtgctggct g                                        21


<210> 205
<211> 21
<212> DNA
<213> Homo sapiens


<400> 205
acacgctggg cgtgctggct g                                        21


<210> 206
<211> 20
<212> DNA
<213> Homo sapiens


<400> 206
gaccagccac ggcgtccctg                                          20


<210> 207
<211> 21
<212> DNA
<213> Homo sapiens


<400> 207
gaccagccac gggcgtccct g                                        21


<210> 208
```

<211> 22
<212> DNA
<213> Homo sapiens

<400> 208
cattttctta gaaaagagag gt   22

<210> 209
<211> 22
<212> DNA
<213> Homo sapiens

<400> 209
cattttctta gagaagagag gt   22

<210> 210
<211> 21
<212> DNA
<213> Homo sapiens

<400> 210
gaaaattagt atgtaaggaa g   21

<210> 211
<211> 21
<212> DNA
<213> Homo sapiens

<400> 211
gaaaattagt ctgtaaggaa g   21

<210> 212
<211> 25
<212> DNA
<213> Homo sapiens

<400> 212
cctccgcctg ccaggttcag cgatt   25

<210> 213
<211> 25
<212> DNA
<213> Homo sapiens

<400> 213
cctccgcctg ccgggttcag cgatt   25

<210> 214
<211> 25
<212> DNA
<213> Homo sapiens

```
<400> 214
tatgtgctga ccatgggagc ttgtt                                          25


<210> 215
<211> 25
<212> DNA
<213> Homo sapiens

<400> 215
tatgtgctga ccgtgggagc ttgtt                                          25


<210> 216
<211> 21
<212> DNA
<213> Homo sapiens

<400> 216
gtgacaccca acggagtagg g                                              21


<210> 217
<211> 21
<212> DNA
<213> Homo sapiens

<400> 217
gtgacaccca gcggagtagg g                                              21


<210> 218
<211> 21
<212> DNA
<213> Homo sapiens

<400> 218
agtatccctt gttcacgaga a                                              21


<210> 219
<211> 25
<212> DNA
<213> Homo sapiens

<400> 219
agtatccctc ccttgttcac gagaa                                          25


<210> 220
<211> 21
<212> DNA
<213> Homo sapiens

<400> 220
ctgggttcct gtatcacaac c                                              21
```

<210> 221
<211> 21
<212> DNA
<213> Homo sapiens

<400> 221
ctgggttcct atatcacaac c   21

<210> 222
<211> 21
<212> DNA
<213> Homo sapiens

<400> 222
ggcctaccaa gggagaaact g   21

<210> 223
<211> 21
<212> DNA
<213> Homo sapiens

<400> 223
ggcctaccaa aggagaaact g   21

<210> 224
<211> 20
<212> DNA
<213> Homo sapiens

<400> 224
tttaaagggg gtgattagga   20

<210> 225
<211> 20
<212> DNA
<213> Homo sapiens

<400> 225
tttaaagggg ttgattagga   20

<210> 226
<211> 22
<212> DNA
<213> Homo sapiens

<400> 226
gaagaaattt gttttttga tt   22

<210> 227
<211> 22
<212> DNA

<213> Homo sapiens

<400> 227
gaagaaattt tttttttttga tt   22

<210> 228
<211> 21
<212> DNA
<213> Homo sapiens

<400> 228
gcgggcatcc cgagggaggg g   21

<210> 229
<211> 21
<212> DNA
<213> Homo sapiens

<400> 229
gcgggcatcc tgagggaggg g   21

<210> 230
<211> 21
<212> DNA
<213> Homo sapiens

<400> 230
agggaggggg gctgaagatc a   21

<210> 231
<211> 21
<212> DNA
<213> Homo sapiens

<400> 231
agggaggggg actgaagatc a   21

<210> 232
<211> 20
<212> DNA
<213> Homo sapiens

<400> 232
aggagccaaa cgctcattgt   20

<210> 233
<211> 21
<212> DNA
<213> Homo sapiens

<400> 233

```
aggagccaaa gcgctcattg t                                         21


<210> 234
<211> 21
<212> DNA
<213> Homo sapiens


<400> 234
aagccactgt ttttaaccag t                                         21


<210> 235
<211> 21
<212> DNA
<213> Homo sapiens


<400> 235
aagccactgt atttaaccag t                                         21


<210> 236
<211> 21
<212> DNA
<213> Homo sapiens


<400> 236
cgtgggcttc acactcaaga t                                         21


<210> 237
<211> 21
<212> DNA
<213> Homo sapiens


<400> 237
cgtgggcttc ccactcaaga t                                         21


<210> 238
<211> 21
<212> DNA
<213> Homo sapiens


<400> 238
tcacactcaa gatcttcgct g                                         21


<210> 239
<211> 21
<212> DNA
<213> Homo sapiens


<400> 239
tcacactcaa catcttcgct g                                         21


<210> 240
```

```
<211> 21
<212> DNA
<213> Homo sapiens

<400> 240
gcagcctcac ccgctcttcc c                                              21

<210> 241
<211> 21
<212> DNA
<213> Homo sapiens

<400> 241
gcagcctcac tcgctcttcc c                                              21

<210> 242
<211> 21
<212> DNA
<213> Homo sapiens

<400> 242
agaagagaat atcagaaatc t                                              21

<210> 243
<211> 21
<212> DNA
<213> Homo sapiens

<400> 243
agaagagaat gtcagaaatc t                                              21

<210> 244
<211> 21
<212> DNA
<213> Homo sapiens

<400> 244
gcgcagtgcc ctgtgtcctt a                                              21

<210> 245
<211> 21
<212> DNA
<213> Homo sapiens

<400> 245
gcgcagtgcg ctgtgtcctt a                                              21

<210> 246
<211> 21
<212> DNA
<213> Homo sapiens
```

<400> 246
gatctaaggt tgtcattctg g   21

<210> 247
<211> 21
<212> DNA
<213> Homo sapiens

<400> 247
gatctaaggt ggtcattctg g   21

<210> 248
<211> 23
<212> DNA
<213> Homo sapiens

<400> 248
ctcttctgtt agcacagaag aga   23

<210> 249
<211> 23
<212> DNA
<213> Homo sapiens

<400> 249
ctcttctgtt atcacagaag aga   23

<210> 250
<211> 21
<212> DNA
<213> Homo sapiens

<400> 250
cattctaggg atcatagcca t   21

<210> 251
<211> 21
<212> DNA
<213> Homo sapiens

<400> 251
cattctaggg gtcatagcca t   21

<210> 252
<211> 22
<212> DNA
<213> Homo sapiens

<400> 252
aagtacagtg ggaggaacag cg   22

```
<210> 253
<211> 22
<212> DNA
<213> Homo sapiens

<400> 253
aagtacagtg tgaggaacag cg                                             22


<210> 254
<211> 22
<212> DNA
<213> Homo sapiens

<400> 254
attcctaaaa aatagaaatg ca                                             22


<210> 255
<211> 22
<212> DNA
<213> Homo sapiens

<400> 255
attcctaaaa agtagaaatg ca                                             22


<210> 256
<211> 21
<212> DNA
<213> Homo sapiens

<400> 256
ggcccctgcc ttattattac t                                             21

<210> 257
<211> 21
<212> DNA
<213> Homo sapiens

<400> 257
ggcccctgcc gtattattac t                                             21


<210> 258
<211> 22
<212> DNA
<213> Homo sapiens

<400> 258
tgagagaatt acttgaaccc gg                                             22


<210> 259
<211> 22
<212> DNA
```

<210> Homo sapiens

<400> 259
tgagagaatt gcttgaaccc gg   22

<210> 260
<211> 21
<212> DNA
<213> Homo sapiens

<400> 260
tttgctgaaa caatcactga c   21

<210> 261
<211> 21
<212> DNA
<213> Homo sapiens

<400> 261
tttgctgaaa taatcactga c   21

<210> 262
<211> 22
<212> DNA
<213> Homo sapiens

<400> 262
aacctcagtt ccctcatctg tg   22

<210> 263
<211> 22
<212> DNA
<213> Homo sapiens

<400> 263
aacctcagtt tcctcatctg tg   22

<210> 264
<211> 21
<212> DNA
<213> Homo sapiens

<400> 264
ctggacacca gaaataatgt c   21

<210> 265
<211> 21
<212> DNA
<213> Homo sapiens

<400> 265

```
ctggacacca aaaataatgt c                                      21


<210> 266
<211> 21
<212> DNA
<213> Homo sapiens

<400> 266
tcctatgtgt cctccaccaa t                                      21


<210> 267
<211> 21
<212> DNA
<213> Homo sapiens

<400> 267
tcctatgtgt gctccaccaa t                                      21


<210> 268
<211> 21
<212> DNA
<213> Homo sapiens

<400> 268
aagaagtggc ttgtattttg c                                      21


<210> 269
<211> 21
<212> DNA
<213> Homo sapiens

<400> 269
aagaagtggc ctgtattttg c                                      21


<210> 270
<211> 23
<212> DNA
<213> Homo sapiens

<400> 270
aactgatttg attggtatag ctg                                    23


<210> 271
<211> 23
<212> DNA
<213> Homo sapiens

<400> 271
aactgatttg gttggtatag ctg                                    23


<210> 272
```

```
<211> 21
<212> DNA
<213> Homo sapiens

<400> 272
cagggtccaa cccggacctg a                                              21


<210> 273
<211> 21
<212> DNA
<213> Homo sapiens

<400> 273
cagggtccaa tccggacctg a                                              21


<210> 274
<211> 22
<212> DNA
<213> Homo sapiens

<400> 274
ttgggaggct aaggcaggag aa                                             22


<210> 275
<211> 22
<212> DNA
<213> Homo sapiens

<400> 275
ttgggaggct gaggcaggag aa                                             22


<210> 276
<211> 15
<212> DNA
<213> Gallus gallus

<400> 276
accaggggaa tctcc                                                     15


<210> 277
<211> 15
<212> DNA
<213> Gallus gallus

<400> 277
accagggaaa tctcc                                                     15


<210> 278
<211> 45
<212> DNA
<213> Gallus gallus
```

<400> 278
cgctacccaa caccagggga atctcctggt attgttggaa acttc   45

<210> 279
<211> 15
<212> PRT
<213> Homo sapiens

<400> 279
Arg Tyr Pro Thr Pro Gly Glu Ala Pro Gly Val Val Gly Asn Phe
 1   5   10   15

<210> 280
<211> 15
<212> PRT
<213> Mus musculus

<400> 280
Arg Tyr Pro Thr Pro Gly Glu Ala Pro Gly Val Val Gly Asn Phe
 1   5   10   15

<210> 281
<211> 15
<212> PRT
<213> Gallus gallus

<400> 281
Arg Tyr Pro Thr Pro Gly Glu Ser Pro Gly Ile Val Gly Asn Phe
 1   5   10   15

<210> 282
<211> 15
<212> PRT
<213> Gallus gallus

<400> 282
Arg Tyr Pro Thr Pro Gly Lys Ser Pro Gly Ile Val Gly Asn Phe
 1   5   10   15

<210> 283
<211> 45
<212> DNA
<213> Gallus gallus

<400> 283
cgctacccaa caccagggaa atctcctggt attgttggaa acttc   45

<210> 284
<211> 19
<212> DNA
<213> Homo sapiens

83

<400> 284
gcgtcaggga tggggacag   19

<210> 285
<211> 20
<212> DNA
<213> Homo sapiens

<400> 285
gcgtcaggga ttggggacag   20

<210> 286
<211> 17
<212> DNA
<213> Homo sapiens

<400> 286
ccacttcggt ctccatg   17

<210> 287
<211> 17
<212> DNA
<213> Homo sapiens

<400> 287
ccacttcgat ctccatg   17